

a)

```

for v=1:V
  for f=1:F
    for n=1:N

```

 T_{V} V T_{F} F

Loop orders-

VFN | VFG

FVN | FVG

```

for v=1:V
  for f=1:F
    for g=1:G

```

#Buffers = $2 * \text{Granularity} = 2 * \max(T_F) * \max(T_V)$

Runtime per pipeline=

$\max(\text{time}_{TF_max, TV_max}^{AGG}, \text{time}_{TF_max, TV_max}^{CMB})$

b)

```

for v=1:V
  for f=1:F
    for n=1:N

```

 T_{V} V F

Loop orders-

VFN | VGF

VNF | VFG

VNF | VGF

```

for v=1:V
  for g=1:G
    for f=1:F

```

#Buffers = $2 * \text{Granularity} = 2 * \max(T_V) * F$

Runtime per pipeline=

$\max(\text{time}_{F, TV_max}^{AGG}, \text{time}_{F, TV_max}^{CMB})$

c)

```

for f=1:F
  for v=1:V
    for n=1:N

```

 V T_{F} F

Loop orders-

FVN | FGV

FNV | FVG

FNV | FGV

```

for f=1:F
  for g=1:G
    for v=1:V

```

#Buffers = $2 * \text{Granularity} = 2 * \max(T_F) * V$

Runtime per pipeline=

$\max(\text{time}_{V, TF_max}^{AGG}, \text{time}_{V, TF_max}^{CMB})$