



NIST
PUBLICATIONS

NISTIR 5354

(Supersedes NISTIR 5274)

VALIDATED PRODUCTS LIST

1994 No. 1

Programming Languages
Database Language SQL
Graphics
GOSIP
POSIX
Computer Security

Judy B. Kalley
Peggy N. Himes
Editors

U.S. DEPARTMENT OF COMMERCE
Technology Administration
National Institute of Standards
and Technology
Computer Systems Laboratory
Software Standards Validation Group
Gaithersburg, MD 20899

January 1994

~~QC~~
100
.U56
#5354
1994



VALIDATED PRODUCTS LIST

1994 No. 1

Programming Languages
Database Language SQL
Graphics
GOSIP
POSIX
Computer Security

Judy B. Kalley
Peggy N. Himes
Editors

U.S. DEPARTMENT OF COMMERCE
Technology Administration
National Institute of Standards
and Technology
Computer Systems Laboratory
Software Standards Validation Group
Gaithersburg, MD 20899

January 1994

(Supersedes October 1993 issue)



U.S. DEPARTMENT OF COMMERCE
Ronald H. Brown, Secretary

TECHNOLOGY ADMINISTRATION
Mary L. Good, Under Secretary for Technology

**NATIONAL INSTITUTE OF STANDARDS
AND TECHNOLOGY**
Arati Prabhakar, Director

FOREWORD

The Validated Products List is a collection of registers describing implementations of Federal Information Processing Standards (FIPS) that have been validated for conformance to FIPS. The Validated Products List also contains information about the organizations, test methods and procedures that support the validation programs for the FIPS identified in this document.

The Validated Products List is updated quarterly.

THE UNIVERSITY OF CHICAGO
DEPARTMENT OF POLITICAL SCIENCE
INSTITUTE FOR POLITICAL STUDIES
1100 EAST 58TH STREET
CHICAGO, ILLINOIS 60637
TEL: 773-936-3300
WWW.POLSC.EDU

TABLE OF CONTENTS

1. INTRODUCTION	1-1
1.1 Purpose	1-1
1.2 Document Organization	1-2
1.2.1 Programming Languages	1-2
1.2.2 Database Language SQL	1-2
1.2.3 Graphics	1-2
1.2.4 GOSIP	1-2
1.2.5 POSIX	1-2
1.2.6 Computer Security	1-2
1.2.7 FIPS Conformance Testing Products	1-2
2. PROGRAMMING LANGUAGES	2-1
2.1 FIPS Programming Language Standards	2-1
2.2 Organization of Programming Language Processor Entries	2-1
2.3 Validation of Processors	2-2
2.3.1 Validation Requirements	2-2
2.3.2 Placement in the List	2-3
2.3.3 Removal from the List	2-3
2.3.4 Validation Procedures	2-3
2.4 Certificate of Validation	2-3
2.5 Language Processor Validation Suites	2-4
2.6 Testing Laboratories and Supporting Organizations	2-5
2.7 Language Processors with Certificates - No Nonconformities	2-7
2.7.1 COBOL Processors	2-7
2.7.2 Fortran Processors	2-11
2.7.3 Ada Processors	2-17
2.7.4 Pascal Processors	2-53
2.7.5 C Processors	2-55
2.7.6 Mumps Processors	2-61
2.8 Language Processors with Registered Reports Only	2-62
2.8.1 COBOL Processors with Nonconformities	2-62
3. DATABASE LANGUAGE (SQL)	3-1
3.1 FIPS Database Language Standards	3-1
3.2 Organization of Database Language Processor Entries	3-1
3.3 Validation Requirements	3-2
3.4 Certificate of Validation	3-2
3.5 Registered Report	3-2
3.6 Validation Procedures	3-2
3.7 SQL Validation System	3-2
3.8 SQL Processors	3-3
4. GRAPHICS CONFORMANCE TESTING	4-1
4.1 FIPS GKS Standard	4-1
4.1.1 Organization of GKS Entries	4-1
4.2 FIPS PHIGS Standard	4-2

4.2.1	Organization of PHIGS Entries	4-2
4.3	FIPS CGM Standard	4-3
4.3.1	CGM Test Labs and Test Suite	4-3
4.3.2	Certificate of Validation	4-3
4.3.3	Validated Metafiles	4-3
4.4	Raster Graphics Standards	4-4
4.4.1	Certificate of Validation	4-4
4.4.2	Information Pack	4-4
4.5	GKS Implementations	4-5
4.6	Computer Graphics Metafiles	4-6
4.7	PHIGS Applications	4-7
5.	U.S. GOSIP Testing Program Register Database System (GRD)	5-1
5.1	Description	5-1
5.2	U.S. GOSIP Register Database (GRD)	5-1
5.3	How To Access The GOSIP Register Database (GRD)	5-1
5.4	GOSIP Registers	5-3
5.4.1	Register of Conformance Testing Laboratories	5-3
5.4.2	Register of Approved US GOSIP MOT Validation Laboratories	5-5
5.4.3	Register of Conformance Tested GOSIP Products	5-6
5.4.4	Register of GOSIP Interoperability Test Suites	5-57
5.4.5	Register of GOSIP Interoperability Test and Registration Services	5-57
5.4.6	Register of GOSIP Means of Testing	5-57
5.4.7	US GOSIP PICS PROFORMA	5-67
5.4.8	GOSIP Register Database Abstract Test Suites (ATS)	5-69
6.	NIST POSIX CONFORMANCE TESTING	6-1
6.1	FIPS POSIX Standard	6-1
6.2	POSIX Test Procedures	6-1
6.3	POSIX Test Suite	6-1
6.4	Validation Requirements	6-1
6.5	Testing Laboratories for NIST POSIX (FIPS 151-1)	6-2
6.6	Validated Products for NIST POSIX (FIPS 151-1)	6-3
6.7	Testing Laboratories and Validated Products for NIST POSIX (FIPS 151-2)	6-14
7.	COMPUTER SECURITY	7-1
7.1	Cryptographic Standards	7-1
7.2	Data Encryption Validation Tests	7-1
7.3	Message Authentication Code (MAC) Validation System	7-1
7.4	Key Management Validation System (KMVS)	7-1
7.5	General	7-2
7.5.1	Request for Validation.	7-2
7.5.2	Information about Validated Products.	7-2
7.5.3	Validation Documentation.	7-2
7.6	DES Validated Devices	7-3
7.7	Message Authentication Code (MAC) Implementations	7-9
7.8	Validations for Key Management	7-12
APPENDIX A FIPS CONFORMANCE TESTING PRODUCTS AND SERVICES		A-1

1. INTRODUCTION

1.1 Purpose

The testing of Information Technology (IT) Products to determine the degree to which they conform to specific Federal Information Processing Standards (FIPS) may be required by Government agencies as specified by the FIPS, Federal Information Resources Management Regulation (FIRMR) Parts 201-20.303, 201-20.304, and 201-39.1002, and the associated Federal ADP and Telecommunications Standards Index. Products having a current validation certificate or test report may be offered or delivered by vendors in response to requirements as set forth in solicitations by Federal agencies. The Validated Products List (VPL) contains conformance testing information for the following IT Standards:

- Programming Languages COBOL, Fortran, Ada, Pascal, C, and MUMPS
- Database Language SQL
- Graphics
- GOSIP
- POSIX
- Computer Security

This List is updated and published quarterly. The information contained herein is supplied by the contributors listed in Section 2.6 and Appendix A, and is current as of the tenth of the month preceding the publication date. Copies of the VPL may be obtained from:

National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22151.

Subscriptions: (703) 487-4630
Individual Copies: (703) 487-4650

Ordering Number: PB93-937303/AS

The entries in the printed VPL are contained in WordPerfect Version 5.1 files and may be accessed on the Internet using the instructions listed below.

Type: **ftp speckle.ncsl.nist.gov** (internet address is 129.6.59.2)
Login as user **ftp**
Type your e-mail address preceded by a dash (-) as the password
Type: **cd vpl**
Type: **binary**
Type: **get** and the name of the file you want; e.g. **language**

Questions or comments concerning the VPL should be directed to:

National Institute of Standards and Technology (NIST)
Computer Systems Laboratory
Software Standards Validation Group
Building 225, Room A266
Gaithersburg, MD 20899
Telephone (301) 975-3274

1.2 Document Organization

1.2.1 Programming Languages

Section 2 identifies those COBOL, Fortran, Pascal, C, Ada, and MUMPS programming language processors that have a current validation certificate or registered test report referencing the applicable FIPS as of the date of this publication.

1.2.2 Database Language SQL

Section 3 identifies those SQL language processors that have a validation certificate or a registered test report for FIPS PUB 127-1 as of the date of this publication.

1.2.3 Graphics

Section 4 lists the implementations or files for which a validation certificate is currently in place. These entries include:

Graphical Kernel System (GKS) implementations (FIPS PUB 120-1),
Programmer's Hierarchical Interactive Graphics Systems (PHIGS) (FIPS PUB 153),
Computer Graphics Metafiles (CGMs) (FIPS PUB 128),
Raster Graphics data files (FIPS PUB 150).

1.2.4 GOSIP

Section 5 contains information regarding FIPS PUB 146-1, GOSIP, conformance testing registers.

1.2.5 POSIX

Section 6 identifies POSIX products that have a current validation certificate for FIPS PUB 151-1 and FIPS PUB 151-2.

1.2.6 Computer Security

Section 7 contains information regarding validated products for FIPS PUB 46-1, Data Encryption Standard (DES), FIPS PUB 113, Computer Data Authentication (Implements Message Authentication Code, ANSI X9.9), and FIPS PUB 171, Key Management Using ANSI X9.17.

1.2.7 FIPS Conformance Testing Products

Appendix A lists FIPS conformance testing products and services available to the public. Information for these products and services may be obtained by contacting the appropriate person listed.

2. PROGRAMMING LANGUAGES

2.1 FIPS Programming Language Standards

As specified by the FIPS, FIRMR and the associated Federal ADP and Telecommunications Standards Index, Federal agencies when acquiring language processors, are responsible for assuring that processors are in accordance with the following FIPS for programming languages:

- a. COBOL processors must satisfy the provisions of FIPS PUB 21-3, COBOL, and must be identified as implementing all of the language elements of at least one of the subsets of FIPS COBOL as specified in FIPS PUB 21-3.
- b. BASIC processors must satisfy the provisions of FIPS PUB 68-2, BASIC.
- c. Fortran processors must satisfy the provision of FIPS PUB 69-1, Fortran, and must be identified as implementing all of the language elements of the subset or full levels of FIPS Fortran as specified in FIPS PUB 69-1.
- d. Pascal processors must satisfy the provisions of FIPS PUB 109, Pascal.
- e. Ada processors must satisfy the provisions of FIPS PUB 119, Ada.
- f. MUMPS processors must satisfy the provisions of FIPS PUB 125, MUMPS.
- g. C processors must satisfy the provisions of FIPS PUB 160, C.
- h. VHDL processors must satisfy the provisions of FIPS PUB 172, VHDL.

Copies of the above publications are for sale by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161.

Conformance testing programs are currently available for all above FIPS except for the programming language BASIC and VHDL. A test suite for BASIC is being developed.

2.2 Organization of Programming Language Processor Entries

The entries in the VPL for programming language processors are presented as follows:

- The **VENDOR ID** column contains the name of the Vendor of the processor.
- The **PROCESSOR ID** column contains the Processor identification and the Validation Summary Report (VSR) or certificate number. This number refers to the VSR that was produced as a result of the testing. The VSR describes the testing environment and details any processor nonconformity that was detected as a result of the testing. Information for obtaining a VSR is listed in section 2.6.
- Derived processors in the **VENDOR & COMPILER** column are Ada processors that have been derived from the processor/hardware/operating system environment used during the testing. In order for derived processors to be listed here, they must be properly registered with the Department of Defense, Ada Joint Program Office (AJPO) by the vendor of the processor.

- The **HARDWARE & OPERATING SYSTEM** column presents the hardware and operating system environment (including pertinent supporting system software) used during the validation. In the case of Ada processors, those environments for derived processors will appear in this column.
- The **EXPIRY DATE** column lists the expiration date of the Certificate of Validation or Registered Validation Summary Report. A processor may be included in the List after the certificate has expired if the validation is in process. Notification must be received by NIST at least 30 days prior to publication of the List in order for such a processor to be included. In this case the expiration date will be followed by "(pending)".
- For COBOL processors, the **SUBSET** column cites the applicable Federal Subset. For Fortran processors, the **LEVEL** column specifies the applicable Federal level. For Pascal processors, the ISO 7185 Pascal Standard Level (ISO 7185 Level 0 is equivalent to FIPS 109). This designation is presented in the **PROCESSOR ID** column.
- The entries in the **OTHER ENVIRONMENTS** column are registered hardware and operating system environments for the processor tested. The vendor of the processor has certified that the identified processor, when operating under the environments included in this column, produces the same test results as those obtained from the hardware and operating system environment used during the validation. Test results and other information from these environments may be required as evidence for entries to be included in this column.

Also listed are the programming language processors that have been tested and during the testing were found to have one or more nonconformities.

2.3 Validation of Processors

2.3.1 Validation Requirements

In accordance with the requirements referenced in Section 1.1, language processors offered to the Government for purchase, lease, or use in connection with ADP services shall be validated for conformance to FIPS for programming languages. To confirm that the specifications of the designated FIPS have been met:

- a. the processor shall be tested with the Compiler Validation System (CVS) approved by NIST,
- b. the processor validations shall be conducted in accordance with NIST validation procedures,
- c. a Validation Summary Report (VSR) shall be produced summarizing the test results of the CVS on the designated processor for that FIPS,
- d. all nonconformities noted in the VSR shall be corrected within twelve months,
- e. a Certificate of Validation shall be issued if validation results warrant. In order for a processor to receive a Certificate of Validation the processor must successfully pass all applicable tests of the CVS without exception.

The Federal ADP and Telecommunications Standards Index supplies standard terminology which may allow for delayed validation. When delayed validation is allowed, the offeror may meet this

requirement by showing evidence of having submitted the processor for validation. Proof of submission is in the form of a letter from NIST scheduling the validation.

Programming language processors offered to the Federal Government must comply with the applicable Government requirements. Failure to comply with these requirements shall be deemed sufficient cause to declare a bidder non-responsive or to declare a vendor in default for failure to deliver required software.

2.3.2 Placement in the List

For a processor to be placed in the List it must:

- a. have been officially tested within the past twelve calendar months, and
- b. have no errors remaining that were identified during a previous test.

2.3.3 Removal from the List

A processor is removed from the List when:

- a. the processor is not officially tested within twelve calendar months, or
- b. testing indicates that the processor still contains errors identified during a previous validation.

2.3.4 Validation Procedures

Validation procedures are published in the following documents:

Compiler Validation Procedures, dated January 15, 1993
Ada Compiler Validation Procedures and Guidelines, Version 3.1, August, 1992
Pascal Validation Policy and Procedures, Version 5.5, April 9, 1993
MUMPS Validation Procedures, Version 1.0, dated August 13, 1992

2.4 Certificate of Validation

A Certificate of Validation is issued for those programming language processors that have been tested and are considered to be in compliance with the FIPS as specified by the FIPS, FIRMR and the associated Federal ADP and Telecommunications Index.

The requirement for retesting may be waived and the certificate of validation extended at the option of NIST if:

- a. no errors were identified during the previous testing of the processor,
- b. the vendor certifies, in writing, to NIST that no changes have been made to either the processor or the supporting system software, and
- c. no new version of the validation system has been officially released during the interim period.

2.5 Language Processor Validation Suites

Following are the validation suites and ordering information for testing programming language processors for conformance to FIPS.

- a. Copies of the COBOL, Fortran, MUMPS, and Ada Compiler Validation Suites may be purchased from:

National Technical Information Service (NTIS)
5285 Port Royal Road
Springfield, VA 22161
Telephone (703) 487-4650 (Voice)
(703) 321-8547 (FAX)

COMPILER VALIDATION SYSTEM [MEDIUM/FORMAT]	VERSION	NTIS ACCESSION NUMBER
COBOL 85 (CCVS85)	4.2	PB93-504918
Fortran (FCVS78)	2.1	PB85-226736
Ada [Tape/Backup]	1.11	ADA212551
Ada [Tape/Tar]	1.11	ADA212437
Ada [Tape ANSI Standard]	1.11	ADA212548
Ada [Disk (MS/DOS)]	1.11	ADA212549
MUMPS [Tape/Backup]	7.61	PB91-507699
MUMPS [Tape/ANSI]	7.61	PB91-507715
MUMPS [Tape/Tar]	7.61	PB91-507723
MUMPS [Disk (MS-DOS)]	7.61	PB91-507707

- b. The current version of the Pascal Validation System (PVS) is Version 5.5 and is available from:

British Standards Institution (BSI)
Software Engineering Department
BSI Quality Assurance
P. O. Box 375
Milton Keynes
MK14 6LL
ENGLAND
Telephone (011) +44-908-220908 (Voice)
(011) +44-908-220671 (FAX)

- c. The current version of the ANSI C Validation Suite (ACVStm) is Version 4.0 and is available from:

Perennial, Inc.
4699 Old Ironsides Drive
Suite 210
Santa Clara, CA 95054
Telephone (408) 748-2900 (Voice)

2.6 Testing Laboratories and Supporting Organizations

The organizations listed below have performed validations, supplied information, or are sources for Validation Summary Reports (VSR) for programming languages. These organizations may be contacted for validation information and for copies of VSR(s). COBOL and Fortran VSR(s) may be obtained from NIST. Pascal VSR(s) whose VSR numbers begin with "NIST" or end in "US" may also be obtained from NIST. Pascal VSR(s) whose VSR numbers end in "UK" are available from BSI. Ada VSR(s) may be obtained from the Ada Information Clearinghouse, the National Technical Information Service, or from the Ada Validation Facility (AVF) that produced the VSR. To obtain a copy of a VSR from an AVF, locate the upper case letter in the certificate number (e.g., 870608W1. . .). That letter corresponds to the letter in the CODE column to the left of the organizations listed below.

<u>CODE</u>	<u>ORGANIZATION</u>	<u>CONTACTS</u>	<u>LANGUAGE</u>
S	National Institute of Standards and Technology Software Standards Validation Group Building 225, Room A266 Gaithersburg, MD 20899 (301) 975-3274 Telex: 197674 NBS UT FAX: (301) 948-6213	L. Arnold Johnson Judy Kailey Carmelo Montanez William Dashiell	All COBOL, Fortran BASIC Pascal, C Ada, MUMPS, SQL, VHDL
N	National Computing Centre Limited (NCC) Oxford Road Manchester M1 7ED ENGLAND (011) +44 (61) 228 6333 +44 (61) 236 4715 (FAX) Telex 668962	Jane Pink Jon Leigh David Bamber	COBOL Fortran Ada
	German National Research Center for Computer Science (GMD) Department Scientific Visualization Supercomputer Center (HLRZ) P. O. 1316, Schloss Birlinghoven D-W-5205 Sankt Augustin 1 Germany (011) +49-2241-14-2706 (voice) (011) +49-2241-14-2618 (FAX) kirsch @gmdzi.gmd.de	Berthold Kirsch	Fortran
	Bureau Inter Administration de Documentation Informatique (BIADI) 21 Rue Bara 92132 Issy France	E. Bialot	COBOL Fortran
	Instituto Italiano del Marchio di Qualita (IMQ) Via Quintiliano, 43 20138 Milano Italy +39-2-5073266	Angelo Belloni	COBOL Fortran

	JMI Institute 21-25, Kinuta 1-Chome Setagaya-Ku, Tokyo 157 Japan +81 3 3416 9600	Y. Fukui	COBOL Fortran
	British Standards Institution (BSI) P.O. Box 375 Milton Keynes MK14 6LL ENGLAND (011) +44 0908-220908 Telex: 827682 BSIQAS G	John Souter	Pascal
W	Ada Validation Facility Language Control Facility ASD/SCEL Wright-Patterson AFB, OH 45433-6503 (513) 255-4472	Dale Lange	Ada
B or A	BNI-AVF AFNOR Direction Certification Tour Europe, Cedex 7 92080 Paris La Defense FRANCE (011) 33-142915960 Telefac: (011) 33-142915656 Telex: AFNOR 611 974 F	M. Alphonse Philippe	Ada
I	IABG-AVF Industrieanlagen-Betriebsgesellschaft Dept. ITE Einsteinstrasse 20 D-8012 Ottobrunn Federal Republic of Germany +49-89-6088-2477 e-mail: tonndorf@ajpo.sei.cmu.edu	Michael Tonndorf	Ada
	Ada Information Clearinghouse 3D139 1211 S. Fern, C-107 The Pentagon Washington, D.C. 20301-3081 (703) 685-1477		Ada VSR(s)
	National Technical Information Service U.S. Department of Commerce 5285 Port Royal Road Springfield, VA 22161 (703) 487-4650		Ada VSR(s)

2.7 LANGUAGE PROCESSORS WITH CERTIFICATES NO NONCONFORMITIES

COBOL -
Certificates

2.7.1 COBOL PROCESSORS

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	SUBSET	OTHER ENVIRONMENTS HW/OS
Bull HN	COBOL 85 Version 8c83.0 <i>NIST-92/1681</i>	DPS-90 <i>GCOS8 Version 4020 Release 3</i>	7/1/94	High	DPS 8000, DPS 9000 <i>GCOS8 Version 4020 Release 3</i>
Computer Associates	CA-Realia COBOL Version 4.2 Release 9305 <i>NIST-93/1301</i>	IBM PS/2 Model 80 <i>OS/2 Version 2.0</i>	6/1/94	Intermediate	IBM PS/2 Model 55SX, 60, 70, 90, 95 <i>OS/2 Version 2.0</i>
	CA-Realia COBOL Version 4.2 Release 9305 <i>NIST-93/1302</i>	IBM PS/2 Model 80 <i>MS/DOS Version 5.0</i>	6/1/94	Intermediate	IBM PS/2 Model 55sx, 60, 70, 90, 95 <i>MS-DOS Version 5.0</i>
Control Data Corporation	Micro Focus COBOL/2 Version 3.0 <i>NIST-93/1101</i>	Contol Data 4360 <i>EP/IX Version 2.1.1</i>	1/1/94	High	Control Data 4000 <i>EP/IX Version 2.1.1</i>
Digital Equipment Corporation	VAX COBOL Version 5.1 <i>NIST-92/224A</i>	VAX 8800 <i>VAX/VMS Version 5.5</i>	12/1/94	High	VAX 4000 mod 200, 300; VAX 6000 mod 200, 300, 400, 500; VAX 8200, 8250, 8300, 8350, 85XX, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840; VAX 9000 mod 210, 400; VAXft 3000 mod 310; VAX-11/730, /780, /785; MicroVAX II, 2000, 3100, 3300, 3400, 3500, 3600, 3800, 3900; VAXstation II, 2000, 3100, 3200, 3500, 3520, 3540; VAX- server 3100, 3300, 3400, 3500, 3600, 3602, 3800, 3900, 4000 mod 200,300; 6000 mod 210/220, 310/320, 410/420, 510/520; <i>VAX/VMS Version 5.5</i>
Hewlett- Packard Company	COBOL/HP-UX Version B.07.00 <i>NIST-93/1501</i>	HP9000 Series 720 <i>HP-UX Version 9.0</i>	5/1/94	High	HP9000 Series 635, 645, 705, 710, 715/33, 715/50, 720, 725/50, 730, 735, 750, 755, 807, 815, 817, 822, 825, 827, 832, 834, 835, 837, 842, 845, 847, 850, 852, 855, 857, 860, 865, 867, 870, 870/200, 870/300, 870/400, 877, 887, 890/1, 890/2, 890/3, 890/4, 897, F10, F20, F30, G30, G40, G50, H20, H30, H40, H50, I30, I40, I50 <i>HP-UX Version 9.0</i>

COBOL PROCESSORS *Continued*

COBOL -
Certificates

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	SUBSET	OTHER ENVIRONMENTS HW/OS
	COBOL/iX Version A.04.08 <i>NIST-93/1502</i>	HP3000 Series 967 <i>MPE iX Version B.09.66</i>	5/1/94	High	HP3000 Series 917, 920, 922, 925, 927, 932, 935, 937, 947, 948, 949, 950, 955, 957, 958, 960, 967, 977, 980/100, 980/200, 980/300, 980/400, 987, 990, 992 <i>MPE/iX Version A.40.00</i>
IBM Canada, Ltd.	COBOL/400 Version 2 Release 2 <i>NIST-92/2071</i>	AS/400 <i>OS/400 Version 2 Release 2</i>	9/1/94	Intermediate	
IBM Corporation	IBM SAA AD/CYCLE COBOL/370 Version 1 Release 1 <i>NIST-94/1082</i>	IBM 3090 <i>VM/ESA Version ESA Release 1.0</i>	12/1/94	High	IBM 390, 3000, 4381-T92, 9000 <i>VM/ESA Version ESA Release 1.0</i>
	IBM SAA AD/CYCLE COBOL/370 Version 1 Release 1 <i>NIST-94/1081</i>	IBM 3090 <i>MVS/ESA Version 4 Release 3</i>	12/1/94	High	IBM 390, 3000, 4381-T92, 9000 <i>MVS/ESA Version 4 Release 3</i>
	VS COBOL II Version 1 Release 4 <i>NIST-93/1801</i>	IBM 3090 <i>MVS/ESA Version 4 Release 2.2</i>	8/1/94	Intermediate	IBM 370, 390, 3000, 4300, 9000 <i>MVS/370 Version 1 Release 3.6, MVS/XA Version 2 Release 2.3</i>
	VS COBOL II Version 1 Release 4 <i>NIST-93/1802</i>	IBM 3090 <i>VSE/ESA Version 1 Release 3</i>	9/1/94	Intermediate	IBM 370, 390, 3000, 4300, 9000 <i>VSE/ESA Version 1 Release 3</i>
	VS COBOL II Version 1 Release 4 <i>NIST-93/1803</i>	IBM 3090 <i>VM/ESA Version ESA Release 1.0</i>	9/1/94	Intermediate	IBM 370, 390, 3000, 4300, 9000 <i>VM/SP6</i>
mbp Information- stechnologie GmbH	Visual COBOL XO Version 3.3 <i>NIST/NCC-93/976</i>	Sintronic 486 DX 50 <i>MS-DOS Version 5.0</i>	7/15/94	High	
	Visual COBOL XO Version 3.3 <i>NIST/NCC-93/977</i>	Hewlett Packard HP9000/807S <i>HP-UX Version 8.02</i>	7/15/94	High	
Micro Focus	Micro Focus COBOL for DOS, Windows and OS/2, Version 3.1 <i>NIST-93/1821</i>	Compaq Deskpro <i>IBM OS/2 Version 2.0</i> IBM PS/2 Model 90 <i>IBM OS/2 Version 1.3</i> IBM PS/2 Model 90 <i>Microsoft Windows NT</i> IBM PS/2 Model 80 <i>Microsoft DOS Version 6</i>	8/1/94	High	IBM PS/2 Models 70, 80 <i>IBM OS/2 Version 2.0</i> IBM PS/2 Models 60, 65sx, 80 <i>IBM OS/2 Version 1.3</i> IBM PS/2 Models 90, 65sx, 60 <i>IBM DOS Version 6.0</i> IBM PS/2 Models 80, 70-486, 65sx, 60 <i>MS DOS Version 5.0</i> IBM PS/2 Models 90, 80, 65sx, 60 <i>MS DOS Version 4.0</i> IBM PS/2 Models 80, 70-486, 65sx, 60 <i>MS DOS Version 3.3</i>

COBOL PROCESSORS *Continued*

COBOL -
Certificates

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	SUBSET	OTHER ENVIRONMENTS HW/OS
	Micro Focus COBOL V3.1 for UNIX (Sun SPARC running Solaris 2) <i>NIST-93/1822</i>	Sun Sparcstation Model 2 <i>Sun Solaris (SunOS 5.1) Version 2</i>	8/1/94	High	
	Micro Focus COBOL for V3.1 for UNIX (IBM RS/6000) <i>NIST-93/1823</i>	IBM RS/6000 Powerstation Model 320 <i>AIX Version 3 Release 2.3</i>	8/1/94	High	
	Micro Focus COBOL V3.1 for UNIX (Intel 80386 running UNIX SVR4.2) <i>NIST-93/1824</i>	NCR 3000 Series Model 3314 <i>UNIX System V Release 4</i>	8/1/94	High	
	Micro Focus COBOL V3.1 for UNIX (Intel 80386 running UNIX SVR4.2) <i>NIST-93/1825</i>	UNIQ 486 EISA (Intel 80486 Processor) <i>UNIXWARE SYSTEM V, Release 4.2</i>	8/1/94	High	
	Micro Focus COBOL V3.1 for UNIX (Intel 80386 running SCO UNIX) <i>NIST-93/1826</i>	HIMS Technology (Intel 80486 processor) <i>SCO UNIX System V, Release 3.2</i>	8/1/94	High	
	Micro Focus COBOL V3.0.50 for UNIX (Sun SPARC running Solaris 1) <i>NIST-93/1827</i>	Sun Sparcstation Model 10 <i>Sun Solaris (SunOS 4.1.3) Version 1</i>	8/1/94	High	
	Micro Focus COBOL V3.0.50 for UNIX (Pyramid MISserver) <i>NIST-93/1828</i>	Pyramid MISserver-S <i>UNIX System V Release 4 DC/OSx V1.1</i>	8/1/94	High	
	Micro Focus COBOL V3.0 for UNIX (Intel 80386 running UNIX SVR4.0) <i>NIST-93/1829</i>	AT&T Star Server-E <i>UNIX System V, Version 2.1 Release 4</i>	8/1/94	High	
Microsoft Corporation	Microsoft COBOL Version 5.0 <i>NIST-92/1962</i>	IBM PS/2 Model 60 <i>IBM DOS Version 5.0</i> Compaq Deskpro <i>Microsoft DOS, Version 4.01</i>	8/1/94	High	IBM PS/2 Model 80 <i>DOS Version 3.3</i>
Sequent Computer Systems Corp.	Micro Focus COBOL Version 3.0 <i>NIST-93/1391</i>	S2000/250 <i>DYNIX/ptx Version 2 Release 0</i>	4/1/94	High	S2000/450, S2000/750 <i>DYNIX/ptx, Version 2 Release 0</i>
	Micro Focus COBOL Version 3.0 <i>NIST-93/2001</i>	S2000/250 <i>DYNIX/ptx Version 2.0 Release 1.0</i>	2/1/95	High	S2000/450, S/750 <i>DYNIX/ptx Version 2 Release 1.0</i>

COBOL PROCESSORS *Continued*

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	SUBSET	OTHER ENVIRONMENTS HW/OS
Siemens Nixdorf Informations- systeme AG	COBOL85 Version 2.1A <i>NIST/NCC-93/975</i>	7.5921 <i>BS2000/OSD (BS 2000)</i> <i>Version 1.0A (11.0A)</i>	5/1/94	High	
Tandem Computers, Inc.	COBOL85 Version D20 <i>NIST-93/1541</i>	NonStop VLX <i>Guardian 90 Version D10</i>	6/1/94	High	
Unisys Corporation	UCS COBOL (UCOB) Version 6R1 Release SB5R1 <i>NIST-93/1841</i>	2200/900 <i>1100 OS EXEC, Version</i> <i>44R1 Release SB5R1</i>	8/1/94	High	2200/600, 2200/400, 1100/90 <i>1100 OS EXEC, Version 44R1</i> <i>Release SB5R1</i>

2.7.2 FORTRAN PROCESSORS

Fortran -
Certificates

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	LEVEL	OTHER ENVIRONMENTS HW/OS
Bull HN	FORTRANA Release R3.1 NIST-93/1202	DPS 6000 Model 634 GCOS6 HVS Version 2.0	1/1/94	Full	DPS6/EMMU GCOS6 MOD 400 Release 4.1 DPS6 PLUS HVS6 PLUS Version 2.0 DPS 6000 GCOS6 HVS Version 2.0
	Fortran 77-ESV Version 8FV4.1 NIST-92/1682	DPS-9000E GCOS8 Version SR40203	7/1/94	Full	DPS-90, DPS-8000 GCOS8 Version SR40203
	Fortran SXL-3001 Version 01.00 BLA/92/001	DPX/2 210 B.O.S.Version 02.01	1/1/94	Full	DPX/2 2000 and 300 FAMILIES B.O.S. Version 02.01
	BOS/X Fortran Compiler Version 2.2 BLA/92/002	DPX/20 BOS/X Version 3	1/1/94	Full	DPX/20 FAMILIES BOS/X Version 3
Concurrent Computer Corporation	SP-2450 (Fortran 77) Version 2 Release 1 NIST-92/1501	7100 RTU 6.1	6/1/94	Full	7400, 7500, 7200, 7502 RTU Version 6.1 6300, 6350, 6400, 6450, 6600, 6605, 6650, 6652, 6655, 6700, 6705, 6750, 6752 RTU Version 6.0
	SP-2450 (Fortran 77) Version 2 Release 2 NIST-92/1504	8500/4 RTU 6.0A	6/1/94	Full	8450, 8550, 8400 RTU Version 6.0A
	Fortran VII Z Version R06 Release 01 NIST-92/1502	3280 MPS OS/32 Version R09 Release 01	6/1/94	Full	3205, 3210, 3220, 3230, 3240, 3250, 3230XP, 3250XP, 3280XP, 3230MPS, 3260MPS, 3280E MPS; Micro 3200CS*, Micro 3200ES*, Micro 3200 MPS* OS/32 Version R09 Release 01
	Fortran VII O Version R06 Release 01 NIST-92/1503	3280 MPS OS/32 Version R09 Release 01	6/1/94	Full	3205, 3210, 3220, 3230, 3240, 3250, 3230XP, 3250XP, 3280XP, 3230MPS, 3260MPS, 3280E MPS; Micro 3200CS*, Micro 3200ES*, Micro 3200 MPS* OS/32 Version R09 Release 01
Control Data Corporation	Fortran/77 Version 3.11 NIST-93/1102	Contol Data 4680 EP/IX Version 2.1.1	2/1/94	Full	Control Data 4000 EP/IX Version 2.1.1
Convex Computer Corporation	Convex Fortran Version 8 NIST-93/1421	Convex C3880 ConvexOS Version 10.2	5/1/94	Full	Convex C-Series ConvexOS Version 10.1, 10.2
Cray Computer Corporation	f77 Version 1.0 NIST-93/2201	CRAY-3 CSOS Version 1.0	11/1/94	Full	
	f77 Version 1.0 NIST-93/2202	Cray 3 CSOS Version 1.0	11/1/94	Full	

FORTRAN PROCESSORS, *Continued*

Fortran -
Certificates

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	LEVEL	OTHER ENVIRONMENTS HW/OS
Cray Research, Inc.	CF77 Compiling System Release 6.0 <i>NIST-93/1221</i>	Cray C90 <i>UNICOS Release 7.C.2ck</i>	8/1/94	Full	Cray C90 <i>UNICOS Release 7.0</i>
	CF77 Compiling System Release 6.0 <i>NIST-93/1222</i>	Cray Y-MP <i>UNICOS Release 7.C.2cl</i>	8/1/94	Full	Cray Y-MP, Cray Y-MPEL <i>UNICOS Release 7.0</i>
Digital Equipment Corporation	DEC Fortran for RISC/ULTRIX Version 3.2 <i>NIST-93/2142</i>	DECstation 5000, Mod 200 <i>RISC/ULTRIX Version 4.3</i>	12/1/94	Full	DECstation 2100, 3100, 3100s; Personal DECstation 5000 20/25 MX, HX, TX, PXG+, PXG Turbo+; DECstation 5000 120/125/133 MX, CX, HX, PX, TX, PXG, PXG+, PXG Turbo, PXG Turbo+; 200 MX, CX, HX, PX, TX, PXG, PXG+, PXG Turbo+; 240 MX, HX, TX, PXG, PXG Turbo+; DECsystem 3100; 5000 25, 200, 240; 5100; 5400; 5500; 5810; 5820; 5830; 5840; 5900 <i>ULTRIX/RISC Version 4.3</i>
	DEC Fortran for OpenVMS VAX, Version 6.1 <i>NIST-93/2143</i>	VAX 6000-420 <i>OpenVMS VAX Version 6.0</i>	12/1/94	Full	VAX 4000 Models 100, 100A, 105A, 200, 300, 400, 500, 500A, 600, 600A, 700A; VAX 6000 Models 200, 300, 400, 500, 600; VAX 7000 Model 600; VAX 8200, 8250, 8300, 8350, 8500, 8550, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840, 8842; VAX 9000 Models 110, 210, 300, 400, 420, 430, 440; VAX 10000 Model 600; VAXrt Models 110, 310, 410, 610, 612; VAX 11/730, 11/750, 11/780, 11/785; MicroVAX II, 2000, 3100 10/10E, 20/20E, 30, 40, 80, 90; MicroVAX 3300, 3400, 3500, 3600, 3800, 3900; VAXstation II, 2000; 3100 Models 30, 38, 40, 48, 76; 3200, 3500, 3250, 3540; VAXstation 4000 Models 60, 90, VLC; VAXserver 3100 Models 10/10E, 20/20E; 3300, 3400, 3500, 3600, 3602, 3800, 3900; VAXserver 4000 Models 200, 300, 500; VAXserver 6000 Models 210, 220, 310, 320, 410, 420, 510, 520, 610, 620, 630; VAXserver 9000 Models 110, 310, 320, 330, 340 <i>OpenVMS VAX Version 6.0, 5.5, 5.4</i>
	DEC Fortran for OpenVMS AXP, Version 6.1 <i>NIST-93/2141</i>	DEC 3000-500 <i>OpenVMS AXP Version 1.5</i>	12/1/94	Full	DEC 2000 300, DEC3000 300, 300L, 500X, 400 AXP Workstation, 400 AXP Server, 500 AXP Workstation, 500 AXP Server; 600, 600 Server 800, 800 Server, DEC 4000 600 AXP, 710; DEC 7000 600 AXP; DEC 10000 600 AXP <i>OpenVMS AXP Version 1.5</i>

FORTRAN PROCESSORS, *Continued*

Fortran -
Certificates

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	LEVEL	OTHER ENVIRONMENTS HW/OS
	DEC Fortran Version 3.3 for DEC OSF/1 AXP Systems <i>NIST-93/1312</i>	DEC/3000-400 <i>DEC OSF/1 AXP, Version 1.2</i>	3/1/94	Full	DEC/10000, DEC/7000, DEC/4000, DEC/3000, DEC/2000, DEC/1000 <i>DEC OSF/1 AXP Version 1.2</i>
	DEC Fortran for Windows NT AXP Systems, Version 1.0 <i>NIST-93/1761</i>	DECpc AXP/150 <i>Windows NT AXP, Version 1.0</i>	8/1/94	Full	
Encore Computer Corporation	Parallel Fortran+ Version 1.2.0 <i>NIST-93/1443</i>	Encore 93 <i>UMAX V Version 3.1.2</i>	5/1/94	Full	
	Parallel Fortran+ Version 1.2.0 <i>NIST-93/1442</i>	Encore 91 <i>UMAX V Version 3.0.7</i>	5/1/94	Full	Infinity 90 <i>UMAX V Version 3.0.7</i>
	Fortran 77+ Version 5.2.0 <i>NIST-93/1441</i>	Concept 32/97 <i>MPX-32 Version 3.Su02A</i>	5/1/94	Full	Concept 32/67, 32/20xx, Encore RSX <i>MPX-32 Version 3.Su02A</i>
	GCF Version 2.0 <i>NIST-92/1542</i>	Concept 32/97 <i>MPX-32 Version 3.Su02</i>	4/1/94	Full	Concept 32/67, 32/20xx, Encore RSX <i>MPX-32 Version 3.Su02</i>
Fujitsu America, Inc.	OSIV/MSP Fortran77 EX Version 11 Level 10 <i>NIST-91/1383</i>	Fujitsu VP100E <i>OSIV/F4 MSP Edition 20</i>	2/1/95	Full	Fujitsu M780; M760 <i>OSIV/F4 MSP Edition 20</i>
	OSIV/MSP Fortran77 EX Version 11 Level 10 <i>NIST-91/1384</i>	Amdahl 5990 <i>IBM MVS/SP Version 3 Release 1.3</i>	2/1/95	Full	IBM 3090/200E <i>IBM MVS/SP Version 2 Release 2.3</i>
	UXP/M Fortran77 EX/VP Version 11 Level 10 <i>NIST-91/1601</i>	Fujitsu VP2400/10 <i>UXP/M Version 10 Level 10</i>	2/1/95	Full	Fujitsu VP2000 Series <i>UXP/M Version 10 Level 10</i>
	UXP/M Fortran77 EX/VP Version 11 Level 10 <i>NIST-91/1602</i>	Fujitsu VP2400/10 <i>UXP/M Version 10 Level 10</i>	2/1/95	Full	Fujitsu VP2000 Series Fujitsu M Series <i>UXP/M Version 10 Level 10</i>
HNSX Supercomputers Inc.	Fortran77/SX (f77sx) Release 031 <i>NIST-93/1081</i>	NEC SX-3 Model 22 <i>SUPER-UX Release 2.2</i>	1/1/94	Full	NEC SX-3/11, /12, /14, /24, /42, /44; HNSX SX-3/11, /12, /14, /24, /42, /44 <i>SUPER-UX Release 2.2</i>
Hewlett- Packard Company	HP 9000 S800 Fortran 77 Version A.09.00 Rel 9.0 <i>NIST-93/1123</i>	HP9000 Model 835 <i>HP-UX Version 9.0</i>	1/1/95	Full	HP9000, mod 807, 817, 825, 827, 834, 835, 837, 840, 845, 847, 850, 857, 860, 867, 870 <i>HP-UX Version 9.0</i>
	HP 9000 S700 Fortran 77 Version A.09.00 Rel 9.0 <i>NIST-93/1121</i>	HP9000 Model 720 <i>HP-UX Version 9.0</i>	1/1/95	Full	HP9000, mod 705, 710, 730, 750 <i>HP-UX Version 9.0</i>

FORTRAN PROCESSORS, *Continued*

Fortran -
Certificates

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	LEVEL	OTHER ENVIRONMENTS HW/OS
	HP 9000 S300/S400 Fortran 77 Version A.09.00 Rel 9.0 <i>NIST-93/1122</i>	HP9000 Model 433T <i>HP-UX Version 9.0</i>	1/1/95	Full	HP9000, mod 400, 425, 332, 345, 350, 360, 370, 375, 380, 385 <i>HP-UX Version 9.0</i>
	HP 3000 S900 Fortran 77 Version A.04.31 Rel 9.0 <i>NIST-93/1124</i>	HP3000 Model 947LX <i>MPE/iX Version 4.0</i>	1/1/95	Full	HP3000, mod 917, 922, 925, 927, 930, 932, 935, 937, 950, 955, 957, 960, 967, 980, 990 <i>MPE/iX Version 4.0</i>
IBM Canada, LTD	IBM AIX XL Fortran Compiler/6000 Version 2 Release 3 <i>NIST-92/2031</i>	IBM RISC System/6000 POWERstation/ POWERserver 540 <i>AIX for RISC System/6000 Version 3 Release 2</i>	9/1/94	Full	RISC System/6000 Powerstation /Powerserver 220, 320H, 340, 350, 520H, 530, 530E, 540, 550, 560, 560F, 730, RISC System/6000 Powerserver 930, 950, 970 <i>AIX for RISC System/6000 Version 3 Release 2</i>
	IBM AIX XL Fortran Compiler/6000 Version 3 Release 1 <i>NIST-93/1921</i>	IBM RISC System/6000 POWERstation/ POWERserver 550 <i>AIX for RISC System/6000 Version 3 Release 2.5</i>	1/1/95	Full	RISC System/6000 Powerstation /Powerserver 220, 250, 25T, 25W, 320H, 340, 350, 520H, 530, 530E, 540, 550, 560, 560F, 58H, 590, 730, RISC System/6000 Powerserver 25S, 930, 950, 970, 990 <i>AIX for RISC System/6000 Version 3 Release 2.5</i>
IBM Corporation	VS Fortran Version 2 Release 5 <i>NIST-91/1921</i>	IBM 4381 <i>VM/SP Version 1 Release 5</i>	8/1/94	Full	S/370 30xx, 43xx, 93xx, S/390, ES/9000 <i>VM/XA Version 1, Rel 1, 2</i> S/370 30xx, 43xx, S/390, ES/9000 <i>VM/ESA Version 1, Rel 1, 1.1</i>
	VS Fortran Version 2 Release 5 <i>NIST-91/1922</i>	IBM S/370 3090 <i>MVS/ESA SP Version 4 Release 2</i>	8/1/94	Full	S/370 30xx, 43xx, 93xx, S/390, ES/9000 <i>MVS/SP Version 1, Release 3</i> <i>MVS/SP Version 2, Release 2</i> <i>MVS/SP Version 3, Release 1</i>
	VS Fortran Version 2 Release 5 <i>NIST-90/1823</i>	IBM 3090 <i>AIX/370 Version 1 Release 2</i>	8/1/94	Full	S/370, 30xx, 43xx, 93xx <i>AIX/370 Version 1, Release 2</i>
Intel SSD	f77 Native Compiler Version R4.5 <i>NIST-93/1781</i>	XP/S <i>OSF/1 AD Release R1.1</i>	11/1/94	Full	
Intergraph Corporation	Clipper Advanced Optimizing Fortran, Version 2.0 <i>NIST-94/1104</i>	Clipper Model 2730 <i>CLIX, Version 7.1</i>	12/1/94	Full	Clipper C300 and C400 <i>CLIX, Version 7.1</i>
Liant Software Corporation	Fortran/400, Version 1 Release 3 <i>NIST-92/1181</i>	IBM AS/400 B4500 <i>IBM OS/400, Version 1</i>	1/1/94	Full	

FORTRAN PROCESSORS, *Continued*

Fortran -
Certificates

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	LEVEL	OTHER ENVIRONMENTS HW/OS
	Fortran/400, Version 2 Release 1 <i>NIST-92/1182</i>	IBM AS/400 B4500 <i>IBM OS/400, Version 2</i>	1/1/94	Full	
Microsoft Corporation	Fortran PowerStation 32 for Windows NT, Version 1.0 <i>NIST-93/2061</i>	Dell PC 486D/SO with Intel 486 CPU <i>Microsoft Windows NT Version 3.1</i>	10/1/94	Full	
	Microsoft FORTRAN PowerStation Version 1.0 <i>NIST-93/1181</i>	Gateway 2000 486/33C 80387 math co- processor, Microsoft DOS Version 5.0 <i>Microsoft Windows Ver 3.1 Compaq DeskPro 386/20e MS-DOS Version 5.0</i>	3/1/94	Full	
Sequent Computer Systems, Inc.	ptx/Fortran Version 2.1p <i>NIST-93/2002</i>	S2000/250 <i>DYNIX/ptx Version 2 Release 1.0</i>	2/1/95	Full	S2000/450, S2000/750 <i>DYNIX/ptx Version 2 Release 1.0</i>
Siemens Nixdorf Informations- systeme AG	Fortran77 V1.3 <i>NIST/NCC-93/978</i>	PCE-5S <i>SINIX-Z V5.41</i>	11/1/94	Full	MX300 <i>SINIX-L Version 5.41 MX500 SINIX-M Version 5.41 WX200 SINIX-D Version 5.41</i>
	Fortran77 V1.3 <i>NIST/NCC-93/979</i>	RM400 <i>SINIX-N V5.41</i>	11/1/94	Full	RM600 <i>SINIX-P Version 5.41 RNM600 SINIX-Y Version 5.41</i>
	FOR1 V2.2 <i>NIST/NCC-93/980</i>	7.5921 <i>BS2000/OSD V1.0A (BS2000 V11.0A)</i>	11/1/94	Full	
	FORTTRAN90 V1.0 <i>NIST/NCC-93/981</i>	7.5921 <i>BS2000/OSD V1.0A (BS2000 V11.0A)</i>	11/1/94	Full	
Silicon Graphics Computer Systems Inc.	Fortran Release 3.6 <i>NIST-93/1164</i>	IRIS 4D/25 <i>IRIX 5.0</i>	4/1/94	Full	Personal IRIS, IRIS, IRIS 4D/50, 4D/70, 4D/120, 4D/220, 4D/280 <i>IRIX Release 5.0</i>
	Fortran 77 Release 3.11 <i>NIST-93/1163</i>	M/120 <i>RISC/OS Release 5.01</i>	4/1/94	Full	M/800, M/1000, RC2030, RC3240, RC3260, RC4230, RC6280, RS2030, RS4230 <i>RISC/OS Release 5.01</i>
SUNPRO -	SPARCcompiler Fortran Version 4.0 <i>NIST-93/2181</i>	SPARCstation LX SPARCserver 1000 <i>Solaris Version 2.3</i>	2/1/95	Full	

FORTRAN PROCESSORS, *Continued*

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	LEVEL	OTHER ENVIRONMENTS HW/OS
	SPARCcompiler Fortran MP (SPARCWORKS IMPACT 1.0 <i>NIST-93/2182</i>	SPARCstation 10 SPARCserver 1000 SPARCserver 2000 <i>Solaris Version 2.3</i>	2/1/95	Full	
	SPARCcompiler Fortran Version 2.0.1 <i>NIST-93/1381</i>	SPARCstation 2, SPARCstation 10, SPARCserver 690 <i>SunOS Version 4.1.3</i>	7/1/94	Full	
		SPARCstation 10, SPARCcenter 2000, SPARCserver 690MP <i>SunOS Version 5.2</i>			
	ProCompiler Fortran Version 3.0.1 <i>NIST-93/1901</i>	DELL Model 433DE <i>Solaris Version 2.1 Release X86</i>	8/1/94	Full	
Tandem Computers, Inc.	Fortran Version D10 <i>NIST-93/1542</i>	NonStop VLX <i>Guardian 90 Version D10</i>	6/1/94	Full	
Unisys Corporation	UCS Fortran (UFTN), Version 5R1 Release SB5R1 <i>NIST-93/1842</i>	2200/900 <i>1100 OS EXEC, Version 44R1 Release SB5R1</i>	8/1/94	Full	2200/600, 2200/400, 1100/90 <i>1100 OS EXEC, Version 44R1 Release SB5R1</i>

2.7.3 Ada PROCESSORS

The following pages list Ada compilers that have been validated by the Ada Joint Program Office (AJPO). Compilers are listed in order of vendor. The list is updated monthly, and presently includes 330 base compilers and 363 compilers derived from base implementations. For the most current information on validated Ada compilers, please contact the Ada Information Clearinghouse at (703) 685-1477.

(Key: * = Validated through Registration, base system above)

(Key: (#YYMMDDFX.XXNNN): YYMMDD is the date on-site testing was completed;

F is the Ada Validation Facility;

X.XX is the ACVC Version;

NNN is a unique sequence number that is assigned by the AVO)

For example, the certificate number #901120W1.11087 means the compiler completed on-site testing November 20, 1990, at Wright-Patterson AFB under ACVC 1.11.

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
AETECH, Inc. IntegrAda 386 5.1.0 (#901120W1.11087)	Northgate 386/25 (under Phar Lap/DOS 3.3)	Northgate 386/25 (under MS DOS 3.3)	*Validated by Registration AETECH, Inc. AETECH POSIX Compiler Version 5.1.0 (BASE #901129W1.11086)	Any Computer System Comprising: cpu: Intel 80386 & 80486; fpu: optional; memory: 4 MByte RAM; disk: 60 MByte hard drive (under ESIX System V, Release 4.0)	Same as Host
*Validated by Registration AETECH, Inc. IntegrAda 386 5.1.0 (BASE #901120W1.11087)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk: 40 MByte hard drive (under Phar Lap/DOS 3.3)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk: 40 MByte hard drive (under MS DOS 3.3)	Altech Defense Systems, Inc. AI-ADA/88K Version 2.4 (#900930W1.11030)	VAXstation 3100 Cluster (under VMS 5.3)	Tadpole TP880V (88100-based VME board) (bare machine)
*Validated by Registration AETECH, Inc. IntegrAda for Windows Ver 1.2 (BASE #901120W1.11087)	Any Computer System Comprising: cpu: Intel 80386 & 80486; fpu: optional; memory: 4 MByte RAM; disk: 40 MByte hard drive (under MS DOS 3.3, 5.0, & 6.0, with Windows 3.1)	Same as Host	*Validated by Registration Altech Defense Systems, Inc. AI-ADA/88K, Version 2.4 (BASE #900930W1.11030)	All DEC MicroVAX, VAXstation, VAXserver, VAX-11, VAX 8xxx & VAX 6xxx series (under VMS versions 5.0, 5.1, 5.2 & 5.3, as supported)	Tadpole TP880V (88100-based VME board) & Motorola MVME181 (88100-based VME board) (bare machines)
*Validated by Registration AETECH, Inc. IntegrAda 386 Ver 9.2 (BASE #901120W1.11087)	Any Computer System Comprising: cpu: Intel 80386 & 80486; fpu: optional; memory: 4 MByte RAM; disk: 40 MByte hard drive (under MS DOS 3.3, 5.0, & 6.0)	Same as Host	Altech Defense Systems, Inc. AI-ADA/98K, Version 3.0 (#911012W1.11224)	VAXstation 3100 Cluster (under VMS 5.3)	DSP86002 ADS board (bare machine)
*Validated by Registration AETECH, Inc. IntegrAda DOS Ver 6.1 (BASE #901120W1.11087)	Any Computer System Comprising: cpu: Intel 80x86 series; fpu: optional; memory: 640 KByte RAM; disk: 40 MByte hard drive (under MS DOS 3.3, 5.0, & 6.0)	Same as Host	Altech Defense Systems, Inc. AI-ADA/98K, Version 3.0 (#911012W1.11225)	Sun-4/330 (under SunOS 4.1.1)	DSP86002 ADS board (bare machine)
AETECH, Inc. IntegrAda 5.1.0 POSIX (#901129W1.11086)	Unisys PW/2 386 (under SCO Unix 3.2)	Same as Host	Alenia Aertalia & Selenia S.p.A DACS VAX/VMS to 80x86 PM MARA Ada Cross Compiler, Version 4.6 (#920506S1.11256)	MicroVAX 4000/200 (under VMS Version 5.4)	Alenia MARA (80286-based) (under Alenia Operating System, Version 8.6 System)
*Validated by Registration AETECH, Inc. IntegrAda Posix 5.1.0 (BASE #901129W1.11086)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk: 60 MByte hard drive (under SCO Unix 3.2)	Same as Host	*Validated by Registration Alenia Aertalia & Selenia S.p.A DACS 80x86PM, Version 4.60 (BASE #920506S1.11256)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under VMS 5.4)	Alenia MARA 80386- & 80486-based computers (under Alenia Operating System 8.6)
*Validated by Registration AETECH, Inc. AETECH POSIX Compiler, Version 5.1.0 (BASE #901129W1.11086)	Any Computer System Comprising: cpu: Intel 80386 & 80486, fpu: optional, memory: 4 MByte RAM, disk: 60 MByte hard drive (under Interactive Unix System V, Release 3.2)	Same as Host	Alliant Computer Systems Corporation Alliant FX/Ada-2800 Compiler, Version 1.0 (#901218W1.11105)	Alliant FX/2800 (under Concentrix Release 2.0)	Same as Host

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Alliant Computer Systems Corporation Alliant FX/Ada Compiler, Version 2.3 (#901218W1.11106)	Alliant FX/80 (under Concentrix Release 5.7)	Same as Host	*Validated by Registration Alsys AlsysCOMP_002 Version 5.5.1 (BASE #901022A1.11046)	HP 9000 Series 300 & 400 (all models) (under HP-UX 8.0)	Any Host
Alsys AlsysCOMP_053, Version 1.82 (#90050911.11009)	VAX 8530 (under VMS, Version 5.1)	Same as Host	Alsys AlsysCOMP_005, Version 5.3 (#901022A1.11047)	Sun-3/280 (under SunOS 3.2)	Same as Host
Alsys AlsysCOMP_042, Version 5.3 (#900627N1.11013)	IBM 9370 Model 90 (under ADX/370 Version 1.2)	Same as Host	*Validated by Registration Alsys AlsysCOMP_005, Version 5.3 (BASE #901022A1.11047)	Sun 3/50, /80, /75, /80, /180, /280, /280, /470 & /480 (under SunOS 3.2, 3.5, 4.0 & 4.1)	Any Host
Alsys AlsysCOMP_026, Version 1.82 (#90081411.11040)	Sun-3/80 (under SunOS, Version 4.0.3)	Same as Host	*Validated by Registration Alsys AlsysCOMP_005 Version 5.5.1 (BASE #901022A1.11047)	Sun Microsystems Sun-3 computer family (under SunOS 4.1.1)	Any Host
Alsys AlsysCOMP_025, Version 1.83 (#90081411.11041)	MIPS M/120-5 (under RISC/os, Version 4.0)	Same as Host	Alsys AlsysCOMP_035, Version 5.3 (#901022A1.11048)	CETIA Unigraph 8000 (under Unigraph/X 3.1)	Same as Host
Alsys AlsysCOMP_046, Version 5.3 (#901022A1.11043)	Sony NEWS NWS-1850 (under NEWS-OS 3.3)	Same as Host	*Validated by Registration Alsys AlsysCOMP_035, Version 5.3 (BASE #901022A1.11048)	Unigraph 1000/325, 2000/50, 2000/250, 2000/325, 3000/325-333, 6000/325-333, 7000/325, 8000/325 & 9000 (under Unigraph/X 3.1 & 3.1.1)	Any Host
*Validated by Registration Alsys AlsysCOMP_048, Version 5.3 (BASE #901022A1.11043)	Sony NEWS series 1250, 15xx, 17xx, 18xx & 19xx (under NEWS-OS versions 3.3 & 3.4)	Any Host	*Validated by Registration Alsys AlsysCOMP_035 Version 5.5.1 (BASE #901022A1.11046)	CETIA Unigraph models 1000/325; 2000/50, /250, /325; 3000/325-333; 6000/325-333; 7000/325/ 8000/325; & 9000 (under Unigraph/X 3.2c.1)	Any Host
Alsys AlsysCOMP_004, Version 5.3 (#901022A1.11044)	Apollo DN4000 (under Domain/OS SR10.2)	Same as Host	Alsys AlsysCOMP_016 Version 5.1 (#901102W1.11055)	Compaq Deskpro 386 (under MS-DOS 3.30, Phar Lap 2.0)	Same as Host
*Validated by Registration Alsys AlsysCOMP_004, Version 5.3 (BASE #901022A1.11044)	Apollo DN3000, DN3500, DN4000 & DN4500 (under Domain/OS SR10.2 & SR10.3)	Any Host	*Validated by Registration Alsys AlsysCOMP_016 Version 5.1.1 (BASE #901102W1.11055)	Any Computer System that executes the Intel 80386 or 80486 instruction set (under MS/DOS 5.0 & Phar Lap 4.0)	Any Host
*Validated by Registration Alsys AlsysCOMP_004 Version 5.5.1 (BASE #901022A1.11044)	HP Apollo 9000 Series 400 (under Domain/OS SR10.4)	Any Host	Alsys AlsysCOMP_016 Version 5.1 (#901102W1.11056)	CompuAdd 320 (under MS-DOS 3.30, Phar Lap 2.0)	Same as Host
Alsys AlsysCOMP_050, Version 5.3 (#901022A1.11045)	Bull DPX/2 320 (under B.O.S. 02.00.05)	Same as Host	*Validated by Registration Alsys AlsysCOMP_016, Version 5.1 (BASE #901102W1.11056)	HP Vectra RS/20, RS/20C, RS/25 & RS/25C; AST Premium 386; and Unisys 386 & Desktop III (under MS-DOS 3.30, Phar Lap 2.0)	Any Host
*Validated by Registration Alsys AlsysCOMP_050, Version 5.3 (BASE #901022A1.11045)	Bull DPX 2/210, /220, /320, /340 & /360 (under BOS 02.00.05 & 2.00.10)	Any Host	*Validated by Registration Alsys AlsysCOMP_016 Version 5.1 (BASE #901102W1.11056)	Any Computer System Comprising: cpu: Intel 80386; fpu: optional; memory: 5 MByte RAM; disk: 10 MByte (under MS-DOS 3.30, Phar Lap 2.0)	Same as Host
Alsys AlsysCOMP_002, Version 5.3 (#901022A1.11048)	HP 8000s350 (under HP-UX 6.5)	Same as Host	*Validated by Registration Alsys AlsysCOMP_002, Version 5.3 (BASE #901022A1.11048)	HP 9000 Series 300, all models (under HP-UX 6.5 & 7.0)	Any Host
*Validated by Registration Alsys AlsysCOMP_002, Version 5.3 (BASE #901022A1.11048)	HP 9000 Series 300, all models (under HP-UX 6.5 & 7.0)	Any Host			

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Alsys AlsyCOMP_018 Version 5.1 (#901102W1.11057)	ALR Power Veisa 486 (under MS-DOS 3.30, Phar Lap 2.0)	Same as Host	*Validated by Registration Alsys AlsyCOMP_012, Version 5.3 (BASE #901118A1.11066)	HP 9000 Series 300, Models 340, 345, 360, 370 & 375 (under HP-UX 6.5 & 7.0)	Motorola MVME101 (68000), MVME121 (68010), MVME135-1 (68020/68881) & MVME147-1 (68030/68882) (bare machines, using ARTK 5.3)
Alsys AlsyCOMP_003 Version 5.1 (#901102W1.11058)	HP Vectra RS/25C (under MS-DOS 3.30)	Same as Host	*Validated by Registration Alsys AlsyCOMP_012, Version 5.3 (BASE #901118A1.11066)	HP 9000 Series 300 (all models) (under HP-UX 6.5 & 7.0)	Motorola M68332EVS evaluation System Customers (CPU32) (bare machine, using ARTK 5.3)
*Validated by Registration Alsys AlsyCOMP_003, Version 5.1 (BASE #901102W1.11058)	Unisys Desktop III (under MS-DOS 3.30)	Same as Host	*Validated by Registration Alsys AlsyCOMP_012 Version 5.5.1 (BASE #901118A1.11066)	HP 9000 Series 400 (all models) (under HP-UX 8.0)	Motorola MVME 131, MVME133, MVME133XT, MVME135, & MVME147 (68020 & 68030 cpu.s) (bare machines, using VRTX32); Motorola MVME101, MVME121, MVME 131, MVME133, MVME133XT, MVME135, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpu.s) (bare machines, using ARTK Version 5.5.1)
*Validated by Registration Alsys AlsyCOMP_003 Version 5.1 (BASE #901102W1.11058)	Any Computer System that executes the Intel 80286, 80386, or 80486 instruction set (under MS/DOS 5.0)	Any Host	*Validated by Registration Alsys AlsyCOMP_048 Version 5.5.1 (BASE #901118A1.11066)	Sun SPARCstation & SPARCserver computer families; SPARCcenter 2000 (under SunOS 4.1.2); Solbourne Series 5/100, /530, /600, /670, /800, 5E/900; & S4000 (under OS/MP 4.1A.1)	Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, M68332EVS, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpu.s) (bare machines, using ARTK Version 5.5.1)
Alsys AlsyCOMP_003 Version 5.1 (#901102W1.11056)	Zenith Z-248 Model 50 (under MS-DOS 3.30)	Same as Host	*Validated by Registration Alsys AlsyCOMP_063 Version 5.5.1 (BASE #901118A1.11066)	HP 9000 Series 700 (all models) (under HP-UX 9.0)	Motorola MVME101, MVME121, M68332EVS, MVME131, MVME133, MVME133XT, MVME135, MVME147, & MVME167 (68000- , 68010- , 68020- , 68030- , & 68040-based single-board computers) (bare machines, using ARTK 5.5.1)
*Validated by Registration Alsys AlsyCOMP_003, Version 5.1 (BASE #901102W1.11056)	ICS SB288SC/12 (under MS-DOS 3.30)	Same as Host	Alsys AlsyCOMP_036, Version 5.3 (#901118A1.11067)	Apollo DN4000 (under Domain/OS SR10.2)	Motorola MVME147-1 (68030/68882) (bare machine, using ARTK Version 5.3)
*Validated by Registration Alsys AlsyCOMP_003, Version 5.1 (BASE #901102W1.11056)	HP Vectra ES/12; and IBM PC/AT (all models) (under MS-DOS 3.30)	Any Host	*Validated by Registration Alsys AlsyCOMP_036, Version 5.3 (BASE #901118A1.11067)	Apollo DN 3000, 3500, 4000 & 4500 (under Domain/OS SR10.2 & SR10.3)	Motorola MVME101 (68000), MVME121 (68010), MVME135-1 (68020/68881) & MVME147-1 (68030/68882) (bare machines, using ARTK 5.3)
Alsys AlsyCOMP_037, Version 5.2 (#901114N1.11065)	INMOS T800 transputer on a B405 TRAM (bare) with an INMOS B008 Communications link implemented in an IBM PC/AT (under MS-DOS 3.1 and INMOS Iserver V1.3)	INMOS T800 transputer on a B405 TRAM (bare) using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver 1.3 for file-server support via an INMOS B008 board link	*Validated by Registration Alsys AlsyCOMP_036, Version 5.3 (BASE #901118A1.11067)	HP 9000 Series 400 (all models) (under DomainOS SR 10.4)	Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, M68332EVS, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpu.s) (bare machines, using ARTK Version 5.5.1)
*Validated by Registration Alsys AlsyCOMP_037, V5.3 (BASE #901114N1.11065)	INMOS T800 transputer on a B403 TRAM (bare) with an INMOS B008 Communications link implemented in an IBM PC/AT (under MS-DOS 3.1 and INMOS Iserver V1.3)	INMOS T800 transputer on a B405 TRAM (bare) using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver 1.3 for file-server support via an INMOS B008 board link; INMOS T425 transputer on a B403 TRAM (bare) using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver 1.3 for file-server support via an INMOS B008 board link	*Validated by Registration Alsys AlsyCOMP_036, Version 5.3 (BASE #901118A1.11067)	Sun 3/260 (under SunOS 3.2)	Motorola MVME121 (68010) (bare machine, using ARTK Version 5.3)
*Validated by Registration Alsys AlsyCOMP_037 Version 5.4.2 (BASE #901114N1.11065)	INMOS T800 transputer on a B405 TRAM board (bare), with an INMOS B008 Communications link implemented in an IBM PC/AT (under MS-DOS 3.1 and INMOS Iserver V1.42h)	INMOS T800 transputer on a B405 TRAM (bare), using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver V1.42h for file-server support via an INMOS B008 board link and INMOS T425 transputer on a B403 TRAM (bare), using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver V1.42h for file-server support via an INMOS B008 board link	*Validated by Registration Alsys AlsyCOMP_015, Version 5.3 (BASE #901118A1.11068)	Sun 3/50, /60, /75, /80, /160, /260, /280, /470 & /480 (under SunOS 3.2, 3.5, 4.0 & 4.1)	Motorola MVME101 (68000), MVME121 (68010), MVME135-1 (68020/68881) & MVME147-1 (68030/68882) (bare machines, using ARTK 5.3)
Alsys AlsyCOMP_012, Version 5.3 (#901118A1.11066)	HP 9000s350 (under HP-UX 6.5)	Motorola MVME101 (68000) (bare machine, using ARTK Version 5.3)			

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration			*Validated by Registration		
Alsys AlsyCOMP_015 Version 5.5.1 (BASE #901118A1.11068)	Sun Microsystems Sun-3 computer family (under SunOS 4.1.1)	Motorola MVME 131, MVME133, MVME133XT, MVME135, & MVME147 (68020 & 68030 cpu.s) (bare machines, using VRTX32); Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, M68332EVS, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpu.s) (bare machines, using ARTK Version 5.5.1)	Alsys AlsyCOMP_011 Version 5.3.1 (BASE #901127A1.11069)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 series of computers (under VMS 5.2, 5.3, & 5.4, as supported)	Motorola MVME101 (68000), MVME121 (68010), MVME133XT & MVME135-1 (68020), & MVME147-1 (68030) (bare machines, using ARTK 5.3.1)
Alsys AlsyCOMP_017, Version 5.2 (#901118N1.11064)	MicroVAX II (under VMS V5.3)	INMOS T425 transputer on a B403 TRAM (bare) using the Host running INMOS laerver 1.3 for file-server support via a CAPLIN QTO board link	*Validated by Registration		
*Validated by Registration			Alsys AlsyCOMP_028 Version 5.3 (BASE #901127A1.11069)	Compaq Deskpro 386/20 (under DOS 3.31 & 5.0)	Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135-1, MVME147-1, M68332EVS (68000, 68010, 68020, & 68030 cpu.s) (bare machine, using ARTK Version 5.3)
Alsys AlsyCOMP_017, V5.3 (BASE #901118N1.11064)	MicroVAX II (under VMS V5.3)	INMOS T425 transputer on a B403 TRAM (bare) using the Host running INMOS laerver 1.3 for file-server support via a CAPLIN QTO board link; INMOS T800 transputer on a B405 TRAM (bare) using the Host running INMOS laerver 1.3 for file-server support via a CAPLIN QTO board link	*Validated by Registration		
*Validated by Registration			Alsys AlsyCOMP_011 Version 5.5.1 (BASE #901127A1.11069)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 computer series (under VMS 5.4)	Motorola MVME 131, MVME133, MVME133XT, MVME135, & MVME147 (68020 & 68030 cpu.s) (bare machines, using VRTX32); Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, M68332EVS, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpu.s) (bare machines, using ARTK Version 5.5.1)
Alsys Alsycomp_017 Version 5.4.3 (BASE #901118N1.11064)	MicroVAX II (under VMS V5.3)	INMOS T425 transputer on a B403 TRAM (bare), using the Host running INMOS laerver V1.421 for file-server support via a CAPLIN QTO board link and INMOS T800 transputer on a B405 TRAM (bare), using the Host running INMOS laerver V1.421 for file-server support via a CAPLIN QTO board link	Alsys AlsyCOMP_034, Version 5.1 (#901221W1.11103)	Multitech 1100 (under SCO Unix 3.2)	Same as Host
*Validated by Registration			*Validated by Registration		
Alsys AlsyCOMP_018, Version 5.2 (BASE #901120A1.11070)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000 & VAX 9000 Series of computers (as supported) (under VMS 5.2 & 5.4)	Any Host	Alsys AlsyCOMP_034, Version 5.1 (BASE #901221W1.11103)	Everex AGI 3000D, Compaq Deskpro 386 & SAI Technologies Army Lightweight Computer Unit (LCU V2) (under Interactive Unix 3.2)	Each Host, self-targetted
Alsys AlsyCOMP_018 Version 5.2 (#901120A1.11070)	MicroVAX 3100 (under VMS 5.3)	Same as Host	*Validated by Registration		
*Validated by Registration			Alsys AlsyCOMP_034, Version 5.1 (BASE #901221W1.11103)	Prime MBX (under Prime Unix V.4)	Same as Host
Alsys AlsyCOMP_018, Version 5.2 (BASE #901120A1.11070)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000 & VAX 9000 Series of computers (as supported) (under VMS 5.2 & 5.4)	Any Host	*Validated by Registration		
Alsys AlsyCOMP_006, Version 5.3 (#901125N1.11071)	IBM 8370 Model 90 (under VM/IS CMS release 5.1)	Same as Host	Alsys AlsyCOMP_034, Version 5.1 (BASE #901221W1.11103)	Any Computer System comprising: cpu: Intel 80386 or 80486; fpu: optional (under a Unix 3.2-based OS)	Each Host, self-targetted
Alsys AlsyCOMP_023, Version 5.3 (#901125N1.11072)	IBM 370 3084Q (under MVS/XA release 3.2)	Same as Host	*Validated by Registration		
Alsys AlsyCOMP_011, Version 5.3 (#901127A1.11069)	VAX 6210 (under VMS 5.2)	Motorola MVME135-1 (68020/68881) (bare machine, using ARTK Version 5.3)	Alsys AlsyCOMP_034, Version 5.1.2 (BASE #901221W1.11103)	Any Computer System that executes the Intel 80386 or 80486 Instruction set (under SCO Open Desktop 1.1 & SCO Unix 3.2, SCO Open Desktop 2.0 & SCO Unix 3.2.4, Interactive Unix 3.2.2, and AT&T Unix System V Release 4.0)	Any Host
*Validated by Registration			*Validated by Registration		
Alsys AlsyCOMP_011, Version 5.3 (#901127A1.11069)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000 & VAX 9000 Series of computers (as supported) (under VMS 5.2, 5.3 & 5.4)	Motorola MVME101 (68000), MVME121 (68010), MVME135-1 (68020/68881) & MVME147-1 (68030/68882) (bare machines, using ARTK 5.3)	Alsys AlsyCOMP_034, Version 5.1.2 (BASE #901221W1.11103)	Zenith Data Systems Z-Station 433 DEH (under SCO Unix 3.2.4 running SecureWare CMW+ Version 2.2)	Same as Host

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_034 Version 5.5 (BASE #901221W1.11103)	Any computer system that executes the Intel 80386 or 486 instruction set (under SCO Open Desktop 2.0 with SCO Unix version 3.2.4, Interactive Unix 3.2.2, or AT&T Unix System V Release 4.0)	Any Host (same OS as Host)	Alsys .. AlsysCOMP_052, Version 5.3.1 (BASE #910323W1.11133)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	Intel ISBC 386/31, ISBC 386/10x, ISBC 486/10x (bare machines, using ARTK 5.3)
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_034 Version 5.1.2 (BASE #901221W1.11103)	SAIC LCU V2 (under SCO Open Desktop 2.0 (SCO Unix 3.2.4))	Same as Host	Alsys AlsysCOMP_049, Version 1.83 (#91040711.11144)	VAX 8530 (under VMS Version 5.3-1)	Integrated Device Technology IDT7RS301 System (R3000/R3010) (bare machine)
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_043, Version 5.3 (#901221W1.11104)	Apple Macintosh IxX (under Macintosh System Software 6.0.5)	Same as Host	Alsys AlsysCOMP_049, Version 1.83-01 (BASE #91040711.11144)	VAX 8530 (under VMS 5.3-1)	Lockheed Sanders STAR MVP (R3000/R3010) (bare machine)
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_034 Version 5.1 (#910129W1.11113)	IBM PS/2 Model 80 (under LynxOS Version 2.0 + Threads Release 11)	Same as Host	Alsys AlsysCOMP_049, Version 1.84 (BASE #91040711.11144)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 8000, VAX 9000, & VAX 9000 series of computers (under VMS 5.3 & 5.4)	Lockheed Sanders STAR MVP board (R3000/R3010) (bare machine)
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_034, Version 5.1 (BASE #910129W1.11113)	IBM PS/2 Models 70-xxx & 80-xxx (under LynxOS Version 2.0 Release 15)	Any Host	Alsys AlsysCOMP_057, Version 1.83 (#91062511.11183)	DECstation 3100 (under ULTRIX Version 4.0)	Same as Host
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_070 Version 5.5.3 (BASE #910129W1.11113)	Any computer system that executes the Intel 80386 or 486 instruction set (under LynxOS, Version 2.1)	Same as Host	Alsys AlsysCOMP_057, Version 1.83-01 (BASE #91062511.11183)	DEC DECstation & DECsystem computer families (under ULTRIX 4.0 & 4.2)	Any Host
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_056, Version 1.82 (#91013111.11127)	Sun 3/80 (under SunOS, Version 4.0.3)	KWS EB88020 (under OS-9/88020, Version 2.3)	Alsys AlsysCOMP_024, Version 5.3 (#910809W1.11195)	IBM RISC System 6000, model 520 (under AIX v3.1)	Same as Host
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_055, Version 1.82 (#91020111.11128)	VAX 8530 (under VMS, Version 5.3-1)	KWS EB88020 (under OS-9/88020, Version 2.3)	Alsys AlsysCOMP_024 V5.4 (BASE #910809W1.11195)	IBM RISC System 6000 (all models) (under AIX 3.2)	Any Host
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_028, Version 5.3 (#910323W1.11131)	CompuAdd 325 (under DOS 3.31)	Intel ISBC 386/116 (bare machine, using ARTK 5.3)	Alsys AlsysCOMP_058, Version 5.3 (#910809W1.11196)	Unisys B39 (under BTOS II, v3.2.0)	Same as Host
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_028, Version 5.3.1 (BASE #910323W1.11131)	Any Computer System that executes the Intel 80386 or 80486 instruction set (under MS-DOS version 5.0 & Phar Lap version 4.0)	Any 80486 single board computer (bare machine, using ARTK 5.3)	Alsys AlsysCOMP_040, Version 5.3 (#910809W1.11197)	HP Vectra RS/25C (under DOS 3.30)	Unisys B39 (under BTOS II, v3.2.0)
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_030, Version 5.3 (#910323W1.11132)	MicroVAX II (under VMS 5.2)	Intel ISBC 386/31 (bare machine, using ARTK 5.3)	Alsys AlsysCOMP_062, Version 5.35 (#911107W1.11227)	HP 9000 Series 700 Model 720 (under HP-UX, Version A.B8.05 (release 8.05))	Same as Host
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_030, Version 5.3.1 (BASE #910323W1.11132)	MicroVAX II (under VMS 5.2)	Any 80386 single board computer (bare machine, using ARTK 5.3)	Alsys AlsysCOMP_062 Version 5.35 (BASE #911107W1.11227)	HP 9000 Series 700, all models (under HP-UX, Version A.B8.05 (release 8.05)); HP 9000 Series 800, all models (under HP-UX, Version A.B8.00 (release 8.00))	HP 9000 Series 700, all models (under HP-UX, Version A.B8.05 (release 8.05))
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_033, Version 5.3 (#910323W1.11133)	Sun 3/140 (under SunOS 4.1)	Intel ISBC 386/12 (bare machine, using ARTK 5.3)	Alsys AlsysCOMP_062 Version 5.5.1 (BASE #911107W1.11227)	HP 9000 Series 700, all models (under HP-UX, Version 9.01); HP 9000 Series 800, all models (under HP-UX, Version 9.0)	HP 9000 Series 700, all models (under HP-UX, Version 9.01)

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_076, Version 5.5.2 (BASE #911107W1.11227)	HP 9000 Series 700, all models (under HP-UX, Version 9.1)	HP 9000/742 RT VME board (under HP-RT, Version 1.1)	Alsys .. AlsysCOMP_081, Version 1.84 (BASE #9204291.11251)	DEC DECstation & DECsystem computer families (under ULTRIX 4.2)	Lockheed Sanders STAR MVP board (R3000/R3010) (bare machine)
Alsys AlsysCOMP_062, Version 5.35 (#911107W1.11228)	HP 9000 Series 800 Model 835 (under HP-UX, Version A.B8.00 (release 8.00))	Same as Host	*Validated by Registration		
*Validated by Registration			Alsys AlsysCOMP_081, Version 1.84-01 (BASE #9204291.11251)	DEC DECstation & DECsystem computer families (under ULTRIX 4.2)	Lockheed Sanders STAR MVP board (R3000/R3010), Integrated Device Technology IDT7RS385 board (R3081E) (bare machines)
Alsys AlsysCOMP_062 Version 5.35 (BASE #911107W1.11228)	HP 9000 Series 700, all models (under HP-UX, Version A.B8.05 (release 8.05)); HP 9000 Series 800, all models (under HP-UX, Version A.B8.00 (release 8.00))	HP 9000 Series 800, all models (under HP-UX, Version A.B8.00 (release 8.00))	Alsys AlsysCOMP_069, Version 1.83 (#9207301.11262)	Control Data 4338 (under TC/DX 1.0.2)	Same as Host
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_062 Version 5.35 (BASE #911107W1.11228)	HP 9000 Series 800 Models 807, 817, 847, & 867 (under HP-UX B-Level Security Operating System, Version A.08.08)	Any Host	Alsys AlsysCOMP_069, Version 1.83 (BASE #9207301.11262)	Control Data 4000 series of computers (under TC/DX 1.0.2 & 1.1)	Any Host
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_062 Version 5.5.1 (BASE #911107W1.11228)	HP 9000 Series 700, all models (under HP-UX, Version 9.01); HP 9000 Series 800, all models (under HP-UX, Version 9.0)	HP 9000 Series 800, all models (under HP-UX, Version 9.0)	Alsys AlsysCOMP_069, Version 1.83 (BASE #9207301.11262)	Control Data 4000 series of computers (under TC/DX 1.2)	Any Host
Alsys AlsysCOMP_072 Version 5.37 (#911118A1.11231)	Sun SPARCstation 2 (under SunOS 4.1.1)	Same as Host	*Validated by Registration		
*Validated by Registration			Alsys AlsysCOMP_062 Version 5.35 (#921118N1.11298)	HP 9000 Series 800 Model 827 (under HP-UX Version 8.02)	Same as Host
Alsys AlsysCOMP_047, Version 5.37 (BASE #911118A1.11231)	Sun SPARCstation ELC, IPC & IPX; SPARCserver 330, 370, 390, 470, 490, 630MP, 670MP & 690MP (under SunOS 4.1.1)	Any Host	Alsys AlsysCOMP_073, Version 5.3 (#921128N1.11300)	IBM ES/9000 Model 610 (under AIX/ESA Version 2)	Same as Host
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_047, Version 5.37 (BASE #911118A1.11231)	Solbourne Series 5/500, /530, /600, /670, /800 & 5E/900; and S4000 (under OS/MP 4.1)	Any Host	Alsys AlsysCOMP_019 Version 5.3.1 (#921210W1.11302)	CompuAdd 433 (under MS-DOS 5.0 running Phar Lap 4.0)	Intel ISBC 186/100 (bare machine)
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_047, Version 5.37 (BASE #911118A1.11231)	SPARCstation ELC, IPC, & IPX; SPARCserver 330, 370, 390, 490, 690MP, 670MP, & 690MP (under SunOS 4.1.1)	Any Host	Alsys AlsysCOMP_065, Version 5.3 (BASE #921210W1.11302)	Sun Microsystems Sun-4, SPARCserver, and SPARCstation computer families (under SunOS 4.1)	Any Intel 8086, 80186, or 80286 single-board computer (bare machine, running ARTK 5.3)
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_047 Version 5.5.1 (BASE #911118A1.11231)	Solbourne Series 5/500, /530, /600, /670, /800, & 5E/900; & S4000 (under OS/MP 4.1)	Any Host	Alsys AlsysCOMP_019 Version 5.3.1 (BASE #921210W1.11302)	CompuAdd 433 (under MS-DOS 5.0 running Phar Lap 4.0)	Any 80C186EB- & 80C188EB-based single-board computers (bare machines)
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_047 Version 5.5.1 (BASE #911118A1.11231)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer series (all models) (under Solaris 2.1)	Any Host	Alsys Alsys Ada Software Development Environment for HP 9000 Series 800, 700 & 800, Version 5.35 (#930115S1.11305)	HP 9000 Series 800 Model 807 (under HP-UX BLS Version A.08.08)	Same as Host
*Validated by Registration			*Validated by Registration		
Alsys AlsysCOMP_081, Version 1.83 (#9204291.11251)	DECstation 3100 (under ULTRIX Version 4.2)	Lockheed Sanders STAR MVP board (R3000/3010) (bare machine)	Alsys Alsys Ada Software Development Environment for HP 9000 Series 800, 700 & 800, Version 5.35 (#930115S1.11306)	HP 9000 Series 800 Model 817 (under HP-UX BLS Version A.08.08)	Same as Host

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Alsys Alsys Ada Software Development Environment for HP 9000 Series 800, 700 & 800, Version 5.35 (#930115S1.11307)	HP 9000 Series 800 Model 847 (under HP-UX BLS Version A.08.08)	Same as Host	*Validated by Registration Concurrent Computer Corporation C3Ada, Version 0.5 (BASE #90042711.11008)	Concurrent Computer Corporation 8500 (MIPS R3000/R3010) (under RTU Version 5.1)	Same as Host
Alsys Alsys Ada Software Development Environment for HP 9000 Series 800, 700 & 800, Version 5.35 (#930115S1.11308)	HP 9000 Series 800 Model 867 (under HP-UX BLS Version A.08.08)	Same as Host	Concurrent Computer Corporation C3 Ada Version 1.1v (#901130W1.11107)	Concurrent Computer Corporation 8650 with Super Lightning Floating Point (under RTU Version 5.0C)	Same as Host
Alsys Alsys Ada Software Development Environment for HP 9000 Series 700/800, Version 5.35 (#930115S1.11309)	Zenith Data Systems Z-Station 433 DEh (under SCO Unix 3.2 running SecureWare CMW+ Version 2.2 w/MaxSbd)	Same as Host	*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.1v (BASE #901130W1.11107)	Concurrent Computer Corporation Series 6000 with Super Lightning floating Point, and Series 5000 with Lightning floating Point (all models) (under RTU Version 5.0A, 5.0B & 5.0C)	Any Host
Alsys AlsysCOMP_068, Version 1.83 (#930125I1.11310)	Control Data 4680 (under EP/DX 1.4.3)	Same as Host	*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.1 (BASE #901130W1.11107)	Concurrent Computer Corporation Series 6000 (MC88030, with Super Lightning Floating Point) & Series 5000 (MC88020, with Lightning Floating Point) (under RTU Versions 5.0A, 5.0B, 5.0C & 6.0)	Same as Host
Alsys / German MoD NATO SWG on APSE Compiler for Sun3/SunOS, Version S3C1.82-02 (#911018I1.11233)	Sun-3/80 (under SunOS Version 4.0.3, with CAIS Version 5.5D)	Sun-3/80 (under SunOS Version 4.0.3)	Concurrent Computer Corporation C3 Ada Version R03-00V (#901130W1.11108)	Concurrent Computer Corporation 3280MPS (under OS/32 Version R08-03.2)	Same as Host
Alsys / German MoD NATO SWG on APSE Compiler for VAX/VMS, Version VC1.82-02 (#911118I1.11236)	VAX 8350 (under VMS Version 5.4-1, with CAIS Version 5.5E)	VAX 8350 (under VMS Version 5.4-1)	*Validated by Registration Concurrent Computer Corporation C3 Ada, Version R03-00V (BASE #901130W1.11108)	Concurrent Computer Corporation Series 3200: 3200 MPS, 3203, 3205, 3210, 3220, 3230, 3250, 3230XP, 3250XP, 3230MPS, 3260MPS, Micro4, and Micro5 (under OS/32 Versions R08-03, R08-03.1 & R08-03.2)	Any Host
Alsys / German MoD NATO SWG on APSE Compiler for VAX/VMS to MC88020, Version VCM1.82-02 (#920306I1.11248)	VAX 8350 (under VMS Version 5.4-1, with CAIS Version 5.5E)	Motorola MVME133XT (MC88020) (bare machine)	*Validated by Registration Concurrent Computer Corporation C3Ada Version R03-00 (BASE #901130W1.11108)	Concurrent Computer Corporation System Bus Processor family of computers (under Trusted OS/32 and MTM Version R08-03.3S, and OS/32 Version R08-01.1)	Any Host
Alsys / German MoD NATO SWG on APSE Compiler for Sun3/SunOS to MC88020, Version S3CM1.82 (#920728I1.11261)	Sun-3/80 (under SunOS Version 4.0.3, with CAIS Version 5.5E)	Motorola MVME133XT (MC88020) (bare machine)	*Validated by Registration Concurrent Computer Corporation C3Ada Version R03-00 (BASE #901130W1.11108)	Concurrent Computer Corporation System Bus Processor family of computers (under OS/32 R08-03.2)	Any Host
ATLAS ELEKTRONIK GmbH ATLAS ELEKTRONIK Ada Compiler VVME 1.82 (#910324I1.11136)	VAX 8000-410 (under VMS Version 5.2)	ATLAS ELEKTRONIK GmbH MPR 2300 (under MOS 2300, Version 2.1)	Concurrent Computer Corporation C3Ada Version R03-00 (BASE #901130W1.11108)	Concurrent Computer Corporation 8400 (MIPS R3000/3010) (under RTU Version 5.1)	Same as Host
Concurrent Computer Corporation C3Ada, Version 0.5 (#90042711.11008)	Concurrent Computer Corporation 8400 (MIPS R3000/3010) (under RTU Version 5.1)	Same as Host			

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.0v (BASE #901130W1.11109)	Concurrent Computer Corporation Series 8000 (all models) (under RTU Versions 5.1, 5.1A & 5.1B)	Any Host	*Validated by Registration CONVEX Computer Corporation CONVEX Ada, Version 2.0 (BASE #900910W1.11027)	CONVEX C120, C201, C202, C210, C220, C230, C240, C210i, C220i & C230i (under ConvexOS, Versions 8.1 and 9.0)	Any Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.0 (BASE #901130W1.11109)	Concurrent Computer Corporation Series 8000 (MIPS R3000/3010) (under RTU Versions 5.1A, 5.1B & 6.0)	Same as Host	*Validated by Registration CONVEX Computer Corporation CONVEX Ada, Version 2.0 (BASE #900910W1.11027)	CONVEX C120, C201, C202, C210, C210i, C220, C220i, C230, C230i, C240, C3210, C3220, C3230, C3240, C3410, C3420, C3430, C3440, C3450, C3460, C3470, C3480, C3810, C3820, C3830, C3840, C3850, C3860, C3870, C3880 (under ConvexOS versions 8.1, 9.0, 9.1 & 10.0)	Each Host, self-targetted
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 2.0p (BASE #901130W1.11109)	Concurrent Computer Corporation Series 8000 (R3000/3010), all models (under RTU Versions 5.1A, 5.1B & 6.0)	Same as Host	*Validated by Registration CONVEX Computer Corporation CONVEX Ada, Version 2.1 (BASE #900910W1.11027)	CONVEX C120, and C20x, C320x, C340x, & C380x computer series (under ConvexOS, Versions 8.1, 9.0, 9.1, 10.0, & 10.1; and ConvexOS/Secure Versions 9.5 & 10.0)	Same as Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 2.0b (BASE #901130W1.11109)	Concurrent Computer Corporation Series 8000 (MIPS R3000/3010) (under RTU Version 6.0)	Any Host	*Validated by Registration Cray Research Inc. Cray Ada Compiler Release 3.1 (BASE #901112W1.11116)	CRAY X-MP/EA & X-MP (all models) (under UNICOS Releases 6.1 & 7.0)	Any Host
Concurrent Computer Corporation C3 Ada Version 1.1v (#901130W1.11110)	Concurrent Computer Corporation 8850 with MC88882 Floating Point (under RTU Version 5.0C)	Same as Host	*Validated by Registration Cray Research Inc. Cray Ada Compiler Release 3.1 (BASE #901112W1.11117)	CRAY Y-MP & Y-MP EL (all models) (under UNICOS Releases 6.1 & 7.0)	Any Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.1v (BASE #901130W1.11110)	Concurrent Computer Corporation Series 6000 with an MC88882 fpu, and Series 5000 with an MC88881 fpu (all models) (under RTU Versions 5.0A, 5.0B & 5.0C)	Any Host	*Validated by Registration Cray Research Inc. Cray Ada Compiler Release 3.1 (BASE #911006W1.11223)	CRAY CRAY-2/4-128 (all models) (under UNICOS Releases 6.1 & 7.0)	Any Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.1 (BASE #901130W1.11110)	Concurrent Computer Corporation Series 6000 (MC88030/MC88882) & Series 5000 (MC88020/MC88881) (under RTU Versions 5.0A, 5.0B, 5.0C & 6.0)	Same as Host	Cray Research, Inc. Cray Ada Compiler Release 2.0 (#901112W1.11116)	Cray X-MP/EA (under UNICOS Release 5.0)	Same as Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.2 & 2.0b (BASE #901130W1.11110)	Concurrent Computer Corporation Series 7000 (MC88040) (under RTU Version 6.1)	Any Host	*Validated by Registration Cray Research, Inc. Cray Ada Compiler Release 2.0 (BASE #901112W1.11116)	CRAY X-MP & X-MP/EA, all models (under UNICOS Releases 5.1, 6.0 & 6.1)	Each Host, self-targetted
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 2.0b (BASE #901130W1.11110)	Concurrent Computer Corporation Series 7000 (MC88040) (under RTU Version 6.1)	Any Host	*Validated by Registration Cray Research, Inc. Cray Ada Compiler 3.0 (BASE #901112W1.11116)	X-MP/EA (all models) (under UNICOS Release 6.1)	Same as Host
CONVEX Computer Corporation CONVEX Ada, Version 2.0 (#900910W1.11027)	CONVEX C220 (under ConvexOS 8.1)	Same as Host	Cray Research, Inc. Cray Ada Compiler Release 2.0 (#901112W1.11117)	Cray Y-MP (under UNICOS Release 5.0)	Same as Host

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Cray Research, Inc. Cray Ada Compiler Release 2.0 (BASE #90112W1.11117)	Cray Y-MP, all models (under UNICOS Releases 5.1, 6.0 & 6.1)	Each Host, self-targeted	DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (#901129S1.11077)	VAX 8530 (under VMS Version 5.3)	Intel ISBC 186/03 (bare machine)
*Validated by Registration Cray Research, Inc. Cray Ada Compiler Release 2.0 (BASE #90112W1.11117)	CRAY Y-MP EL (under UNICOS Releases 6.0 & 6.1)	Same as Host	*Validated by Registration DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (BASE #901129S1.11077)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 6000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel ISBC 186/03 (bare machine)
*Validated by Registration Cray Research, Inc. Cray Ada Compiler 3.0 (BASE #90112W1.11117)	CRAY Y-MP & Y-MP EL (all models) (under UNICOS Releases 6.1)	Each Host, self-targeted	*Validated by Registration DDC International A/S DACS VAX/VMS to 8086 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (BASE #901129S1.11077)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 6000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel ISBC 86/35 (bare machine)
Cray Research, Inc. Cray Ada Compiler Release 2.0 (#911006W1.11223)	CRAY-2/4-128 (under UNICOS Release 6.1)	Same as Host	*Validated by Registration DDC International A/S DACS VAX/VMS to 80286 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (BASE #901129S1.11077)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 6000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel ISBC 286/12 (bare machine)
*Validated by Registration Cray Research, Inc. Cray Ada Compiler Release 2.0 (BASE #911006W1.11223)	CRAY-2 (all models) (under UNICOS Release 6.1)	Each Host, self-targeted	*Validated by Registration DDC International A/S DACS VAX/VMS to 80286 PM Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (BASE #901129S1.11077)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 6000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel ISBC 286/12 In Protected Mode (bare machine)
*Validated by Registration Cray Research, Inc. Cray Ada Compiler 3.0 (BASE #911006W1.11223)	CRAY-2/4-128 (all models) (under UNICOS Release 6.1)	Each Host, self-targeted	DDC International A/S DACS VAX/VMS to 68020 Bare Cross Compiler System, Version 4.6 (#901129S1.11051)	VAX 8530 (under VMS Version 5.3)	Same as Host
DDC International A/S DACS VAX/VMS to 80386 PM Bare Ada Cross Compiler System, Version 4.6 (#901129S1.11074)	VAX 8530 (under VMS Version 5.3)	Intel ISBC 386/21 (bare machine)	DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System, Version 4.6 (#901129S1.11079)	VAX 8530 (under VMS Version 5.3)	Intel ISBC 386/21 (bare machine)
DDC International A/S DACS VAX/VMS to 80386 PM Bare Ada Cross Compiler System, Version 4.6 (#901129S1.11074)	VAX 8530 (under VMS Version 5.3)	Intel ISBC 386/21 (bare machine)	*Validated by Registration DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System, Version 4.6 (BASE #901129S1.11079)	VAX 8530 (under VMS Version 5.3)	Intel ISBC 186/03 (bare machine)
DDC International A/S DACS 80386 UNIX V Ada Compiler System, Version 4.6 (#901129S1.11075)	ICL DRS300 (under DRS/NX, Version 3.2 (UNIX System V/386 release 3.2))	Same as Host	*Validated by Registration DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System, Version 4.6 (BASE #901129S1.11079)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 6000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel ISBC 186/03 (bare machine)
DDC International A/S DACS Sun3/SunOS Native Ada Compiler System, Version 4.6 (#901129S1.11076)	Sun-3/60 (under SunOS, Version 4.0_Export)	Same as Host			

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration DDC International A/S DACS VAX/VMS to 8088 Bare Ada Cross Compiler System, Version 4.8 (BASE #901129S1.11079)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 8000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 880 (under VMS Version 5.3)	Intel ISBC 86/35 (bare machine)	DDC-I, Inc. DACS - DECstation/ULTRIX to MIPS R3000 Bare Ada Cross Compiler System, Release 2.1-18 (#920805S1.11264)	DECstation 3100 (under ULTRIX Version 4.0)	Integrated Device Technology IDT7RS301 R3000/R3010 Board (bare machine)
*Validated by Registration DDC International A/S DACS VAX/VMS to 80286 Bare Ada Cross Compiler System, Version 4.8 (BASE #901129S1.11079)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 8000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 880 (under VMS Version 5.3)	Intel ISBC 286/12 (bare machine)	DDC-I, Inc. DACS Sun SPARC/SunOS Native Ada Compiler System, Version 4.6.1 (#920805S1.11265)	SPARCstation 2 (under SunOS, Version 4.1.1)	Same as Host
*Validated by Registration DDC International A/S DACS VAX/VMS to 80286 PM Bare Ada Cross Compiler System, Version 4.8 (BASE #901129S1.11079)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 8000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 880 (under VMS Version 5.3)	Intel ISBC 286/12 in Protected Mode (bare machine)	DDC-Inter, Inc. InterACT Ada 1750A Compiler System, Release 3.5 (#910705S1.11191)	MicroVAX 3100 Cluster (under VMS 5.2)	InterACT MIL-STD-1750A Instruction Set Architecture Simulator Release 2.3 (bare machine simulation)
DDC International A/S DACS 80386 DMS/OS Ada Compiler System, Version 4.8 (#901129S1.11112)	IBM PS/2 Model 80-311 (under LynxOS 386/PS2, Version 2.0A)	Same as Host	DDC-Inter, Inc. InterACT Ada MIPS Cross-Compiler System, Release 2.0 (#910705S1.11192)	MicroVAX 3100 Cluster (under VMS 5.2)	Lockheed Sanders STAR MVP R3000/R3010 Board (bare machine)
*Validated by Registration DDC International A/S DACS VAX/VMS to 80880 Bare Ada Cross Compiler System, Version 4.8.1 (#910502S1.11158)	VAX 8530 (under VMS Version 5.3)	Tadpole Technology plc TP860M (bare machine)	*Validated by Registration DESC Ltd VME Ada Compiler VA3.25 (BASE #921008N1.11283)	MicroVAX 3100 Cluster (under VMS 5.2)	Lockheed Sanders STAR MVP R3000/R3010 Board (bare machine)
DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MFI IEEE 695 (BASIC_MODE) (#910502S1.11159)	Sun-3/50 (under SunOS Release 4.0_Export)	Motorola MVME143 board (68030/68882) (bare machine)	*Validated by Registration DESC Ltd. VME Ada Compiler VA3.20 (BASE #921008N1.11283)	ICL Series 39 Level 80 (under VME with VMEB Environment Option Version SV292)	Same as Host
DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MFI IEEE 695 (SECURE_MODE) (#910502S1.11180)	Sun-3/50 (under SunOS Release 4.0_Export)	Motorola MVME143 board (68030/68882) (bare machine)	Digital Equipment Corporation VAX Ada, Version 2.2 (#901109S1.11053)	VAX 8800 (under VMS Version 5.4)	Same as Host
*Validated by Registration DDC-I, Inc. DACS VAX/VMS to 80486 PM Bare Ada Cross Compiler System, Version 4.8 (BASE #901129S1.11074)	VAX 8530 (under VMS Version 5.3)	Intel ISBC 486/125 (bare machine)	*Validated by Registration Digital Equipment Corporation VAX Ada Version 2.2 (BASE #901109S1.11053)	DEC VAX-11, VAXserver, VAXstation, VAXR, MicroVAX, VAX 4000, VAX 8000, VAX 8000 & VAX 9000 Series of computers (as supported); Raytheon Military VAX Computer Model 880; and Norden MILVAX Computer Model MILVAX II (under VMS Version 5.4)	Any Host
DDC-I, Inc. DACS MIPS RISC/os to MIPS R3000 Bare Ada Cross Compiler System, Release 2.1-18 (#920805S1.11263)	MIPS M/120-5 (under RISC/os Version 4.50)	Lockheed Sanders STAR MVP R3000/R3010 Board (bare machine)	*Validated by Registration Digital Equipment Corporation VAX Ada Version 2.3 (BASE #901109S1.11053)	All VAX, MicroVAX, VAXstation, VAXserver series of computers (as supported) (under VMS Versions 5.4 & 5.5)	Any Host
			Digital Equipment Corporation VAX Ada, Version 2.2 (#901109S1.11054)	VAX 8800 (under VMS Version 5.4)	MicroVAX II (under VAXELN Version 4.1, using VAXELN Ada Version 2.2)

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration			*Validated by Registration		
Digital Equipment Corporation VAX Ada Version 2.2 (BASE #901108S1.11054)	DEC VAX-11, VAXserver, VAXstation, VAXr, MicroVAX, VAX 4000, VAX 6000, VAX 8000 & VAX 9000 Series of computers (as supported); Ratheon Military VAX Computer Model 880; and Norden MIVAX Computer Model MIVAX II (under VMS Version 5.4)	VAX 4000 Models 200 & 300; VAX 8000 Series 200, 300 & 400; VAX 8200, 8250, 8500, 8530, 8550, 8700, 8800 & 8810; VAX-11/730 & /750; MicroVAX II, 2000, 3100, 3300, 3400, 3500, 3800, 3800 & 3900; VAXstation 2000, 3100, 3150, 3200, 3500 & II/GPX; VAXserver 3100, 3300, 3400, 3500, 3600, 3800, 3900; VAXserver 4000-300; VAXserver 8000 Models 210, 220, 310, 320, 410 & 420; Ratheon Military VAX Computer Models 810 & 880; Norden MIVAX Computer Model MIVAX II, IVAX 620 & 630; VAX RTA; KA820-BA & KA800-M; rtVAX 300, 1000, 3200, 3300, 3305, 3400, 3500, 3800, 3800, 4000 Model 300, 8550, 8700, rtVAX 8000 Models 200, 300 & 400 Series and rtVAXstation 3100 Models 30 & 38 (under VAXELN Version 4.2, using VAXELN Ada Version 2.2)	Digital Equipment Corporation DEC Ada, Version 1.0 (BASE #911025S1.11226)	DEC DECstation 2100, 3100, & 5000, and DECsystem 5000, 5100, 5400, 5500, 5800, & 5900 series of computers (under ULTRIX Versions 4.0, 4.1, 4.2, & 4.2A)	Any Host
*Validated by Registration			*Validated by Registration		
Digital Equipment Corporation VAX Ada Version 2.2 (BASE #901106S1.11054)	VAX 8000 Model 200, 300 & 400 Series; VAX 8200, 8250, 8300, 8350, 8500, 8530, 8550, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840, 8842, 8874 & 8878; VAX-11/730, /750, /780, /785; MicroVAX II, 2000, 3100, 3300, 3400, 3500, 3600, 3800 & 3900; VAXstation II, 2000, 3100 series, 3200, 3500, 3520, 3540 & 8000; VAXserver 3100, 3300, 3400, 3500, 3600, 3602, 3800, 3900; VAXserver 8000-310, 8000-410 & 8000-420; Ratheon Military VAX Computer Model 880 (under VMS Version 5.4)	VAX 8000 Model 200, 300 & 400 Series; VAX 8200, 8250, 8500, 8530, 8550, 8700, 8800 & 8810; VAX-11/730 & /750; MicroVAX II, 2000, 3100, 3300, 3400, 3500, 3800 & 3900; VAXstation 2000, 3100, 3150, 3200, 3500 & II/GPX; VAXserver 3100, 3300, 3400, 3500, 3600, 3802, 3800, 3900; VAXserver 8000 Models 210 220, 310, 320, 410 & 420; Ratheon Military VAX Computer Models 810 & 880; Norden Systems: MII Vax II, IVAX 620 & 630; VAX RTA; KA820-BA, rtVAX 300, 1000, 3200, 3300, 3305, 3400, 3500, 3800, 3800,8550, 8700, rtVAX 8000 Model 200, 300 & 400 Series & rtVAXstation 3100 Models 30 & 38 (under VAXELN Version 4.1 using VAXELN Ada Version 2.2)	Digital Equipment Corporation DEC Ada for OpenVMS VAX Systems, Version 3.0-5 (BASE #930318S1.11315)	DECstation 2100, 3100, & 5000; and DECsystem 3100, 5000, 5100, 5400, 5500, 5810, 5820, 5840, & 5900 series of computers (under Ultrix Version 4.2)	Any Host
*Validated by Registration			*Validated by Registration		
Digital Equipment Corporation VAX Ada Version 2.3 (BASE #901108S1.11054)	All VAX, MicroVAX, VAXstation, VAXserver series of computers (as supported) (under VMS Versions 5.4 & 5.5)	VAX 4000, 6000, & 9000 series of computers; MicroVAX II, 2000, & 3000 series of computers; VAXstation II, 2000, 3000, & 4000 series of computers; VAXserver 3000, 4000, & 8000 series of computers; IVAX 620 & 630; KA820-BA, KA800-M, & KAV30 VME SBC; rtVAX 300, 1000, 3000, 4000, 6000, & 9000 series of computers; and rtVAXstation 3100 series of computers; (under VAXELN Version 4.4, using VAXELN Ada Version 2.2)	Digital Equipment Corporation DEC Ada for OpenVMS VAX Systems, Version 3.0-7 (BASE #930318S1.11316)	DEC 3000 Workstation and Server models, 4000, 7000, & 10000 series of AXP computers (under OpenVMS Version 1.0)	Any Host
*Validated by Registration			*Validated by Registration		
Digital Equipment Corporation DEC Ada, Version 1.0 (#911025S1.11226)	DECstation 5000 Model 200 (under ULTRIX 4.2)	Same as Host	Digital Equipment Corporation DEC Ada for OpenVMS VAX Systems, Version 3.0-7 (#930318S1.11317)	VAXstation 4000 Model 80 (under VMS Version 5.5)	VAXstation 3100 Model 48 (under VAXELN Version 4.4, using VAXELN Ada Version 2.2)
*Validated by Registration			*Validated by Registration		
Digital Equipment Corporation DEC Ada, Version 1.0 (BASE #911025S1.11226)	DECstation 2100, 3100, 3100s, 5000 Models 120/125, 120/125CX, 120/125PXG, 120/125PXG TURBO, 200, 200CX, 200PX, 200PXG, 200PXG TURBO; and DECsystem 3100, 5000 Model 200, 5100, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX Versions 4.0, 4.1 & 4.2)	Any Host	Digital Equipment Corporation DEC Ada for DEC OSF/1 AXP Systems, Version 3.1 (#931028S1.11330)	DEC 3000 Model 400 (under DEC OSF/1, Version 1.3)	Same as Host
*Validated by Registration			*Validated by Registration		
Digital Equipment Corporation DEC Ada, Version 1.0 (BASE #930318S1.11315)	VAX 8000 Model 200, 300 & 400 Series; VAX 8200, 8250, 8300, 8350, 8500, 8530, 8550, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840, 8842, 8874 & 8878; VAX-11/730, /750, /780, /785; MicroVAX II, 2000, 3100, 3300, 3400, 3500, 3600, 3800 & 3900; VAXstation II, 2000, 3100 series, 3200, 3500, 3520, 3540 & 8000; VAXserver 3100, 3300, 3400, 3500, 3600, 3602, 3800, 3900; VAXserver 8000-310, 8000-410 & 8000-420; Ratheon Military VAX Computer Model 880 (under VMS Version 5.4)	VAX 8000 Model 200, 300 & 400 Series & rtVAXstation 3100 Models 30 & 38 (under VAXELN Version 4.1 using VAXELN Ada Version 2.2)	Digital Equipment Corporation DEC Ada for OpenVMS VAX Systems, Version 3.0-7 (BASE #930318S1.11318)	VAXstation 4000 Model 80 (under VMS Version 5.5)	Same as Host
*Validated by Registration			*Validated by Registration		
Digital Equipment Corporation DEC Ada, Version 1.0 (BASE #930318S1.11316)	VAXr, VAX 4000, 6000, 8000, 9000, & 10000; MicroVAX II, 2000, & 3000; VAXstation II, 2000, 3000, 4000; VAXserver 3000, 4000, & 8000 series of computers (as supported) (under VMS Version 5.4 & 5.5)	VAX 4000, 6000, & 9000; MicroVAX II, 2000, 3000; KA820-BA, KAV30 VME SBC, KA800-M; rtVAX 300, 1000, 3000, 4000, 6000, & 9000 series of computers; and rtVAXstation 3100; IVAX 620 & 630; VAXstation II, 2000, 3000, & 4000; VAXserver 3000, 4000, & 8000 series of computers (as supported) (under VMS Version 5.4 & 5.5)	Digital Equipment Corporation DEC Ada for DEC OSF/1 AXP Systems, Version 3.1 (#931028S1.11330)	DEC 3000 Model 400 (under DEC OSF/1, Version 1.3)	Same as Host

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration			*Validated by Registration		
Digital Equipment Corporation DEC Ada for DEC OSF/1 AXP Systems, Version 3.1 (BASE #B31029S1.11330)	DEC 2000 Sever, 3000 workstation and Server models, 4000, 7000, & 10000 series of AXP computers (under DEC OSF/1 Version 1.3)	Any Host	Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11114)	Encore 93 Series, all models (under UMAX 3.1.X)	Any Host
*Validated by Registration			*Validated by Registration		
Dowty Maritime Limited TeleGen2 Ada Cross Development System, Version 3.2 for VAX/VMS to 386 (BASE #91032511.11139)	DEC VAX-11, MicroVAX, VAXserver, VAXstation, VAXft; and VAX 4000, 6000, 7000, 8000, 9000, & 10000 series of computers (under VMS 5.5-2)	All members of the Intel ISBC 386 & ISBC 486 model series (bare machines, using TeleAda-EXEC 3.2)	Encore Computer Corporation Parallel Ada Development System, Revision 1.0 (#910130W1.11115)	Encore 91 Series Model 91-0340 (under UMAX 3.0)	Encore 91 Series Model 91-0430 (under UMPX 1.0)
*Validated by Registration			*Validated by Registration		
E-Systems/ECI Division Tolerant Ada Development System, Version 6.0 (#901003W1.11039)	Tolerant Eternity (under TX, 5.4.0)	Same as Host	Encore Computer Corporation Parallel Ada Development System, Revision 1.0 (BASE #910130W1.11115)	Encore 91 Series, all models (under UMAX 3.0)	Encore 91 Series, all models (under microMPX 1.0 & microARTE 1.0)
*Validated by Registration			*Validated by Registration		
EDS-Scicon Defence Limited XD Ada MC88040/ARTX Version 1.2 (#921112N1.11297)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.5)	Motorola MVME167 (68040) (bare machine)	Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11115)	Encore 91 Series, all models (under UMAX 3.0.X)	Any Host machine (under MicroARTE 1.2.0)
*Validated by Registration			*Validated by Registration		
Encore Computer Corporation Parallel Ada Development System, Revision 1.0 (#910130W1.11114)	Encore 91 Series Model 91-0340 (under UMAX 3.0)	Same as Host	Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11115)	Encore 91 Series, all models (under UMAX 3.0.X)	Any Host machine (under MicroARTE 1.2.0)
*Validated by Registration			*Validated by Registration		
Encore Computer Corporation Parallel Ada Development System, Revision 1.0 (BASE #910130W1.11114)	Encore 91 Series, all models (under UMAX 3.0)	Any Host	Green Valley Software C. Ada, Version 1.1 (#930927S1.11328)	ZENY 386 (under UNIX System V/386, Release 3.2)	Same as Host
*Validated by Registration			*Validated by Registration		
Encore Computer Corporation Parallel Ada Development System, Revision 2.0 (BASE #910130W1.11114)	Encore 91, 93, & 94 Series, all models (under UMAX 3.0)	Any Host	GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11180)	MIPS M/120 RISC Computer (under UMIPS 4.51)	Same as Host
*Validated by Registration			*Validated by Registration		
Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11114)	Encore Infinity 90 Series, all models (under UMAX 3.0.X)	Any Host	GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11182)	IBM RISC System 6000/520 (under AIX Version 3)	Same as Host
*Validated by Registration			*Validated by Registration		
Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11114)	Encore 91 Series, all models (under UMAX 3.0.X)	Any Host	GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11184)	HP 9000 Series 400 Model 400T (under HP-UX 7.03)	Same as Host
*Validated by Registration			*Validated by Registration		
Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11114)	Encore 91 Series, all models (under UMAX 3.0.X)	Any Host	GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11186)	Concurrent Computer Corporation M6000 Model 6450 (under RTU 5.0C)	Same as Host

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
GSE Gesellschaft für Software- Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11187)	Concurrent Computer Corporation M8000 Model 8500 (under RTU 5.1A)	Same as Host	*Validated by Registration Harris .. Corporation, Computer Systems Division Harris Ada version 5.2 (BASE #900918W1.11028)	Harris NH-4400, -4800, & -5800 (under CX/UX 6.2, CX/RT 6.2, & CX/SX 6.2)	Harris NH-4400, NH-4800, & NH-5800 (Harris Ada runtime System & ARMS Runtime System)
GSE Gesellschaft für Software- Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11188)	Data General AVIION 400 Model 402 (under DG/UX 4.31)	Same as Host	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler, version 6.2 (BASE #900918W1.11028)	Harris NH-4400, NH-4800, & NH-5800 (under CX/UX 6.2 & CX/RT 6.2)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
GSE Gesellschaft für Software- Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11190)	HP 9000 Series 700 Model 720 (under HP-UX 8.01)	Same as Host	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler, version 7.1 (BASE #900918W1.11028)	Harris NH-4400, NH-4800, & NH-5800 (under CX/UX 7.1 & CX/RT 7.1)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
Harris Corporation, Computer Systems Division Harris Ada 5.1 (#900918W1.11028)	Harris NH-4400 (under CX/UX 5.1)	Same as Host	Harris Corporation, Computer Systems Division Harris Ada 5.1 (#900918W1.11029)	Harris NH-3800 (under CX/UX 5.1)	Same as Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada 5.1 (BASE #900918W1.11028)	Harris NH-4400 (under CX/UX 5.1, CX/RT 5.1, OR CX/SX 5.1)	Any Host	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada 5.1 (BASE #900918W1.11029)	Harris NH-1200, NH-3400 & NH-3800 (under CX/UX 5.1, CX/RT 5.1, OR CX/SX 5.1)	Any Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler, Version 5.1 (BASE #900918W1.11028)	Harris NH-4400 (under CX/UX 5.2, CX/RT 5.2 & CX/SX 5.2)	Same as Host	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler, Version 5.1 (BASE #900918W1.11029)	Harris NH-1200, NH-3400 & NH-3800 (under CX/UX 5.2, CX/RT 5.2 & CX/SX 5.2)	Same as Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada 5.1.1 (BASE #900918W1.11028)	Harris NH-4400 & NH-4800 (under CX/UX 5.3, CX/RT 5.3 & CX/SX 5.3)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada 5.1.1 (BASE #900918W1.11029)	Harris NH-1200, NH-3400 & NH-3800 (under CX/UX 5.3, CX/RT 5.3 & CX/SX 5.3)	Any Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler 5.1.1 (BASE #900918W1.11028)	NH-4400 & NH-4800 (under CX/UX 6.1, CX/RT 6.1, & CX/SX 6.1)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler 5.1.1 (BASE #900918W1.11029)	Harris NH-1200, NH-3400, & NH-3800 (under CX/UX 6.1, CX/RT 6.1, & CX/SX 6.1)	Any Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler 5.1.1 (BASE #900918W1.11028)	NH-4400, NH-4800, & NH-5800 (under CX/UX 6.2, CX/RT 6.2, & CX/SX 6.2)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)	Hewlett-Packard Co./Apollo Systems Division Domain Ada V8.0m (#910411W1.11137)	DN4500 (under Domain/OS SR10.3)	Same as Host

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Hewlett-Packard Co./Apollo Systems Division Domain Ada V8.0p (#910411W1.11138)	DN10000 (under Domain/OS SR10.3.p)	Same as Host	*Validated by Registration Intermetrics Intermetrics MVS Ada Compiler, Version 8.1 (BASE #910622W1.11170)	Amdahl 5890/180E (under MVS/XA Release 2.2)	Same as Host
Hewlett-Packard Company HP 9000 Series 300 Ada Compiler, Version 5.35 (#901022W1.11049)	HP 9000 Series 300 Model 370 (under HP-UX, Version A.07.00)	Same as Host	Intermetrics Inc. RISC/AE TRW RH32-targeted Ada Compiler, 1.0 (#930901W1.11321)	VAXstation 4000 (under VMS 5.5)	RISC/AE TRW RH32 Simulator (bare machine simulation, executing on the Host)
*Validated by Registration Hewlett-Packard Company HP 9000 Series 300 Ada Compiler, Version 5.35 (BASE #901022W1.11049)	HP 9000 Series 300 & 400, all models (under HP-UX, Version A.B7.03)	Any Host	Intermetrics Inc. RISC/AE Honeywell RH32-targeted Ada Compiler, 1.0 (#930901W1.11322)	VAXstation 4000 (under VMS 5.5)	RISC/AE Honeywell RH32 Simulator (bare machine simulation, executing on the Host)
*Validated by Registration Hewlett-Packard Company HP 9000 Series 300 Ada Compiler, Version 5.35 (BASE #901022W1.11049)	HP 9000 Series 300 & 400, all Models (under HP-UX, Versions A.B7.00 (release 7.0), A.B7.03 (release 7.3), A.B7.05 (release 7.5) & A.B8.00 (release 8.0), as supported)	Any Host from the same Series, under the same OS version	Intermetrics, Inc. UTS Ada Compiler, Version 302.03 (#910425W1.11141)	IBM 3083 (under UTS 580 Release 1.2.3)	Same as Host
IBM Canada, Ltd. AIX Ada/8000 Release 2, Preliminary Version (#901127W1.11085)	RISC System/6000 model 7013-530 (under AIX 3.1)	Same as Host	Intermetrics, Inc. Intermetrics MVS Ada Compiler, Version 7.0 (#910622W1.11170)	Amdahl 5890/180E (under MVS/XA Release 2.2)	Same as Host
*Validated by Registration IBM Canada, Ltd. AIX Ada/8000 Release 2.0 (BASE #901127W1.11085)	RISC System/6000 models 7013-320, -520, -530, -540, -550, -730 & -830 (under AIX 3.1)	Any Host	International Business Machines Corporation IBM Ada/370, Version 1.1.0 (#901128W1.11091)	IBM 3083 (under VM/SP HPO Release 5.0)	Same as Host
*Validated by Registration IBM Canada, Ltd. AIX Ada/8000 Release 2.2 (BASE #901127W1.11085)	RISC System/6000 models 7013-320, -520, -530, -540, -550, -730, & -830 (under AIX 3.1 & 3.2)	Any Host, running same AIX version as Host	*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11091)	IBM 3090 (under VM/ESA Release 1.0 ESA Feature)	Same as Host
IBM Canada, Ltd. AIX Ada/8000 Internal Development Version (#920121W1.11234)	RISC System/6000 model 7012-320 (under AIX 3.2)	Same as Host	*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11091)	IBM 3084 (under VM/ESA Release 1.0 370 Feature)	Same as Host
*Validated by Registration IBM Canada, Ltd. AIX Ada/8000 Release 3.0 (BASE #920121W1.11234)	RISC System/6000, all models (under AIX 3.2)	Any Host	*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11091)	IBM 3090 (under VM/XA Release 2.1)	Same as Host
IBM Canada, Ltd. XL Ada/8000 Internal Development Version (#921119W1.11299)	RISC System/6000, model 7013-520 (under AIX 3.2)	Same as Host	*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11091)	IBM 3090 (under VM/SP Release 6.0 HPO 60)	Same as Host
Intel Corporation IPSC/860 Ada Release 6.1.0(E) Unix System V/860 Release 4 Version 3, 312425-0001 (#920513W1.11255)	Intel i860 Station (under Unix System V/860, Version 4)	Intel IPSC/860 (under Ada-NX, Release 3.3.1)	International Business Machines Corporation IBM Ada/370, Ver 1.1.0 (#901128W1.11092)	IBM 4381 (under MVS/XA Release 3.8)	Same as Host

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration			*Validated by Registration		
International Business Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11092)	IBM 3090 (under MVS/ESA Release 4.1)	Same as Host	International Business Machines Corporation IBM Ada/370, VM/CMS Ada Compiler, Version 1.4.0 (BASE #910612W1.11168)	IBM 3084 (under VM/ESA 1.1.0(370 Feature)); IBM 3090 (under VM/ESA 1.1.0(ESA Feature), VM/ESA 1.1.1, VM/XA 2.1, & VM/SP HPO 5.0 & 6.0)	IBM 837x, 43xx, 308x 8090, & ES/9000 processors (under same OS as Host)
International Business Machines Corporation IBM Ada/370, Version 1.2.0 (optimized) (#910612W1.11166)	IBM 3083 (under VM/SP HPO Release 5.0)	Same as Host	International Business Machines Corporation IBM Ada/370, Version 1.2.0 (unoptimized) (#910612W1.11166)	IBM 4381 (under MVS/ESA Release 3.1)	Same as Host
International Business Machines Corporation IBM Ada/370, Version 1.2.0 (optimized) (#910612W1.11167)	IBM 4381 (under MVS/ESA Release 3.1)	Same as Host	*Validated by Registration		
International Business Machines Corporation IBM Ada/370, Version 1.2.0 (unoptimized) (#910612W1.11168)	IBM 3083 (under VM/SP HPO Release 5.0)	Same as Host	International Business Machines Corporation IBM Ada/370, Version 1.2.0 & 1.3.0 (BASE #910612W1.11169)	IBM 3090 (under MVS/SP XA 2.2)	IBM 837x, 43xx, 308x, 3090 & ES/9000 processors (under MVS/SP XA 2.2)
*Validated by Registration			*Validated by Registration		
International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3090 (under VM/SP HPO 6.0)	IBM 837x, 43xx, 308x, 3090 & ES/9000 processors (under VM/SP HPO 6.0)	International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11169)	IBM 3090 (under MVS/ESA Release 4.1.0)	IBM 837x, 43xx, 308x, 3090 & ES/9000 processors (MVS/ESA Release 4.1.0)
*Validated by Registration			*Validated by Registration		
International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3090 (under VM/XA 2.1)	IBM 837x, 43xx, 308x, 3090 & ES/9000 processors (under VM/XA 2.1)	International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11169)	IBM 3090 (under MVS/ESA Release 4.2.0)	IBM 837x, 43xx, 308x, 3090 & ES/9000 processors (MVS/ESA Release 4.2.0)
*Validated by Registration			*Validated by Registration		
International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3084 (under VM/ESA 1.1.0 (370 Feature))	IBM 837x, 43xx, 308x, 3090 & ES/9000 processors (under VM/ESA 1.1.0 (370 Feature))	International Business Machines Corporation IBM Ada/370, Version 1.3.0 (BASE #910612W1.11169)	IBM 3090 (under MVS/ESA 4.1.0 & 4.2.0)	IBM 837x, 43xx, 308x, 3090, & ES/9000 computers (under same OS as Host)
*Validated by Registration			*Validated by Registration		
International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3090 (under VM/ESA 1.1.0 (ESA Feature))	IBM 837x, 43xx, 308x, 3090 & ES/9000 processors (under VM/ESA 1.1.0 (ESA Feature))	International Business Machines Corporation IBM Ada/370 MVS Compiler, Version 1.4.0 (BASE #910612W1.11169)	IBM 4381 (under MVS/ESA 3.1.0)	IBM 837x, 43xx, 308x, 3090, & ES/9000 computers (under same OS as Host)
*Validated by Registration			*Validated by Registration		
International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3090 (under VM/ESA 1.1.1)	IBM 837x, 43xx, 308x, 3090 & ES/9000 processors (under VM/ESA 1.1.1)	International Computers Limited VME Ada Compiler VA3.00 (#911003N1.11222)	ICL Series 39 Level 80 (under VME with VMEB Environment Option Version SV291)	Same as Host

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
International Computers Limited VME Ada Compiler VA3.10 (#921008N1.11293)	ICL Series 39 Level 80 (under VME with VMEB Environment Option Version SV292)	Same as Host	*Validated by Registration Irvine Compiler Corporation ICC Ada for I960MC 7.4 (BASE) #910510W1.11148	HP 9000 Series 700, all models (under HP-UX Version 8.0, all releases)	Intel I960MC, with/without ICE 960, on an EXV80960MC board; any single-board computer using the I960 chip; and Intel I080 simulator, executing on the Host (bare machines)
Irvine Compiler Corporation ICC Ada v7.0.0 (#910510W1.11145)	HP 9000 Model 720 (under HP-UX Release 8.01)	Same as Host	*Validated by Registration Irvine Compiler Corporation ICC Ada for I960MC 7.4 (BASE) #910510W1.11148	Sun Microsystems Sun-3 computers, all models (under SunOS version 4.1.2 & Solaris version 1.0.1, all releases)	Intel I960MC, with/without ICE 960, on an EXV80960MC board; any single-board computer using the I960 chip; and Intel I080 simulator, executing on the Host (bare machines)
*Validated by Registration Irvine Compiler Corporation ICC Ada for HP 9000 Series 700/800, Version 7.4 (BASE) #910510W1.11145	HP 9000 Series 700 & 800, all Models (under HP-UX Version A.B8.05 (release 8.05))	Any Host	*Validated by Registration Irvine Compiler Corporation ICC Ada for I960MC 7.4 (BASE) #910510W1.11148	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computers, all models (under SunOS version 4.1.2 & Solaris version 1.0.1, all releases)	Intel I960MC, with/without ICE 960, on an EXV80960MC board; any single-board computer using the I960 chip; and Intel I080 simulator, executing on the Host (bare machines)
*Validated by Registration Irvine Compiler Corporation ICC Ada for HP 9000 Series 700/800 7.4 (BASE) #910510W1.11145	HP 9000 Series 700 & 800, all models (under HP-UX Versions 8.0 & 9.0, all releases; and HP-UX BLS Version 8.0, all releases)	Same as Host	*Validated by Registration Irvine Compiler Corporation ICC Ada for I960XA, Version 7.5 (BASE) #910510W1.11148	DEC VAX-11, MicroVAX, VAXserver, VAXstation, VAXt; and VAX 4000, 6000, 7000, 8000, 9000, & 10000 series of computers (under VMS 5.4)	Intel I960XA with or without ICE960 on an Intel EXV80960XA board; any single-board computer that uses the I960XA chip; Intel I960XA simulator (executing on the Host) (bare machine)
Irvine Compiler Corporation ICC Ada v7.0.0 (#910510W1.11146)	Sun 3/50 (under SunOS V4.0)	Same as Host	Irvine Compiler Corporation ICC Ada v7.4.0 (#92052011.11280)	VAXstation 3100 Model M38 (under VMS Version 5.3-1)	Intel I960MX in Hughes DMV running in tagged mode (bare machine, using CHKSYS kernel version 104)
*Validated by Registration Irvine Compiler Corporation ICC Ada for Sun3, Version 7.4 (BASE) #910510W1.11146	Sun Microsystems Sun-3 computer family (under SunOS 4.0 & 4.1)	Any Host	*Validated by Registration Irvine Compiler Corporation ICC Ada for I960MM and I960MX 7.4 (BASE) #92052011.11280	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 8000, VAX 9000, & VAX 10000 Series of computers (under VMS 5.4)	Intel I960MM & I960MX on a TRONIX P1960MX-JXV JIAWG Execution Vehicle board; any single-board computer that uses the I960MM/MX superscalar chip; Intel I960 simulator (executing on the Host) (bare machine)
Irvine Compiler Corporation ICC Ada v7.0.0 (#910510W1.11147)	HP 9000 Model 400 (under HP-UX Release 7.03)	Same as Host	*Validated by Registration Irvine Compiler Corporation ICC Ada for I960MM and I960MX 7.4 (BASE) #92052011.11280	HP 9000 Series 300 & 400, all models (under HP-UX Version 8.0, all releases)	Intel I960MM & I960MX, with/without ICE 960, on a TRONIX P1960MX-JXV JIAWG execution Vehicle board; any single-board computer using the I960MM/MX superscalar chip; and Intel I080 simulator, executing on the Host (bare machines)
*Validated by Registration Irvine Compiler Corporation ICC Ada for HP 9000 Series 300/400, Version 7.4 (BASE) #910510W1.11147	HP 9000 Series 300 & 400, all Models (under HP-UX Version A.B8.05 (release 8.05))	Any Host	*Validated by Registration Irvine Compiler Corporation ICC Ada for I960MC 7.4 (BASE) #910510W1.11148	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 8000, VAX 9000, & VAX 10000 series of computers (under VMS 5.4)	Intel I960MC with or without ICE960 on an Intel EXV80960MC board; any single-board computer that uses the I960 chip; Intel I960 simulator (executing on the Host) (bare machine)
Irvine Compiler Corporation ICC Ada v7.0.0 (#910510W1.11148)	VAXstation 3100 Model M38 (under VMS 5.3-1)	Intel I960MC (bare machine)	*Validated by Registration Irvine Compiler Corporation ICC Ada for I960MC 7.4 (BASE) #910510W1.11148	HP 9000 Series 300 & 400, all models (under HP-UX Version 8.0, all releases)	Intel I960MM & I960MX, with/without ICE 960, on a TRONIX P1960MX-JXV JIAWG execution Vehicle board; any single-board computer using the I960MM/MX superscalar chip; and Intel I080 simulator, executing on the Host (bare machines)
*Validated by Registration Irvine Compiler Corporation ICC Ada for I960MC 7.4 (BASE) #910510W1.11148	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 8000, VAX 9000, & VAX 10000 series of computers (under VMS 5.4)	Intel I960MC with or without ICE960 on an Intel EXV80960MC board; any single-board computer that uses the I960 chip; Intel I960 simulator (executing on the Host) (bare machine)	*Validated by Registration Irvine Compiler Corporation ICC Ada for I960MC 7.4 (BASE) #910510W1.11148	HP 9000 Series 300 & 400, all models (under HP-UX Version 8.0, all releases)	Intel I960MM & I960MX, with/without ICE 960, on a TRONIX P1960MX-JXV JIAWG execution Vehicle board; any single-board computer using the I960MM/MX superscalar chip; and Intel I080 simulator, executing on the Host (bare machines)
*Validated by Registration Irvine Compiler Corporation ICC Ada for I960MC 7.4 (BASE) #910510W1.11148	HP 9000 Series 300 & 400, all models (under HP-UX Version 8.0, all releases)	Intel I960MC, with/without ICE 960, on an EXV80960MC board; any single-board computer using the I960 chip; and Intel I080 simulator, executing on the Host (bare machines)	*Validated by Registration Irvine Compiler Corporation ICC Ada for I960MM and I960MX 7.4 (BASE) #92052011.11280	Sun Microsystems Sun-3 computers, all models (under SunOS version 4.1.2 & Solaris version 1.0.1, all releases)	Intel I960MM & I960MX, with/without ICE 960, on a TRONIX P1960MX-JXV JIAWG execution Vehicle board; any single-board computer using the I960MM/MX superscalar chip; and Intel I080 simulator, executing on the Host (bare machines)

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Irvine Compiler Corporation ICC Ada for i860MM and i860MX Version 7.4 (BASE #8205201.11260)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computers, all models (under SunOS version 4.1.2 & Solaris version 1.0.1, all releases)	Intel i860MM & i860MX, with/without ICE 960, on a TRONIX P1860MX-DXV JIAWGW execution Vehicle board; any single-board computer using the i860MM/MX superscalar chip; and Intel i860 simulator, executing on the Host (bare machines)	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#800909W1.11035)	IBM PS/2 Model 30 (with floating-Point Co-Processor) (under IBM PC-DOS 3.30)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#800909W1.11031)	Sun-3/280 (under SunOS, Version 4.1)	Same as Host	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #800909W1.11035)	Any Computer System comprising: cpu: any that executes the Intel 8088 instruction set, fpu: Intel 8087 or equivalent, as appropriate, memory: 640 KByte RAM minimum, disc: 20 MByte hard drive, OS: IBM PC-DOS 3.30	Any Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#800909W1.11032)	Sun-4/110 (under SunOS, Version 4.1)	Same as Host	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (BASE #800909W1.11035)	Any Computer System Comprising: Cpu: any that executes the Intel 8088 instruction set; Fpu: Intel 8087 or equivalent, as appropriate; Memory: 640 or greater KByte RAM; Disc: 20 MByte hard drive (under IBM PC-DOS 3.30)	Any Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #800909W1.11032)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS Versions 4.1 & 4.1.1)	Any Host	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.4 (BASE #800909W1.11035)	Any Computer System Comprising: cpu: any that executes the Intel 8088 instruction set; fpu: Intel 8087 or equivalent, as appropriate; memory: 640 KByte RAM; disc: 20 MByte hard drive (under IBM PC-DOS 3.30)	Any Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#800909W1.11033)	DECstation 3100 (under Ultrix, Version 3.0)	Same as Host	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #800909W1.11036)	ITT XTRA/286 (with floating-Point Co-Processor) (under MS-DOS 3.20/OS286)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #800909W1.11033)	DECstation 2100, 3100 & 5000 (under Ultrix 3.0)	Any Host	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #800909W1.11036)	Any Computer System comprising: cpu: any that executes the Intel 80286, 80386, or 80486 instruction set, fpu: Intel 80287, 80387, or equivalent, as appropriate, memory: 1.5 MByte RAM minimum, disc: 20 MByte hard drive, OS: MS-DOS 3.20/OS286	Any Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#800909W1.11034)	IBM PS/2 Model 60 (with floating-Point Co-Processor) (under IBM PC-DOS 3.30)	Same as Host	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (BASE #800909W1.11036)	Any Computer System comprising: Cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; Fpu: Intel 80287, 80387, or equivalent, as appropriate; Memory: 1.5 or greater MByte RAM; Disc: 20 MByte hard drive (under MS-DOS 3.30/OS286)	Any Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #800909W1.11034)	Any Computer System comprising: cpu: any that executes the Intel 80286, 80386, or 80486 instruction set, fpu: Intel 80287, 80387, or equivalent, as appropriate, memory: 640 KByte RAM minimum, disc: 20 MByte hard drive, OS: IBM PC-DOS 3.30	Any Host	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.4 (BASE #800909W1.11036)	Any Computer System Comprising: cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; fpu: Intel 80287, 80387, or equivalent, as appropriate; memory: 1.5 MByte RAM; disc: 20 MByte hard drive (under MS-DOS 3.20/OS286)	Any Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (BASE #800909W1.11034)	Any Computer System Comprising: Cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; Fpu: Intel 80287, 80387, or equivalent, as appropriate; Memory: 640 or greater KByte RAM; Disc: 20 MByte hard drive (under IBM PC-DOS 3.30)	Any Host	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.4 (BASE #800909W1.11036)	Any Computer System Comprising: cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; fpu: Intel 80287, 80387, or equivalent, as appropriate; memory: 1.5 MByte RAM; disc: 20 MByte hard drive (under MS-DOS 3.20/OS286)	Any Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.4 (BASE #800909W1.11034)	Any Computer System Comprising: cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; fpu: Intel 80287, 80387, or equivalent, as appropriate; memory: 640 KByte RAM; disc: 20 MByte hard drive (under IBM PC-DOS 3.30)	Any Host			

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11037)	80 Data 386/25 (under 386/ix 1.0.6)	Same as Host	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.4 (BASE #911002W1.11218)	Any Computer System Comprising: cpu: any that executes the Intel 80386 or 80486 instruction set; fpu: Intel 80387 or equivalent, as appropriate; memory: 1.5 MByte RAM; disk: 20 MByte hard drive (under IBM PC-DOS 3.30/OS386)	Any Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11037)	Any Computer System comprising: cpu: any that executes the Intel 80386 or 80486 instruction set, fpu: optional Intel 80387 or equivalent, for 80386 cpu, memory: 2 MByte RAM minimum, disk 40 MByte hard drive, OS: SCO Unix 3.2 or Interactive 386/ix 1.0.6	Any Host machine running the same OS	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#911002W1.11218)	NeXTstation (under System Release 2.0)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11037)	Sequent Symmetry 2000/40, /200, /400 & /700 (under DYNIX/ptx V1.2.0)	Any Host	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#911002W1.11220)	SGI PowerSeries 4D/310S (under IRIX Sys V 3.3.2)	Mercury MC880 VM (under MC/OS, Version 2.0)
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (BASE #900909W1.11037)	Any Computer System Comprising: Cpu: any that executes the Intel 80386 or 80486 instruction set; Fpu: Intel 80387 or equivalent, for 80386 cpu; Memory: 2 or greater MByte RAM; Disk: 40 MByte hard drive (under SCO Unix 3.2 or INTERACTIVE UNIX System V/386 Release 3.2)	Any Host with the same OS	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #911002W1.11220)	SGI PowerSeries 4D/310S (under IRIX Sys V 3.3.2)	Mercury MC880VB & MC880VM (under MC/OS, Version 2.0)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11038)	Apple Macintosh II (under System 6.0.3)	Same as Host	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#911002W1.11221)	Sun-4/110 (under SunOS, Version 4.1)	Mercury MC880 VM (under MC/OS, Version 2.0)
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11038)	Apple Macintosh SE 30 (under System 6.0.3)	Same as Host	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #911002W1.11221)	Sun Microsystems Sun-4/110, /150, /280 & /280; SPARCserver 330, 370, 380, 470 & 490; and SPARCstation 2, IPC & IPX (under SunOS Versions 4.1 & 4.1.1) and SPARCengine 1E (under SunOS Version 4.1e)	Mercury MC880VB & MC880VM (under MC/OS, Version 2.0) and Mercury MC880VS (under MC/OS, Version 2.VS)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#901108W1.11060)	Apple Macintosh II (under A/UX 2.0)	Same as Host	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#911216W1.11232)	Sequoia Series 400 (under Topix, Version 6.5)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#901108W1.11061)	Stardent Titan P3 (under Stardent/Unix 3.0)	Same as Host	Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#920915W1.11266)	Intergraph Interpro 2400 (under CLIX System 5, Release 3.1)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#901108W1.11062)	MicroVAX 3100 (under Ultrix 3.1)	Same as Host	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (BASE #920915W1.11266)	InterGraph InterPro Series C300- & C400-based models (under CLIX, System 5 Release 3.1)	Any Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#901108W1.11063)	MicroVAX II (under VMS 5.2)	Same as Host	Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#920915W1.11267)	Essence 836 (under DOS 5.0, running Microsoft Windows 3.0)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (#911002W1.11218)	IBM PS/2 Model 80 (with floating Point Co-Processor) (under IBM PC-DOS 3.30/OS386)	Same as Host			

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#920815W1.11288)	BBN TC2000 (under nX 3.0.1)	Same as Host	NEC Corporation NEC Ada Compiler System for EWS-UX/V (Release 4.0), Version Release 2.1(4.6) (#910918S1.11216)	NEC EWS4800/220 (under EWS-UX/V (Release 4.0) R2.1)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#920815W1.11289)	BBN TC2000 (under nX 3.0.1)	BBN TC2000 (under pSOS+ /88k)	*Validated by Registration NEC Corporation NEC Ada Compiler System, Version R4.1 (4.6.4) (BASE #910918S1.11216)	UP4800 Series models 520, 605, 620, 625, 630, & 635 (under UP-UX/V R4.1) EWS4800 Superstation RISC Series (all EWS RISC models, only) (under EWS-UX/V(R4.0) R6.2 & EWS-UX/V(R4.2) R7.1, as supported)	Any Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#921202W1.11301)	HP 9000/827 (under HP-UX 8.02)	Same as Host	NEC Corporation NEC Ada Compiler System for EWS-UX/V to V70/RX-UX832, Version 1.0 (#910918S1.11217)	NEC EWS4800/80 (under EWS-UX/V R8.1)	NEC MV4000 (under RX-UX832 V1.6)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#930401W1.11313)	Motorola VME 167-68040 (under OS/9 68K, v2.4)	Same as Host	*Validated by Registration NEC Corporation NEC Ada Compiler System for EWS-UX/V (Rel 4.0) to V70/RX-UX832, Version 1.0 (BASE #910918S1.11217)	NEC EWS4800 Superstation RISC Series (under EWS-UX/V(R4.0) R6.2)	NEC MV4000 (under RX-UX832 V1.6)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#930401W1.11314)	Essence 486 (under MS-DOS 5.0)	ADSP-21020 (bare machine)	*Validated by Registration NEC Corporation NEC Ada Compiler System for EWS-UX/V (Rel 4.0) to V70/RX-UX832, Version 1.0 (BASE #910918S1.11217)	NEC EWS4800 Superstation RISC Series (under EWS-UX/V(R4.0) R6.2)	NEC MV4000 (under RX-UX832 V1.6)
MIPS Computer Systems MIPS ASAPP 3.0 (#900819W1.11010)	MIPS M/2000 (under RISC/os 4.50)	R3200-6 CPU board (bare machine)	*Validated by Registration NEC Corporation NEC Ada Compiler System for EWS-UX/V (Rel 4.0) to V70/RX-UX832, Version 1.0 (BASE #910918S1.11217)	All RISC (MIPS R3000- & R4000-based) models of the EWS4800 series (under EWS-UX/V (4.0) R2.1)	NEC MV4000 (under RX-UX832 V1.6)
MIPS Computer Systems MIPS Ada 3.0 (#900819W1.11011)	MIPS M/2000 (under RISC/os 4.50)	Same as Host	*Validated by Registration NEC Corporation NEC Ada Compiler System for EWS-UX/V (Rel 4.0) to V70/RX-UX832, Version 1.0 (BASE #910918S1.11217)	NEC EWS4800 Superstation RISC Series (under EWS-UX/V(R4.0) R6.2)	NEC MV4000 (under RX-UX832 V1.6)
*Validated by Registration Multiprocessor Toolsmith Inc. CASEWorks/RT Ada v1.1 for Sun SPARCStation (BASE #930722W1.11318)	Sun Microsystems SPARCstation series (under SunOS 4.1.1, 4.1.2, & 4.1.3)	Any Host	North China Institute of Computing Technology C_Ada, Version 1.0 (#910902N1.11188)	MicroVAX II (under ULTRIX 3.0)	Same as Host
*Validated by Registration Multiprocessor Toolsmith Inc. CASEWorks/RT Ada v1.1 for Sun SPARCStation (BASE #930722W1.11319)	Sun Microsystems SPARCstation series (under SunOS 4.1.1, 4.1.2, & 4.1.3)	Any MC68020-, MC68030-, & MC68040-based single-board computer (bare machines, using Unison 3.1)	Proprietary Software Systems, Inc. PSS VAX/ZR34325 Compiler Version XB-01.000 (#920423I1.11250)	VAX 8350 (under VMS Version 5.4)	PSS Zoran ZR34325 Digital Signal Processor AdaRAID Version XK-01.000 (bare machine simulation, executing on the Host)
Multiprocessor Toolsmiths Inc. CASEWorks/RT Ada for the Sun SPARCStation, 1.1 (#930722W1.11318)	Sun SPARCstation 10 (under SunOS 4.1.3)	Same as Host	R.R. Software, Inc. Janus/Ada 2.2.0 Phar Lap/DOS (#901120W1.11088)	IBM PS/2 Model 80 (under Phar Lap/DOS 3.3)	IBM PS/2 Model 80 (under MS DOS 3.3)
Multiprocessor Toolsmiths Inc. CASEWorks/RT Ada MC680x0, Version 1.1 (#930722W1.11319)	Sun SPARCstation 10 (under SunOS 4.1.3)	Motorola MVME147 (bare machine)	*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.0 Phar Lap/DOS (BASE #901120W1.11088)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk 40 MByte hard drive (under Phar Lap/DOS 3.3)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk 40 MByte hard drive (under MS DOS 3.3)
Multiprocessor Toolsmiths Inc. CASEWorks/RT Ada i860, Version 1.1 (#930722W1.11320)	Sun SPARCstation 2 (under SunOS 4.1.1)	CSPI Supercard II (Intel 80860) with VSB daughterboard (bare machine)	*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.1 DOS (BASE #901120W1.11088)	Any Computer System Comprising: cpu: any that executes Intel 8086/8088 instructions; fpu: optional; memory: 640 KByte RAM; disk: 20 MByte hard drive (under MS DOS 3.3)	Same as Host
*Validated by Registration Multiprocessor Toolsmiths Inc. CASEWorks/RT Ada v1.1 for i860 (BASE #930722W1.11320)	Sun Microsystems SPARCstation series (under SunOS 4.1.1, 4.1.2, & 4.1.3)	CSPI Supercard 2 with VSB daughterboard, CSPI Supercard 3 with VSB daughterboard, CSPI Supercard 3XL with VSB daughterboard, & CSPI Supercard 4 with VSB daughterboard (bare machines, using Unison/pSOS+ 3.1)			

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.2 DOS (BASE #901120W1.11088)	Any Computer System Comprising: cpu: any that executes the Intel 8086/8088 Instruction set; fpu: optional; memory: 640 KByte RAM; disc: 20 MByte hard drive (under MS-DOS 3.3)	Any Host	Rockwell International Corporation DDC-Based Ada/CAPS Compiler, Version 6.0 (#910306W1.11130)	VAXstation 3100 Model 30 (under VMS 5.4)	CAPS/AAAMP2 (bare machine)
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.2 386 to DOS (BASE #901120W1.11088)	Any Computer System Comprising: cpu: any that executes the Intel 80386 Instruction set; fpu: optional; memory: 2 MByte RAM; disc: 40 MByte hard drive (under Phar Lap / MS-DOS 3.3)	Any Host (under MS-DOS 3.3)	*Validated by Registration Rockwell International Corporation DDC-Based Ada/CAPS Compiler, Version 6.1 (BASE #910308W1.11130)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS Versions 5.3-1 & 5.4)	CAPS/AAAMP2 (bare machine)
R.R. Software, Inc. Janus/Ada 2.2.0 Unix (#901129W1.11089)	Northgate 386/25 (under SCO Unix 3.2)	Same as Host	*Validated by Registration Rockwell International Corporation DDC-Based Ada/CAPS Compiler System, Version 6.3 (BASE #910306W1.11130)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, VAX 9000, & VAX 10000 series of computers (under VMS 5.5-2)	CAPS/AAAMP2 & CAPS/AAAMP3 (bare machines)
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.0 UNIX (BASE #901129W1.11089)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disc: 80 MByte hard drive (under SCO Unix 3.2)	Same as Host	SD-Scicon UK Ltd XD Ada MC88020, Version 1.2 (#901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS Version 5.3)	Motorola MVME133XT board (MC88020) (bare machine)
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.2 UNIX (BASE #901129W1.11089)	Any Computer System Comprising: cpu: any that executes the Intel 80386 Instruction set; fpu: optional; memory: 4 MByte RAM; disc: 40 MByte hard drive (under SCO Unix 3.2)	Any Host	*Validated by Registration SD-Scicon UK Ltd XD Ada MC88020 Version 1.2 (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.3)	Motorola MVME135-1 board (MC88020) and Motorola MVME147S-1 board (MC88030) (bare machines)
Rational M68020/OS-2000 Cross-Development Facility, Version 7 (#901116W1.11081)	R1000 Series 300 (under Rational Environment Version D_12_24_0)	Phillips PG2100 (OS-2000 Release 2.0)	*Validated by Registration SD-Scicon UK Ltd XD Ada MC88020, Version 1.2A (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME133XT board (MC88020) (bare machine)
Rational M68020/Unix Cross-Development Facility, Version 7 (#901116W1.11082)	R1000 Series 300 (under Rational Environment Version D_12_24_0)	HP 9000 Model 370MH (under HP-UX Version 7.0)	*Validated by Registration SD-Scicon UK Ltd (MC88020) XD Ada MC88020 MVME135 & MVME147, Version 1.2A (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME135-1 & MVME147S-1 (MC88030) boards (bare machines)
Rational M68020/Bare Cross-Development Facility, Version 7 (#901116W1.11083)	R1000 Series 300 (under Rational Environment Version D_12_24_0)	Motorola MVME135 (68020) (bare machine)	*Validated by Registration SD-Scicon UK Ltd XD Ada MC88020/EFA, Version 1.2A (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME135-1 board (MC88020) (bare machine)
Rational Rational Environment, D_12_24_0 (#901116W1.11084)	R1000 Series 300 (under Rational Environment Version D_12_24_0)	Same as Host	*Validated by Registration SD-Scicon UK Ltd XD Ada CPU32 Version 1.2 (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.4)	Motorola M68340EVS Evaluation System CPU32 (bare machine)
Rockwell International Corporation DDC-Based Ada/CAPS Compiler, Version 6.0 (#910306W1.11129)	VAX 8650 (under VMS, Version 5.3-1)	CAPS/AAAMP1 (bare machine)	*Validated by Registration SD-Scicon UK Ltd XD Ada CPU32 Version 1.2 (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.4)	Motorola M68332EVS Evaluation System CPU32 (bare machine)
*Validated by Registration Rockwell International Corporation DDC-Based Ada/CAPS Compiler, Version 6.1 (BASE #910306W1.11129)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS Versions 5.3-1 & 5.4)	CAPS/AAAMP1 (bare machine)	*Validated by Registration SD-Scicon UK Ltd XD Ada CPU32/MC88332 Version 1.2 (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.4)	Motorola M68332EVS Evaluation System CPU32 (bare machine)

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
SD-Scicon UK Ltd XD Ada MIL-STD-1750A, Version 1.2 (#901214N1.11080)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.3)	Fairchild F9450 on a SBC-50 board (MIL-STD-1750A) (bare machine)	Siemens Nixdorf Informations- systeme AG Ada (SINX) V4.1 (#92032511.11249)	Siemens Nixdorf MX300I (under SINX Version V5.41)	Same as Host
SD-Scicon UK Ltd XD Ada MC88000, Version 1.2 (#910314N1.11134)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MC88000 on an MVME117-3FP board (bare machine)	*Validated by Registration Siemens Nixdorf Informations- systeme AG Ada (SINX) V4.1 (BASE #92032511.11249)	Siemens Nixdorf WX200 & MX500I (under SINX Version 5.41)	Each Host, self targeted
*Validated by Registration SD-Scicon UK Ltd XD Ada MC88000/EFA, Version 1.2 (BASE #910314N1.11134)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MC88000 on an MVME117-3FP board (bare machine)	Siemens Nixdorf Informations- systeme AG Ada (SINX) V4.1 (#92092211.11276)	Siemens Nixdorf RM600 (under SINX Version V5.41)	Same as Host
SD-Scicon UK Ltd XD Ada MC88020/ARTX, Version T1.2 (#910911N1.11199)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME147S-1 (MC88030) (bare machine)	*Validated by Registration Siemens Nixdorf Informations- systeme AG Ada (SINX) V4.1 (BASE #92092211.11276)	Siemens Nixdorf RM400 (under SINX Version V5.41)	Same as Host
SD-Scicon UK Ltd XD Ada MC88040, Version 1.2 (#911128N1.11230)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME165 (MC88040) (bare machine)	Silicon Graphics Computer Systems 4D ADA 3.0 (#900703W1.11014)	Iris-4D/380 (under IRIX Release 4D-3.3)	Same as Host
*Validated by Registration SD-Scicon UK Ltd XD Ada MC88040/FORCE CPU-40, Version 1.2 (BASE #911128N1.11230)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.5)	FORCE CPU-40 (MC88040) (bare machine)	Silicon Graphics Computer Systems 4D ADA 3.0 (#900703W1.11015)	Iris-4D/220S (under IRIX Release 4D-3.3)	Same as Host
*Validated by Registration SD-Scicon UK Ltd XD Ada MC88040, Version 1.2 (BASE #911128N1.11230)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.5)	Motorola MVME167 (88040) (bare machine)	Silicon Graphics Computer Systems 4D ADA 3.0 (#900703W1.11016)	Iris-4D/25 (under IRIX Release 4D-3.3)	Same as Host
Siemens Nixdorf Informations- systeme AG SIEMENS NIXDORF BS2000 Ada Compiler V2.1 (#90111911.11111)	SIEMENS NIXDORF 7.590G (under BS2000 V9.5)	Same as Host	Silicon Graphics, Inc. VADS SGH-rix, SC4-ADA-4.0, Version 6.1 (#910920W1.11203)	SGI Indigo (under Irix V4.0)	Same as Host
*Validated by Registration Siemens Nixdorf Informations- systeme AG SIEMENS NIXDORF BS2000 Ada Compiler V2.1 (BASE #90111911.11111)	SIEMENS NIXDORF 7.530, 7.536, 7.541, 7.550, 7.551, 7.560, 7.561, 7.570, 7.571, 7.580 & 7.590; 7.500-C30, -C40, -H80, -H90 & -H120 (under BS2000 V9.5 & V10.0)	Same as Host	*Validated by Registration Siicon Graphics, Inc. VADS SGH-rix, SC4-ADA-4.0, Version 6.1 (BASE #910920W1.11203)	IRIS Indigo, Personal IRIS 4D, IRIS 4D series of computers (under Irix V4.0)	Any Host
Siemens Nixdorf Informations- systeme AG Ada (SINX) V4.1 (#910711W1.11181)	Siemens Nixdorf WX200 (SINX-ODT) (under SINX-ODT V1.0)	Same as Host	Silicon Graphics, Inc. VADS SGH-rix, SC4-ADA-4.0, Version 6.1 (#910920W1.11204)	SGI 4D/440 (under Irix V3.3)	Same as Host
*Validated by Registration Siemens Nixdorf Informations- systeme AG Ada (SINX) V4.1 (BASE #910711W1.11181)	Siemens Nixdorf WX200 (SINX-ODT) (under SINX-ODT V1.5)	Same as Host	SKY Computers, Inc. 2.33) Meridian Ada, Version 4.1 (#910711W1.11183)	SGI Personal Iris W-4D25 (under Irix System V 3.3)	SKYbolt 8116-V (under SKYbolt kernel version
Siemens Nixdorf Informations- systeme AG Ada (SINX) V4.1 (BASE #910711W1.11181)	Siemens Nixdorf WX200 (SINX-ODT) (under SINX-ODT V1.5)	Same as Host	SKY Computers, Inc. Meridian Ada, Version 4.1 (#910711W1.11185)	SPARCstation 1 (under SunOS release 4.1)	SKYstation 8117-P (under SKYstation kernel version 2.33)

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
SKY Computers, Inc. Meridian Ada, Version 4.1 (#910711W1.11189)	SGI Personal Iris W-4D25 (under Irbx System V 3.3)	Same as Host	Tartan, Inc. Tartan Ada Sun/980MC, Version 4.0 (#90121011.11122)	Sun 3/80 (under SunOS Version 4.0.3)	Intel ICE980/25 on an Intel EXV80880MC board (bare machine)
Stratus Computer, Inc. Stratus Ada, Version 6.1 (#821015W1.11294)	Stratus XA/R20 (under FTX, 2.0.1)	Same as Host	Tartan, Inc. Tartan Ada Sun/Sun, Version 4.0 (#90121111.11118)	Sun 3/80 (under SunOS Version 4.0.3)	Same as Host
*Validated by Registration Sun Microsystems Sun Microsystems Sun Ada, SunOS, ADE-1.0-4-4-21, Version 1.0 (BASE #900510W1.11006)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families; SPARCserver 900MP Series; & 4800MP-64 (under SunOS Version 4.2 releases 4.1 & 4.1.2, as supported)	Any Host	*Validated by Registration Tartan, Inc. Tartan Ada Sun/Sun, Version 4.1 (BASE #90121111.11118)	Sun 3/80 (under SunOS Version 4.0.3)	Same as Host
*Validated by Registration Sun Microsystems Sun Microsystems Sun Ada, SunOS, ADE-1.1-4-4-21, Version 1.1 (BASE #900510W1.11006)	Sun Microsystems Sun-4, SPARCserver, SPARCstation, & SPARCengine computer families; SPARCserver 600MP Series; & 4800MP-64 (under SunOS Version 4.2 release 4.1.2)	Any Host	*Validated by Registration Tartan, Inc. Tartan Ada Sun/Sun, Version 4.2 (BASE #90121111.11118)	Sun 3/80 (under SunOS Version 4.0.3)	Same as Host
*Validated by Registration Sun Microsystems Sun Microsystems Sun Ada, SunOS, ADE-1.1-4-4-21, Versions 1.0 & 1.1 (BASE #900510W1.11006)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1.3)	Any Host	Tartan, Inc. Tartan Ada VMS/980MC, Version 4.0 (#90121211.11120)	VAXstation 3100 (under VMS 5.2)	Intel ICE980/25 on an Intel EXV80880MC board (bare machine)
Tartan, Inc. Tartan Ada VMS/C30, Version 4.0 (#90121011.11121)	VAXstation 3100 (under VMS 5.2)	Texas Instruments TMS320C30 Application Board (bare machine)	*Validated by Registration Tartan, Inc. Tartan Ada VMS/980MC, Version 4.2.1 (BASE #90121211.11120)	VAXstation 3100 (under VMS 5.2)	Intel ICE980/25 on an Intel EXV80880MC board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/C30, Version 4.1 (BASE #90121011.11121)	VAXstation 3100 (under VMS 5.2)	Texas Instruments TMS320C30 Application Board (bare machine)	*Validated by Registration Tartan, Inc. Tartan Ada VMS/980MC, Version 4.2.1 (BASE #90121211.11120)	VAXstation 3100 (under VMS 5.2)	Intel EXV80880MC board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/C30, Version 4.1.1 (BASE #90121011.11121)	VAXstation 3100 (under VMS 5.2)	Texas Instruments TMS320C30 Application Board, NAVY SEM-D Key Code ADSP (bare machines)	*Validated by Registration Tartan, Inc. Tartan Ada VMS/980MC, Version 4.2.2 (BASE #90121211.11120)	VAXstation 3100 (under VMS 5.2)	Intel EXV80880MC board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/C30/IPS, Version 4.1.2 (BASE #90121011.11121)	VAXstation 3100 (under VMS 5.2)	Texas Instruments TMS320C30 (bare machine)	*Validated by Registration Tartan, Inc. Tartan Ada VMS/980MC/SVMRT, Version 4.3 (BASE #90121211.11120)	VAXstation 3100 (under VMS 5.5)	Cyclone CVME982 board, & Intel EXV80880MC board (bare machines)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/C3X Version 4.3 (BASE #90121011.11121)	VAXstation 3100 (under VMS 5.5)	Texas Instruments TMS320C30 Application Board, & Atlanta Signal Processors Eif TMS320C31 board (bare machines)	*Validated by Registration Tartan, Inc. Tartan Ada VMS/980MC/PMRT, Version 4.3 (BASE #90121211.11120)	VAXstation 3100 (under VMS 5.5)	Cyclone CVME982 board, Intel EXV80880MC board, & PI-980MX-JXV board (bare machines)

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Tartan, Inc. Tartan Ada Sun/C30 Version 4.0 (#9012121.11123)	Sun 3/50 (under SunOS Version 4.0.3)	Texas Instruments TMS320C30 Application Board (bare machine)	*Validated by Registration Tartan, Inc. Tartan Ada SPARC/1750A, Version 4.3 (BASE #92031311.11245)	SPARCstation ELC (under SunOS version 4.1.1)	Texas Instruments STL VHSIC 1750A, & Fairchild F9450 on an SBC-50 (MIL-STD-1750A) (bare machines)
*Validated by Registration Tartan, Inc. Tartan Ada Sun/C30, Version 4.1.1 (BASE #9012121.11123)	Sun 3/50 (under SunOS Version 4.0.3)	Texas Instruments TMS320C30 Application Board (bare machine)	Tartan, Inc. Tartan Ada SPARC 680X0, Version 4.2 (#92031311.11246)	SPARCstation ELC (under SunOS version 4.1.1)	Motorola MVME134 (MC68020) (bare machine)
Tartan, Inc. Tartan Ada VMS/1750A, Version 4.0 (#90121311.11119)	VAXstation 3200 (under VMS 5.2)	Texas Instruments STL VHSIC 1750A (bare machine)	*Validated by Registration Tartan, Inc. Tartan Ada SPARC/68XXX Version 4.3 (BASE #92031311.11246)	SPARCstation ELC (under SunOS version 4.1.1)	Motorola MVME134 (68020), MVME143 (68030), MVME165 (68040), MC68332 (CPU32), & MC68340 (CPU32) (bare machines)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/1750A, Version 4.1 (BASE #90121311.11119)	VAXstation 3200 (under VMS 5.2)	Texas Instruments STL VHSIC 1750A (bare machine)	Tartan, Inc. Tartan Ada SPARC 960mc, Version 4.2 (#92031311.11247)	SPARCstation ELC (under SunOS version 4.1.1)	Intel EXV80960MC board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/1750A, Version 4.3 (BASE #90121311.11119)	VAXstation 3100 (under VMS 5.5)	Texas Instruments STL VHSIC 1750A, & Fairchild F9450 on an SBC-50 (MIL-STD-1750A) (bare machines)	*Validated by Registration Tartan, Inc. Tartan Ada SPARC 960mc, Version 4.2.2 (BASE #92031311.11247)	SPARCstation ELC (under SunOS Version 4.1.1)	Intel EXV80960MC board (bare machine)
Tartan, Inc. Tartan Ada VMS/680X0, Version 4.1 (#91081311.11171)	VAXstation 3100 (under VMS 5.2)	Motorola MVME134 (MC68020) (bare machine)	*Validated by Registration Tartan, Inc. Tartan Ada RS9000/960mc, Version 4.2.2 (BASE #92031311.11247)	SPARCstation ELC (under SunOS version 4.1.1)	Intel EXV80960MC board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/680X0, Version 4.1.1 (BASE #91081311.11171)	VAXstation 3100 (under VMS 5.2)	Motorola MVME134 (MC68020), MVME143 (MC68030), & MVME165 (MC68040) (bare machines)	*Validated by Registration Tartan, Inc. Tartan Ada SPARC/960MC/SVMRT Version 4.3 (BASE #92031311.11247)	SPARCstation ELC (under SunOS version 4.1.1)	Cyclone CVME962 board, & Intel EXV80960MC board (bare machines)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/680X0/IPS, Version 4.1.2 (BASE #91081311.11171)	VAXstation 3100 (under VMS 5.2)	Motorola MVME134 (MC68020) (bare machine)	*Validated by Registration Tartan, Inc. Tartan Ada SPARC/960MC/PMRT, Version 4.3 (BASE #92031311.11247)	SPARCstation ELC (under SunOS version 4.1.1)	Cyclone CVME962 board, Intel EXV80960MC board, & PI-960MX-DXV board (bare machines)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/68XXX Version 4.3 (BASE #91081311.11171)	VAXstation 3100 (under VMS 5.5)	Motorola MVME134 (68020), MVME143 (68030), MVME165 (68040), MC68332 (CPU32), & MC68340 (CPU32) (bare machines)	Tartan, Inc. Tartan Ada VMS/C40 v4.2.1 (#92103011.11296)	VAXstation 4000 Model 60 (under VMS 5.5)	Texas Instruments TMS320C40 Parallel Processing Development System (bare machine)
Tartan, Inc. Tartan Ada SPARC C30, Version 4.2 (#92031311.11244)	SPARCstation ELC (under SunOS version 4.1.1)	Texas Instruments TMS320C30 Application Board (bare machine)	*Validated by Registration Tartan, Inc. Tartan Ada SPARC/C40, Version 4.3 (BASE #92103011.11296)	SPARCstation ELC (under SunOS version 4.1.1)	Texas Instruments TMS320C40 Parallel Development System (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada SPARC C3X, Version 4.3 (BASE #92031311.11244)	SPARCstation ELC (under SunOS version 4.1.1)	Texas Instruments TMS320C30 Application Board, & Atlanta Signal Processors Elf TMS320C31 board (bare machines)	*Validated by Registration Tartan, Inc. Tartan Ada VMS/C40, Version 4.3 (BASE #92103011.11296)	VAXstation 3100 (under VMS 5.5)	Texas Instruments TMS320C40 Parallel Development System (bare machine)
Tartan, Inc. Tartan Ada SPARC 1750a, Version 4.2 (#92031311.11245)	SPARCstation ELC (under SunOS version 4.1.1)	fairchild F9450 on an SBC-50 board (MIL-STD-1750A) (bare machine)			

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
TeleSoft TeleGen2 Sun-3 Ada Development System, Version 4.01 (#90052511.11012)	Sun-3/280 (under Sun UNIX 4.2, Release 4.0.3)	Same as Host	TeleSoft TeleGen2 Ada Cross Development System, Version 4.1, for VAX/VMS to MIPS (#91012311.11125)	MicroVAX 3800 (under VAX/VMS Version 5.2)	Integrated Device Technology IDT7RS301 System (R3000/R3010) (bare machine)
TeleSoft TeleGen2 Ada Host Development System, Version 4.1, for SPARCSystems (#901128W1.11090)	Sun-4/280 (under Sun UNIX 4.2, Release 4.1)	Same as Host	TeleSoft TeleGen2 Ada Cross Development System, Version 4.1, for SUN-3 to 68K (#91012511.11126)	Sun-3/480 (under Sun UNIX, Release 4.1)	Motorola MVME135-1 (MC68020) (bare machine)
*Validated by Registration TeleSoft TeleGen2 Ada Host Development System for SPARCSystems, Version 4.1 (BASE #901128W1.11090)	Sun Microsystems Sun-4, SPARCserver, SPARCstation, & SPARCEngine computer families (under SunOS 4.2, release 4.1)	Any Host	TeleSoft TeleGen2 Ada Cross Development System, Version 3.1 for VAX/VMS to 386 (#91032511.11139)	VAX 6210 (under VMS 5.3)	Intel ISBC 386-120 (80386/387) (bare machine, using TeleAda-EXEC 1.0)
*Validated by Registration TeleSoft TeleGen2 Ada Host Development System for SPARCSystems, Version 4.1 (BASE #901128W1.11090)	Solbourne Series 5 & 5E; and S4000 (under OS/MP 4.1)	Any Host	*Validated by Registration TeleSoft TeleGen2 Ada Cross Development System, Version 3.1 (BASE #91032511.11139)	VAX 4000-300 (under VMS 5.4-3)	Intel ISBC 486/133SE board (bare machine, using TeleAda-EXEC 1.0)
*Validated by Registration TeleSoft TeleGen2 Ada Host Development System for SPARCSystems, Version 4.1 (BASE #901128W1.11090)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under Solaris 2.1)	Any Host	TeleSoft TeleGen2 Ada Cross Development System, Version 3.1 for SPARC to 68K (#91032511.11140)	Sun-4/60 (under SunOS 4.1)	Motorola MVME147 (68030) (bare machine, using TeleAda-EXEC 1.0)
*Validated by Registration TeleSoft TeleGen2 Ada Host Development System for SPARCSystems, Version 4.1.1 (BASE #901128W1.11090)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under Solaris 2.1)	Any Host	*Validated by Registration TeleSoft TeleGen2 Ada Cross Development System for SPARC to 68K, Version 4.1 (BASE #91032511.11140)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS 4.1)	Motorola MVME133*, MVME135*, MVME136* (68020); MVME141* & MVME147* (68030); and MVME165* & MVME167* (68040) board families (bare machines, optionally using TeleAda_Exec 2.0)
TeleSoft TeleGen2 Ada Cross Development System, Version 4.1, for VAX/VMS to 68K (#91012111.11124)	MicroVAX 3800 (under VAX/VMS Version 5.2)	Motorola MVME133A-20 (MC68020) (bare machine)	TeleSoft TeleGen2 Ada Host Development System, Version 4.1, for MacII Systems (#91072111.11194)	Apple Macintosh IIfx (under A/UX 2.0)	Same as Host
Validated by Registration TeleSoft TeleGen2 Ada Cross Development System for VAX to 68K, Version 4.1 (BASE #91012111.11124)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 8000, VAX 8000 & VAX 9000 Series of computers (under VMS Versions 5.0, 5.1, 5.2, 5.3 & 5.4, as supported)	Motorola board series MVME133, MVME135*, MVME136* (MC68020); MVME141* & MVME147* (MC68030); and force CPU-30, CPU-31, CPU-32 & CPU-37 (bare machines)	*Validated by Registration TeleSoft TeleGen2 Ada Host Development System for MacII Systems, Version 4.1 (BASE #91072111.11194)	Apple Macintosh II family, & SE/30 (under A/UX Release 2.0)	Any Host
Validated by Registration TeleSoft TeleSoft TRIAD System for VAX/VMS to 68K, Version 4.1 (BASE #91012111.11124)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 8000, VAX 8000 & VAX 9000 Series of computers (under VMS Versions 5.0, 5.1, 5.2, 5.3 & 5.4, as supported)	Motorola board series MVME147 (MC68030) (bare machines, using TeleAda-Exec)	TeleSoft TeleGen2 Ada Development System for VAX to 1750A, Version 3.25 (#91102811.11229)	MicroVAX 3800 (under VMS Version 5.4)	MIL-STD-1750A ECSP0 ITS RAID Simulator, Version 6.0 (bare machine simulation, Executing on the Host)
Validated by Registration TeleSoft TeleGen2 Ada Cross Development System for VAX/VMS to 68K, Version 4.1 (BASE #91012111.11124)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 8000, VAX 8000 & VAX 9000 Series of computers (as supported) (under VMS Versions 5.0, 5.1, 5.2, 5.3 & 5.4)	Motorola MVME165 & MVME167* (68040) board families (bare machines)	TeleSoft TeleGen2 Ada Compilation System for VAX to 80960, Version 4.1 (#91121311.11235)	MicroVAX 3800 (under VMS Version 5.4)	Intel EXV 960 MC-MIL (960 XA) (bare machine, using Hughes O.S. Ada RTS Interface)

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
TeleSoft TeleGen2 Ada Cross Development System Version 4.1.1 for SUN-4 to eMIPS (#921029W1.11295)	Sun-4/690 (under SunOS Release 4.1.2)	Integrated Device Technology IDT7RS301 System (R3000/R3010) (bare machine)	TLD Systems, Ltd. TLD VAX/MIL-STD-1750A Ada Compiler System, Version 2.9.0 (#920319W1.11242)	MicroVAX 3500 (under VMS, Version 5.1)	TLD MIL-STD-1750A Multiple Processor Simulator (bare machine simulation, using TLDrtx Real Time Executive, Version 1.0.0, and executing on the Host)
TeleSoft TeleGen2(tm) Ada Cross Development System for Sun-4 to I960, Version 4.1.1 (#921218W1.11303)	Sun-4/690 (under SunOS Release 4.1.2)	CVME962 System (960XA board with MC Processor) (bare machine)	*Validated by Registration TLD Systems, Ltd. TLD VAX/MIL-STD-1750A Ada Compiler System, Version 2.9.0 (BASE #920319W1.11242)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 8000, VAX 6000, & VAX 9000 Series of computers (under VMS 5.4)	IBM User Console with IBM Generic VHSIC Spaceborne Computer (bare machine, using TLDrtx Real Time Execution, Version 1.0.0)
TeleSoft TeleGen2(tm) Ada Cross Development System for Sun-4 to e88k, Version 4.1c (#921218W1.11304)	Sun-4/690 (under SunOS Release 4.1.2)	Motorola MVME147S-1 (68030/68882) (bare machine)	TLD Systems, Ltd. TLD HP 9000/MIL-STD-1750 A Ada Compiler System, Version 2.9.0 (#920319W1.11243)	HP 9000/350 (under HP-UX, Version 7.0)	TLDmpe MIL-STD-1750A Multiple Processor Simulator (bare machine simulation, using TLDrtx Real Time Executive, Version 1.0.0, and executing on the Host)
Texas Instruments MIPS-Ada, Version 3.0 (#901030W1.11052)	MIPS M/2000 (under RISC/os 4.02)	TI DP32 R3000 Processor (bare machine, using TI DP32 RTE Version 1.0)	TLD Systems, Ltd. TLD Comanche VAX/MIL-STD-1750A Ada Compiler System, Version 3.4.C (#931012W1.11329)	VAXstation 4000 Model 60 (under VMS 5.5)	TLD MIL-STD-1750A Multiple Processor Simulator (TLDmpe), executing on the Host (bare machine simulation, using TLD Real Time Executive (TLDrtx), 3.4.C)
Texas Instruments TI Ada, Version 1.0 (#910403W1.11135)	MicroVAX 3400 (under VMS 5.3-1)	TI DP32 R3000 Processor (bare machine, using TI Executive and Runtime Services (EARS) Version 1.0)	U.S. Air Force AFCAS 1750A Ada Compiler, Version 1.0 (#910425W1.11142)	VAXstation 3100 (under VMS Version 5.3)	Air Force RAID MIL-STD-1750A simulator (bare machine simulation, executing on the Host)
TLD Systems, Ltd. TLD Sun-4/MIL-STD-175 0A Ada Compiler System, Version 2.9.0 (#920319W1.11237)	Sun-4/75 (under SunOS, Version 4.1.1)	Rockwell International RI-1750AB Brassboard Development System (bare machine, using TLDrtx Real Time Executive, Version 1.0.0)	*Validated by Registration U.S. Air Force AFCAS 1750A Ada Compiler, Version 1.1 (BASE #910425W1.11142)	DEC VAXstation 3100 (under VMS Version 5.4)	Air Force RAID MIL-STD-1750A simulator (bare machine simulation, executing on the Host)
TLD Systems, Ltd. TLD MV/MV Ada Compiler System, Version 2.9.0 (#920319W1.11238)	Data General MV/32 20000-2 (under AOS/VMS II, Version 2.03)	Same as Host	U.S. Air Force AFCAS 1750A/XMEM Ada Compiler, Version 1.0 (#910425W1.11143)	DEC VAXstation 3100 (under VMS Version 5.4)	Air Force RAID MIL-STD-1750A simulator (bare machine simulation, executing on the Host)
TLD Systems, Ltd. TLD Sun-4/MIL-STD-175 0A Ada Compiler System, Version 2.9.0 (#920319W1.11239)	Sun-4/75 (under SunOS, Version 4.1.1)	Honeywell Program Development Unit (PDU) with Honeywell Generic VHSIC Spaceborne Computer (GVSC) MIL-STD-1750A (bare machine, using TLDrtx Real Time Executive, Version 1.0.0)	*Validated by Registration U.S. Air Force AFCAS 1750A/XMEM Ada Compiler, Version 1.1 (BASE #910425W1.11143)	DEC VAXstation 3100 (under VMS Version 5.4)	Air Force RAID MIL-STD-1750A simulator (bare machine simulation, executing on the Host)
TLD Systems, Ltd. TLD Sun-4/MIL-STD-175 0A Ada Compiler System, Version 2.9.0 (#920319W1.11240)	Sun-4/75 (under SunOS, Version 4.1.1)	TLD MIL-STD-1750A Multiple Processor Simulator (bare machine simulation, using TLDrtx Real Time Executive, Version 1.0.0, and executing on the Host)	U.S. NAVY AdaVAX, Version 5.0 (/OPTIMIZE) (#910517S1.11162)	VAX 8800 (under VMS Version 5.3)	Same as Host
TLD Systems, Ltd. TLD RISC8000/MIL-STD- 1750A Ada Compiler System, Version 2.9.0 (#920319W1.11241)	IBM RISC System 6000, Model 530 (under AIX, Version 3.1)	TLDmpe MIL-STD-1750A Multiple Processor Simulator (bare machine simulation, using TLDrtx Real Time Executive, Version 1.0.0, and executing on the Host)	U.S. NAVY AdaVAX, Version 5.0 (/NO_OPTIMIZE) (#910517S1.11163)	VAX 8800 (under VMS Version 5.3)	Same as Host
*Validated by Registration TLD Systems, Ltd. TLD RISC8000/MIL-STD- 1750A Ada Compiler System, Version 2.9.0 (BASE #920319W1.11241)	IBM RISC System 6000 series (under AIX, Version 3.1)	IBM User Console with IBM Generic VHSIC Spaceborne Computer (bare machine, using TLDrtx Real Time Execution, Version 1.0.0)	U.S. NAVY AdaVAX, Version 5.0 (/OPTIMIZE) (#910517S1.11164)	VAX-11/785 (under VMS Version 5.3)	Same as Host
			U.S. NAVY AdaVAX, Version 5.0 (/NO_OPTIMIZE) (#910517S1.11165)	VAX-11/785 (under VMS Version 5.3)	Same as Host

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) (#910626S1.11172)	VAX 8550 (under VMS Version 5.3)	AN/UYK-43 (single cpu) (bare machine)	*Validated by Registration UNISYS Corporation UCS Ada, Version 1R1 (BASE #910510S1.11161)	UNISYS 1100/90, 2200/100, /200, /400, /600, & /900 (under OS 1100, Versions 43R2 & 43R3, as supported)	Any Host
U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) (#910626S1.11173)	VAX 8550 (under VMS Version 5.3)	AN/UYK-43 (EMF) (bare machine)	*Validated by Registration Verdix VADSworke Sun4 => 68K, VAdA-115-40800, Version 2.0 (BASE #920513W1.11256)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.0, 4.1, & 4.2)	DY 4 Systems SVME-144; Force CPU-40 Series; Motorola MVME162, MVME165, MVME167, & MVME167A; PEP Modular Computer VM40; and Tadpole TP41V (bare machine, using vxWorks 5.0)
U.S. NAVY Ada/M, Version 4.0 (/OPTIMIZE) (#910626S1.11174)	VAX 8550 (under VMS Version 5.3)	AN/UYK-44 (EMF) (bare machine)	*Validated by Registration Verdix VADSworke Sun4 => SPARC, VAdA-115-40850, Version 2.0 (BASE #920513W1.11257)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.0, 4.1, & 4.2)	Sun SPARCengine 1e (bare machine, using vxWorks 5.0)
U.S. NAVY Ada/M, Version 4.0 (/OPTIMIZE) (#910626S1.11175)	VAX 8550 (under VMS Version 5.3)	AN/AYK-14 (bare machine)	*Validated by Registration Verdix Corporation VAdA-110-8161, Version 6.0.2 (#900228W1.11001)	DECstation 3100 (under ULTRIX 3.1)	Same as Host
U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) (#910626S1.11176)	VAX-11/785 (under VMS Version 5.3)	AN/UYK-43 (single cpu) (bare machine)	*Validated by Registration Verdix Corporation VAdA-110-8161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 5000; DECsystem 5400, 5810, 5820, 5830, 5840 (under ULTRIX 3.1)	Any Host
U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) (#910626S1.11177)	VAX-11/785 (under VMS Version 5.3)	AN/UYK-43 (EMF) (bare machine)	*Validated by Registration Verdix Corporation VAdA-110-8161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 5000; DECsystem 5400, 5810, 5820, 5830, 5840 (under ULTRIX 3.1)	Any Host
U.S. NAVY Ada/M, Version 4.0 (/OPTIMIZE) (#910626S1.11178)	VAX-11/785 (under VMS Version 5.3)	AN/UYK-44 (EMF) (bare machine)	*Validated by Registration Verdix Corporation VAdA-110-8161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 3100, 5000 & 5200; and DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX 4.0)	Any Host
U.S. NAVY Ada/M, Version 4.0 (/OPTIMIZE) (#910626S1.11179)	VAX-11/785 (under VMS Version 5.3)	AN/AYK-14 (bare machine)	*Validated by Registration Verdix Corporation VAdA-110-8161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 3100, 5000 & 5200; and DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX 4.1)	Any Host
U.S. NAVY AdaVAX, Version 5.5 (/OPTIMIZE) (#920918S1.11270)	VAXstation 4000 (under VMS Version 5.5)	Same as Host	*Validated by Registration Verdix Corporation VADS DEC-RISC, Ultrix 4.0, VAdA-110-8161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 3100, 5000 & 5200; and DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX 4.0)	Any Host
U.S. NAVY AdaVAX, Version 5.5 (/NO_OPTIMIZE) (#920918S1.11271)	VAXstation 4000 (under VMS Version 5.5)	Same as Host	*Validated by Registration Verdix Corporation VADS DEC-RISC, Ultrix 4.1, VAdA-110-8161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 3100, 5000 & 5200; and DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX 4.1)	Any Host
U.S. NAVY Ada/M, Version 4.5 (/OPTIMIZE) (#920918S1.11272)	VAX Cluster (comprising VAX 8550, 8600, & 8650 machines) (under VMS Version 5.3)	Enhanced Processor (EP) AN/UYK-44 (bare machine)	*Validated by Registration Verdix Corporation VADS DEC-RISC, Ultrix 4.1, VAdA-110-8161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 3100, 5000 & 5200; and DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX 4.1)	Any Host
U.S. NAVY Ada/M, Version 4.5 (/OPTIMIZE) (#920918S1.11273)	VAX Cluster (comprising VAX 8550, 8600, & 8650 machines) (under VMS Version 5.3)	VHSIC Processor Module (VPM) AN/AYK-14 (bare machine)	*Validated by Registration Verdix Corporation VADS DEC-RISC, Ultrix 4.2, VAdA-110-8161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 3100, 5000 & 5200; DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under Ultrix 4.2)	Any Host
U.S. NAVY Ada/M, Version 4.5 (/NO_OPTIMIZE) (#920918S1.11274)	VAX Cluster (comprising VAX 8550, 8600, & 8650 machines) (under VMS Version 5.3)	Enhanced Processor (EP) AN/UYK-44 (bare machine)	*Validated by Registration Verdix Corporation VADS DEC-RISC, Ultrix 4.2, VAdA-110-8161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 3100, 5000 & 5200; DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under Ultrix 4.2)	Any Host
U.S. NAVY Ada/M, Version 4.5 (/NO_OPTIMIZE) (#920918S1.11275)	VAX Cluster (comprising VAX 8550, 8600, & 8650 machines) (under VMS Version 5.3)	VHSIC Processor Module (VPM) AN/AYK-14 (bare machine)	*Validated by Registration Verdix Corporation VADS DEC-RISC, Ultrix 4.2, VAdA-110-8161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 3100, 5000 & 5200; DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under Ultrix 4.2)	Any Host
UNISYS Corporation UCS Ada, Version 1R1 (#910510S1.11161)	UNISYS 2200/600 (under OS1100, Version 43R2)	Same as Host	*Validated by Registration Verdix Corporation VADS DEC-RISC, VAdA-110-8161, Versions 6.0, 6.1, & 6.2 (BASE #900228W1.11001)	Digital Equipment Corp. DECstation & DECsystem series of MIPS-based computers (under ULTRIX 3.1, 4.0, 4.1, 4.2, & 4.3)	Any Host

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VAda-110-0202, Version 6.0 (#900228W1.11002)	VAXsystem 3100 (under ULTRIX 3.1)	Same as Host	*Validated by Registration Verdix Corporation VADS Sun3 SunOS => 68K, VAda-110-13125, Version 6.0 (BASE #900510W1.11007)	Sun-3/50, /80, /80, /150, /180, /280, /280, /470 & /480 (under SunOS 4.0 & 4.1)	Cyclone CVME 44, CVME 48 & CVME 48; Force CPU 21, CPU 28, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; integrated Solutions VME68K20, VME68K30, VME68225 & Liberator SBC; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series & MVME141 (MC88030), MVME133 Series, MVME134, MVME135 & MVME136 (MC88020), MVME-110, MVME-185 & MVME-167; Tadpole TP32V & TP33M (bare machines)
*Validated by Registration Verdix Corporation VAda-110-0202, Version 6.0 (BASE #900228W1.11002)	DEC VAX-11, MicroVAX, VAXserver, VAXstation, VAX 8000, VAX 8000 & VAX 9000 series (under ULTRIX 4.0)	Any Host	Verdix Corporation VADS IBM RISC System/8000, ADX 3.1, VAda-110-7171, Version 6.0 (#900726W1.11017)	IBM RISC System/8000 Model 530 (under ADX 3.1)	Same as Host
*Validated by Registration Verdix Corporation VAda-110-0202, Version 6.0 (BASE #900228W1.11002)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 8000, VAX 8000 & VAX 9000 Series of computers (under ULTRIX 4.2)	Any Host	*Validated by Registration Verdix Corporation VADS IBM RISC System/8000, ADX 3.1, VAda-110-7171, Version 6.0 (BASE #900726W1.11017)	IBM RISC System/8000 Models 320, 520, 540, 730 & 830 (under ADX 3.1)	Any Host
Verdix Corporation VADS Sun3 SunOS, VAda-110-1313, Version 6.0 (#900510W1.11003)	Sun 3/280 (under SunOS 4.0)	Same as Host	*Validated by Registration Verdix Corporation VADS IBM RISC System/8000, ADX 3.1, VAda-110-7171, Version 6.0 (BASE #900726W1.11017)	IBM RISC System/8000 Models 220, 320, 320H, 340, 350, 520, 520H, 530H, 540, 550, 560, 730, 830, & 850 (under ADX 3.2)	Any Host
*Validated by Registration Verdix Corporation VADS Sun-3 Sun OS, VAda-110-1313, Version 6.0 (BASE #900510W1.11003)	Sun-3/50, /80, /80, /150, /180, /280, /280, /470 & /480 (under SunOS 4.0 & 4.1)	Any Host machine (under same OS version)	*Validated by Registration Verdix Corporation VADS IBM RISC System/8000, ADX 3.1, VAda-110-7171, Version 6.0 (BASE #900726W1.11017)	IBM RISC System/8000 series of computers (under ADX 3.1 & 3.2)	Any Host
Verdix Corporation VADS IBM PS/2 AIX => Intel 80386, VAda-110-35315, Version 6.0 (#900510W1.11004)	IBM PS/2 Model 80 (under ADX 1.1)	Intel ISBC 386/12 (bare machine)	*Validated by Registration Verdix Corporation VADS HP 8000/300, HP-LUX 7.0, VAda-110-1515, Version 6.0 (#900726W1.11018)	HP 8000/350 (under HP-LUX 7.0)	Same as Host
Verdix Corporation VADS IBM PS/2 AIX => 68K, VAda-110-35125, Version 6.0 (#900510W1.11005)	IBM PS/2 Model 80 (under ADX 1.1)	Motorola MVME133A-20 (MC88020) (bare machine)	*Validated by Registration Verdix Corporation VADS HP 8000/300, HP-LUX 7.0, VAda-110-1515, Version 6.0 (#900726W1.11018)	HP 8000 Series 300 Models 310, 320, 330, 340, 350, 360 & 370 (under HP-LUX 7.0)	Any Host
Verdix Corporation VADS Sun-4 SunOS, VAda-110-4040, Version 6.0 (#900510W1.11008)	Sun 4/280 (under SunOS 4.0)	Same as Host	*Validated by Registration Verdix Corporation VADS Sun3 SunOS => 68K, VAda-110-13125, Version 6.0 (#900510W1.11007)		
*Validated by Registration Verdix Corporation VAda-110-4040, Version 6.0 (BASE #900510W1.11008)	Sun-4/20, /65, /110, /150 & /280; SPARCserver 310, 330, 370, 390, 470 & 490; SPARCstation SLC, 1, 1+, 2, 310, 330 & 370; and SPARCengine 1 VME (under SunOS 4.1)	Any Host			
Verdix Corporation VADS Sun3 SunOS => 68K, VAda-110-13125, Version 6.0 (#900510W1.11007)	Sun 3/280 (under SunOS 4.0)	Motorola MVME147 (MC88030) (bare machine)			

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VADS Prime EXL/320, UNIX System V/386 3.2, VAdA-110-3232, Version 6.0 (#900726W1.11018)	Prime EXL/320 (under UNIX System V/386 3.2)	Same as Host	Verdix Corporation VADS VAX/Ultrix = > 68k, Ultrix 3.1, VAdA-110-02125, Version 6.0 (#900726W1.11023)	MicroVAX 3100 (under Ultrix 3.1)	Tektronix MV System, MV 68020 Support System, using TekDB Version 5.0.2 emulation software (bare machine simulation)
Verdix Corporation VADS VAX/VMS 5.2, VAdA-110-0303, Version 6.0 (#900726W1.11020)	MicroVAX 3100 (under VAX/VMS V5.2)	Same as Host	*Validated by Registration Verdix Corporation VADS VAX/ULTRIX = > 68K, ULTRIX 3.1, VAdA-110-02125, Version 6.0 (BASE #900726W1.11023)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 8000, VAX 8000 & VAX 9000 Series of computers (under Ultrix 3.1)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator SBC; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series & MVME141 (MC68030), MVME133 Series, MVME134 & MVME135 (MC68020); Tadpole TP32V & TP33M (bare machines); Tektronix MV System, MV 68020 Support System using TekDB Version 5.0.2 emulation software (bare machine simulation)
*Validated by Registration Verdix Corporation VADS VAX/VMS 5.3, VAdA-110-0303, Version 6.0 (BASE #900726W1.11020)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 8000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.3)	Any Host			
*Validated by Registration Verdix Corporation VADS VAX/VMS 5.2, VAdA-110-0303, Versions 6.0 & 6.2 (BASE #900726W1.11020)	DEC VAX-11, MicroVAX, VAXserver, VAXstation, and VAX 8000, 8000, & 9000 series of computers (under VMS 5.0, 5.2, & 5.3)	Any Host			
Verdix Corporation VADS VAX/VMS = > 68k, VMS 5.2, VAdA-110-03125, Version 6.0 (#900726W1.11021)	MicroVAX 3100 (under VAX/VMS V5.2)	Motorola MVME147 (MC68030) (bare machine)	*Validated by Registration Verdix Corporation VADS VAX/ULTRIX = > 68K, ULTRIX 3.1, VAdA-110-02125, Version 6.0 (BASE #900726W1.11023)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 8000, VAX 8000, & VAX 9000 Series of computers (under Ultrix 4.0, 4.1, & 4.2)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MS-CPU320, & MS-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; SBE VCOM-24; Tadpole TP32V; and Tektronix MV System, MV 68020 Support System using TekDB Version 5.0.2 emulation software (bare machine simulation)
*Validated by Registration Verdix Corporation VADS VAX/VMS = > 68K, VMS 5.2, VAdA-110-03125, Version 6.0 (BASE #900726W1.11021)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 8000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.2)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU32, CPU 37 & Golden Triangle firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator SBC; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series & MVME141 (MC68030), MVME133 Series, MVME134, MVME135 & MVME138 (MC68020), MVME-165 & MVME167; Tadpole TP32V & TP33M (bare machines)	Verdix Corporation VADS DEC-RISC = > 68k, Ultrix 3.1, VAdA-110-61125, Version 6.0 (#900726W1.11024)	DECstation 3100 (under Ultrix 3.1)	Motorola MVME147 (MC68030) (bare machine)
Verdix Corporation VADS VAX/VMS = > Intel 386, VMS 5.2, VAdA-110-03315, Version 6.0 (#900726W1.11022)	MicroVAX 3100 (under VAX/VMS V5.2)	Intel ISBC 386/32 (bare machine)	*Validated by Registration Verdix Corporation VADS DEC-RISC = > 68K, Ultrix 4.0, VAdA-110-61125, Version 6.0 (BASE #900726W1.11024)	DECstation 2100, 3100, 5000 & 5200; and DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX 4.0)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator SBC; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series (MC68030), MVME133 Series, MVME134 & MVME135 (MC68020); Tadpole TP32V & TP33M (bare machines)
*Validated by Registration Verdix Corporation VADS VAX/VMS = > Intel 386, VMS 5.3, VAdA-110-03315, Version 6.0 (BASE #900726W1.11022)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 8000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.3)	Intel ISBC 386/32 (bare machine)			

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration			Verdix Corporation VADS VAX/VMS 5.2 => Intel 80386/WEITEK 3167, VAdA-110-03315, Version 6.0 (#901129W1.11064)	MicroVAX 3100 (under VMS Version 5.2)	Intel ISBC 386/116 using a WEITEK 3167 fpu (bare machine)
Verdix Corporation VADS DEC-RISC => 68K, Ultrix 3.1, VAdA-110-61125, Versions 6.0, 6.1, 6.2 (BASE) #900726W1.11024	Digital Equipment Corp. DECstation & DECsystem series of MIPS-based computers (under ULTRIX 3.1, 4.0, 4.1, 4.2, & 4.3)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK88/V2Fb Series, HK88/V30 Series, & HK88/V3E Series; Matrix MS-CPU220, MD-CPU320, & MD-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; SBE VCOM-24; and Tadpole TP32V (bare machines)	*Validated by Registration Verdix Corporation VADS VAX/VMS 5.3 => Intel 80386/WEITEK 3167, VAdA-110-03315, Version 6.0 (BASE) #901129W1.11064	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 8000, VAX 8000 & VAX 8000 Series of computers (under VMS 5.3)	Intel ISBC 386/116 using a WEITEK 3167 fpu (bare machine)
Verdix Corporation VADS IBM RISC System/6000 => 68k, AIX 3.1, VAdA-110-71125, Version 6.0 (#900726W1.11025)	IBM RISC System/6000 Model 530 (under AIX 3.1)	Motorola MVME147 (MC88030) (bare machine)	Verdix Corporation VADS UNIX System V/386, Rel. 4, VAdA-110-3232, Version 6.0 (#901129W1.11065)	Intel 302 System (under UNIX System V/386, Release 4)	Same as Host
*Validated by Registration			Verdix Corporation VADS UNIX System V/486, Rel. 4, VAdA-110-3232, Version 6.0 (BASE) #901129W1.11065	NCR 3000, 3320, 3335, 3345, 3445, 3447, 3450, & 3550 (under UNIX System V/486, Release 4)	Any Host
Verdix Corporation VADS IBM RISC System/6000 => 68K, AIX 3.1, VAdA-110-71125, Version 6.0 (BASE) #900726W1.11025	IBM RISC System/6000 Models 320, 520, 540, 730 & 930 (under AIX 3.1)	Cyclone CVME 44, CVME 46 & CVME48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle firepower; Heurikon HK88/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator SBC; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME133 Series, MVME134, MVME135 & MVME147 Series; and Tadpole TP32V & TP33M (bare machines)	*Validated by Registration Verdix Corporation VADS UNIX System V/486, Rel.4, VAdA-110-3232, Version 6.0 (BASE) #901129W1.11065	NCR 3000, 3320, 3335, 3345, 3445, 3447, 3450, & 3550 (under NCR UNIX System V, Release 4.0); AST Premium 486/33 (under UNIX System V/486, Release 4.0)	Any Host
Verdix Corporation VADS IBM RISC System/6000 => 386, AIX 3.1, VAdA-110-71315, Version 6.0 (#900726W1.11026)	IBM RISC System/6000 Model 530 (under AIX 3.1)	Intel ISBC 386/116 (bare machine)	*Validated by Registration Verdix Corporation VADS UNIX System V/486, Rel.4, VAdA-110-3232, Version 6.0 (BASE) #901129W1.11065	NCR 3000, 3320, 3335, 3345, 3445, 3447, 3450, & 3550 (under NCR UNIX System V, Release 4.0); AST Premium 486/33 (under UNIX System V/486, Release 4.0)	Any Host
*Validated by Registration			Verdix Corporation VADS UNIX System V/486, Rel.4, VAdA-110-3232, Version 6.0 (BASE) #901129W1.11065	Any computer that executes the Intel 80386 or 80486 instruction set (under NCR UNIX System V Release 4.0, UNIX System V/486 Release 4.0, 486 Sunsoft Interactive UNIX Release 4.0, 486 interactive UNIX Release 3.01R3.2)	Same as Host
Verdix Corporation VADS IBM RISC System/6000 => 386, AIX 3.1, VAdA-110-71315, Version 6.0 (BASE) #900726W1.11026	IBM RISC System/6000 Models 320, 520, 540, 730 & 930 (under AIX 3.1)	Intel ISBC 386/116 (bare machine)	*Validated by Registration Verdix Corporation VADS Sequent Balance DYNIX V3.0, VAdA-110-2323, Version 6.0 (#901129W1.11066)	Sequent Balance 8000 (under DYNIX Version 3.0)	Same as Host
Verdix Corporation VADS IBM RISC System/6000 => 386, AIX 3.1, VAdA-110-71315, Version 6.0 (BASE) #900726W1.11026	IBM RISC System/6000 Models 220, 320, 320H, 340, 350, 520, 520H, 530H, 540, 550, 560, 730, 930, & 950 (under AIX 3.2)	Intel ISBC 486/125 (bare machine)	Verdix Corporation VADS Sun4 => 68K, Sun OS 4.0, VAdA-110-40125, Version 6.0 (#901129W1.11067)	Sun-4/280 (under SunOS 4.0)	Motorola MVME147 (68030) (bare machine)
*Validated by Registration			Verdix Corporation VADS Sun4 => 68K, Sun OS 4.0, VAdA-110-40125, Version 6.0 (#901129W1.11067)	Sun-4/280 (under SunOS 4.0)	Motorola MVME147 (68030) (bare machine)
Verdix Corporation VADS Sun4 => 68K, SunOS 4.0, VAdA-110-40125, Version 6.0 & 6.2 (BASE) #900726W1.11067	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK88/V2Fb Series, HK88/V30 Series, & HK88/V3E Series; Matrix MS-CPU220, MD-CPU320, MD-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; SBE VCOM-24; and Tadpole TP32V			

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS Sun4 => 68K, Sun OS 4.0, VAda-110-40125, Version 6.0 (BASE #901129W1.11097)	Sun-4/20, /65, /110 & /150; SPARCserver 330, 370, 390, 470 & 490; SPARCstation SLC, 1, 1+, 2, 330 & 370; and SPARCengine 1 VME (under SunOS 4.1)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator SBC; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME110 (MC68000), MVME133 Series, MVME134, MVME135 & MVME136 (MC68020), MVME147 Series & MVME141 (MC68030), MVME-165 & MVME-167 (MC68040); Tadpole TP32V & TP33M (bare machines)	Verdix Corporation VADS HP-9000/300 => 68K, HP-UX 7.0, VAda-110-15125, Version 6.0 (BASE #901129W1.11100)	HP 9000 Series 300 Models 310, 320, 330, 340, 350, 360 & 370 (under HP-UX 7.0)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator SBC; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series (MC68030), MVME133 Series, MVME134 & MVME135 (MC68020); Tadpole TP32V & TP33M (bare machines)
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS Sun4 => 68K, Sun OS 4.1, VAda-110-40125, Version 6.0 (BASE #901129W1.11097)	Sun Microsystems Sun-4, SPARCserver, SPARCstation, & SPARCengine computer families (under SunOS 4.1)	Cyclone CVME 44, 46, & 48; force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37, & Golden Triangle Firepower; Heurikon HK68/V2E Series, /V2F Series, & /V30 Series; Integrated Solutions VME68K20, 68K30, 68225, & Liberator SBC; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120, MZ8130, & CPU330; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Sun Microsystems 3E board set; and Tadpole Technology TP32V & TP33M (bare machines)	Verdix Corporation VADS HP-9000/300 => 68K, VAda-110-15125, Version 6.0 (BASE #901129W1.11100)	Hewlett-Packard HP 9000 Series 300 (under HP-UX 7.0 & 8.0)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MS-CPU320, & MS-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; SBE VCOM-24; and Tadpole TP32V
Verdix Corporation VADS Sun-4 => Sun-3, Sun OS 4.0, VAda-110-4013, Version 6.0 (#901129W1.11098)	Sun-4/260 (under SunOS 4.0)	Sun-3/260 (under SunOS	Verdix Corporation VADS BCS/68K, AVilon DGUX 4.3, VAda-110-8080, Version 6.1 (#901129W1.11101)	Data General AVIION Model 5120 (under DG/UX 4.3)	Same as Host
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS Sun-4 => Sun-3, Sun OS 4.0, VAda-110-4013, Version 6.0 (BASE #901129W1.11098)	Sun-4/20, /65, /110, /150, /260 & /280; SPARCserver 330, 370, 390, 470 & 490; SPARCstation SLC, 1, 1+, 2, 330 & 370; and SPARCengine 1 VME (under SunOS 4.1)	Sun-3/50, /60, /80, /150, /160, /260, /280, /470 & /480 (under SunOS 4.1)	Verdix Corporation VADS BCS/68K, AVIION DGUX 4.3, VAda-110-8080, Version 6.1 (BASE #901129W1.11101)	DG AVIION Models 4000, 4000GHI, 4020, 4100, 4120, 5010, 5200, 5220, 5240, 5300, 5310, 5400, 5402, 5410, 5412, 6200 & 6220 (under DG/UX 4.3)	Any Host
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS AT&T 3B2/600G UNIX System V, Release 3.2.2, VAda-110-5151, Version 6.0 (#901129W1.11099)	AT&T 3B2/600G (under UNIX System V, Release 3.2.2)	Same as Host	Verdix Corporation VADS BCS/68K, VAda-110-8080, Version 6.1 (BASE #901129W1.11101)	Data General AVIION Models 4000, 4000GHI, 4020, 4100, 4120, 5010, 5200, 5220, 5240, 5300, 5310, 5400, 5402, 5410, 5412, 6200 & 6220; MODCOMP Real Star family (under DG/UX 5.4)	Any Host
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS HP-9000/300 => 68K, HP-UX 7.0, VAda-110-15125, Version 6.0 (#901129W1.11100)	HP 9000 Model 350 (under HP-UX 7.0)	Motorola MVME133A (68020) (bare machine)	Verdix Corporation VADS BCS/68K, VAda-110-8080, Version 6.1 (BASE #901129W1.11101)	MODCOMP Real Star Family (under REAL/IX C.0.2)	Any Host
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS BCS/68K, VAda-110-8080, Version 6.1 (BASE #901129W1.11101)			Verdix Corporation VADS BCS/68K, VAda-110-8080, Version 6.1 (BASE #901129W1.11101)	Motorola 8000 Delta Series (MC68000), all models (under Unix System V/88, R32V3)	Any Host

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VADS Sun4 => SPARC, Sun OS 4.1, VAdA-110-40440, Version 8.0 (#901129W1.11102)	Sun-4/490 (under SunOS 4.1)	SPARCengine 1E (bare machine)	Verdix Corporation VADS Sun-4 SunOS => 68k, VAdA-110-40140, Version 8.0 (#910517W1.11152)	Sun 4/280 (under SunOS Release 4.0)	Motorola MVME165 (88040) (bare machine)
*Validated by Registration Verdix Corporation VADS Sun4 => SPARC, Sun OS 4.1, VAdA-110-40440, Version 8.0 (BASE #901129W1.11102)	Sun-4/20, /65, /110, /150 & /290; SPARCserver 330, 370, 390, 470 & 490; and SPARCstation SLC, 1, 1+, 2, 330 & 370 (under SunOS 4.1)	SPARCengine 1E (bare machine)	*Validated by Registration Verdix Corporation VADS Sun-4 SunOS => 68k, VAdA-110-40140, Version 8.0 (BASE #910517W1.11152)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS 4.1)	Motorola MVME165 (88040) (bare machine)
*Validated by Registration Verdix Corporation VADS Sun4 => SPARC, Sun OS4.1, VAdA-110-40440, Version 8.0 & 8.1 (BASE #901129W1.11102)	Sun Microsystem Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	SPARCengine 1E & Ironica IV-SPARC-33A. (bare machines)	*Validated by Registration Verdix Corporation VADS Sun-4 SunOS => 68040, VAdA-110-40140, Versions 8.0 & 8.2 (BASE #910517W1.11152)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.0, 4.1, & 4.2)	DY 4 Systems SVME-144; Force CPU-40 Series/Eagle I; Motorola MVME165, MVME187, MVME187A; PEP Modular Computer VM40; and Tadpole TP41V
Verdix Corporation VADS Sun-3 SunOS => 68k, VAdA-110-13140, Version 8.0 (#910517W1.11149)	Sun 3/290 (under SunOS Release 4.0)	Motorola MVME165 (88040) (bare machine)	Verdix Corporation VADS DEC-RISC => 88k, VAdA-110-61880, Version 8.1 (#910517W1.11153)	DECstation 2100 (under ULTRIX V4.0)	Motorola MVME181 (bare machine)
*Validated by Registration Verdix Corporation VADS Sun-3 SunOS => 68k, VAdA-110-13140, Version 8.0 (BASE #910517W1.11149)	Sun Microsystems Sun-3 computer family (under SunOS 4.1)	Motorola MVME 165 (MC88040) (bare machine)	*Validated by Registration Verdix Corporation VADS DEC-RISC => 68k, VAdA-110-61880, Version 8.1 (BASE #910517W1.11153)	DEC DECstation & DECsystem computer families (under ULTRIX 4.0)	Motorola MVME181 (88000) (bare machine)
Verdix Corporation VADS DEC-RISC => MIPS R3000, VAdA-110-61820, Version 8.1 (#910517W1.11150)	DECstation 5000-200 (under ULTRIX V4.0)	Lockheed Sanders STAR MVP (R3000) (bare machine)	Verdix Corporation VADSworls Sun4 => 68k, VAdA-115-40800, Version 2.0 (#910517W1.11154)	Sun 4/20 (under SunOS 4.1.1)	Motorola MVME147SA (bare machine, using vxWorks 5.0)
*Validated by Registration Verdix Corporation VADS DEC-RISC => MIPS R3000, VAdA-110-61820, Version 8.1 (BASE #910517W1.11150)	DEC DECstation & DECsystem computer families (under ULTRIX 4.0)	Lockheed Sanders STAR MVP (R3000) (bare machine)	*Validated by Registration Verdix Corporation VADSworls Sun4 => 68k, VAdA-115-40800, Version 2.0 (BASE #910517W1.11154)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS 4.1)	force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 33, CPU 37, & Golden Triangle firepower; General Micro Systems GMSV17 & GMSV37; Heurikon HK88/V20, /V2E, /V2F, /V2FA, /V30, /V30XE, /V3E, & /V3F; Ironica IV-3201a, 3204a, 3220, & 3230; Matrix MS-CPU320; Mizar MZ7122 & MZ7124; Motorola MVME133 Series, MVME135, MVME135A, MVME141, MVME143, & MVME147; Radstone PME 68-25 & 68-31; SBE VLAN-e & VPU30; Sun Microsystems 3E; and Tadpole Technology TP32V-4MB (bare machines, using vxWorks 5.0)
Verdix Corporation VADS VMS => MIPS R3000, VAdA-110-03620, Version 8.1 (#910517W1.11151)	MicroVAX 3600 (under VMS V5.2)	Integrated Device Technology IDT7RS302 (bare machine)	*Validated by Registration Verdix Corporation VADS VMS => MIPS R3000, VAdA-110-03620, Version 8.1 (BASE #910517W1.11151)	Zenith Z-486/25E (under SCO UNIX 388 release 3.2)	Same as Host
*Validated by Registration Verdix Corporation VADS VMS => MIPS R3000, VAdA-110-03620, Version 8.1 (BASE #910517W1.11151)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 8000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.3)	Integrated Device Technology IDT7RS302 (bare machine)	Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAdA-110-3232, Version 8.0 (#910517W1.11155)		

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAda-110-3232, Version 6.0 (BASE #910517W1.11155)	Zenith Z-486/33E (under SCO UNIX 3.2)	Same as Host	Verdix Corporation VADS HP 8000/300, VAda-110-1515, Version 6.0 (BASE #910517W1.11157)	Hewlett-Packard HP 8000 Series 300 (under HP-UX 7.0)	Any Host
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS 386/486 System V, Rel. 3.2, VAda-110-3232, Version 6.0 (BASE #910517W1.11155)	Any Computer System Comprising: cpu: any that executes the Intel 80386/486 instruction set (under Any operating system compatible with Unix System V Release 3.2)	Same as Host	Verdix Corporation VADS MIPS, VAda-110-6262, Version 6.1 (#910820W1.11200)	MIPS RC3230 (under RISC/os 4.52)	Same as Host
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAda-110-3232, Version 6.0, 6.1, & 6.2 (BASE #910517W1.11155)	Any computer that executes the Intel 80386 or 80486 instruction set (under SCO UNIX Release 3.2 running SecureWare CMW+ /386 v2)	Same as Host	Verdix Corporation VADS VAX/VMS => 68040, VAda-110-03140, Version 6.0 (#910820W1.11201)	MicroVAX 3100 (under VMS 5.3)	Motorola MVME185 (68040) (bare machine)
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS Sun-4 SunOS => AMD 29K, 6.0 VAda-110-40525, Version 6.0 (#910517W1.11156)	Sun 4/280 (under SunOS 4.0.3)	Ironics IV9001 board (AMD 29000) (bare machine)	Verdix Corporation VADS VAX/VMS => 68040, VAda-110-03140, Version 6.0 (BASE #910820W1.11201)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under VMS 5.3)	Motorola MVME185 (68040) (bare machine)
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS Sun4 SunOS => AMD 29K, VAda-110-40525, Version 6.0 (BASE #910517W1.11156)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS 4.1)	Ironics IV9001 board (AMD 29000) (bare machine)	Verdix Corporation VADS IBM RS/6000 => MIPS R3000, VAda-110-71620, Version 6.1 (#910820W1.11202)	IBM RISC System/6000 Model 530 (under AIX 3.1)	IDT 7RS302 (R3000) (bare machine)
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAda-110-3232, Version 6.1 (#910517W1.11157)	Intel 402 (under SCO UNIX 3.2v2.e)	Same as Host	Verdix Corporation VADS IBM RS/6000 AIX 3.1, VAda-110-71620, Version 6.1 (BASE #910820W1.11202)	IBM RISC System/6000 Models 320, 520, 540, 730, & 830 (under AIX 3.1)	IDT 7RS302 (R3000) (bare machine)
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS Sun-4 => MIPS R3000, VAda-110-40620, Version 6.1 (#910820W1.11205)	Any Computer System Comprising: cpu: any that executes the Intel 80386/486 instruction set (under Any operating system compatible with Unix System V Release 3.2)	Same as Host	Verdix Corporation VADS Sun-4 => MIPS R3000, VAda-110-40620, Version 6.1 (BASE #910820W1.11205)	SPARCserver 490 (under SunOS Release 4.1)	LSI LR33000 Pocket Rocket evaluation board (R3000) (bare machine)
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS Sun-4 => MIPS R3000, VAda-110-40620, Version 6.1 (BASE #910820W1.11205)	Any Computer System Comprising: cpu: any that executes the Intel 80386/486 instruction set (under Any operating system compatible with Unix System V Release 3.2)	Same as Host	Verdix Corporation VADS Sun-4 => MIPS R3000, VAda-110-40620, Version 6.1 (BASE #910820W1.11205)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	LSI LR33000 Pocket Rocket evaluation board (R3000) (bare machine)
*Validated by Registration			*Validated by Registration		
Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAda-110-3232, Versions 6.1, & 6.2 (BASE #910517W1.11157)	Any computer that executes the Intel 80386 or 80486 instruction set (under 486 SCO ODT v1.1.1 & v2 R3.1, NCR UNIX System V Release 4.0, and UNIX System V/486 Release 4.0)	Same as Host	Verdix Corporation VADS Sun-4 SunOS => MC68000/10, VAda-110-40128, Version 6.0 (#910820W1.11206)	Sun-4/280 (under SunOS Release 4.0.3)	Motorola MVME101 (68000) with MVME222-1 memory (bare machine)

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration			Verdix Corporation	SPARCstation 2 (under SunOS Release 4.1.1)	Motorola MVME147 (68030) (bare machine)
VADS Sun4 => MC68000/10, VAdA-110-40128, Version 6.0 (BASE #910920W1.11206)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	Motorola MVME101 (68000) with MVME222-1 memory board (bare machine)	VADS Sun4 SunOS => 68020/30 ARTX, VAdA-110-40120, Version 6.0 (#910920W1.11211)		
*Validated by Registration			Verdix Corporation	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	Motorola MVME147 (68030) (bare machine)
VADS Sun-4 => MC68000/10, SunOS 4.1, AdA-110-40128, Version 6.0 (BASE #910920W1.11206)	Sun Microsystems Sun-4, SPARCserver, SPARCstation, & SPARCengine computer families (under SunOS 4.1)	Motorola 68302, Philippe-Signetics 68070, & Toshiba 68301 (bare machines)	VADS Sun4 SunOS => 68020/30 ARTX, VAdA-110-40120, Version 6.0 (BASE #910920W1.11211)		
Verdix Corporation	Sun-4/280 (under SunOS Release 4.0.3)	Motorola CPU32 - M68332EVS evaluation System (68332) (bare machine)	*Validated by Registration		
VADS Sun-4 SunOS => CPU32, VAdA-110-40150, Version 6.0 (#910920W1.11207)			Verdix Corporation	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MS-CPU320, & MS-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; SBE VCOM-24; and Tadpole TP32V (bare machines)
*Validated by Registration			Verdix Corporation	IBM RISC System/6000 Model 530 (under ADX 3.1)	Motorola MVME147 (68030) (bare machine)
VADS Sun-4 SunOS => CPU32, VAdA-110-40150, SunOS 4.1) Version 6.0 (BASE #910920W1.11207)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	Motorola CPU32 - M68332EVS Evaluation System (68332) (bare machine)	VADS IBM RISC System/6000 ADX => 68020/30 ARTX, VAdA-110-71120, Version 6.0 (#910920W1.11211)		
Verdix Corporation	IBM PS/2 Model 80 (under ADX 1.1)	Same as Host	*Validated by Registration		
VADS IBM PS/2, ADX 1.1, VAdA-110-3535, Version 6.1 (#910920W1.11208)			Verdix Corporation	IBM RISC System/6000 Models 320, 520, 540, 730, & 930 (under ADX 3.1)	Motorola MVME147 (68030) (bare machine)
Verdix Corporation	MIPS RC3230 (under RISC/os 4.52)	Lockheed Sanders STAR MVP (R3000) (bare machine)	VADS IBM RISC System/6000 ADX => 68020/30 ARTX, VAdA-110-71120, Version 6.0 (BASE #910920W1.11212)		
VADS MIPS => MIPS R3000, VAdA-110-62620, Version 6.1 (#910920W1.11209)			Verdix Corporation	Okidata I860 Workstation (under UNIX SYSTEM V/860 RELEASE 4 v1.0)	Same as Host
Verdix Corporation	Sun-3/280 (under SunOS Release 4.0)	Motorola MVME147 (68030) (bare machine)	VADS SYSTEM V/860 RELEASE 4, VAdA-110-9090, Version 6.1 (#910920W1.11213)		
*Validated by Registration			Verdix Corporation	MicroVAX 3600 (under VMS 5.2)	Ironics IV9001 board (AMD 29000) (Am29000 bare VME machine)
VADS Sun3 SunOS => 68020/30 ARTX, VAdA-110-13120, Version 6.0 (BASE #910920W1.11210)	Sun Microsystems Sun-3 computer family (under SunOS 4.1)	Cyclone CVME 44, 48, & 48; force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37, & Golden Triangle Firepower; Heurikon HK68/V2E Series, /V2F Series, & /V30 Series; Integrated Solutions VME68K20, 68K30, 68225, & Liberator SBC; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, MVME136, MVME141, & MVME147 Series; Sun Microsystems 3E board set; and Tadpole Technology TP32V & TP32M (bare machines)	VADS VMS => AMD29000, VAdA-110-03525, Version 6.04 (#910920W1.11214)		
*Validated by Registration			Verdix Corporation	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under VMS 5.3)	Ironics IV9001 board (AMD 29000) (Am29000 bare VME machine)
VADS Sun3 SunOS => 68020/30 ARTX, VAdA-110-13120, Version 6.0 (BASE #910920W1.11210)			VADS VAX VMS => AMD 29K, VAdA-110-03525, Version 6.04 (BASE #910920W1.11214)		

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VADS Sun-3 SunOS => AMD 28K, VAda-110-13525, Version 6.04 (#910920W1.11215)	Sun-3/180 (under SunOS 4.1.1)	Ironics IV9001 board (AMD 29000) (Am29000 bare VME machine)	Verdix Corporation VADS IBM RISC System/6000, VAda-110-7171, Version 6.2 (#821004W1.11278)	IBM RISC System/6000 model 220 (under AIX 3.2)	Same as Host
*Validated by Registration Verdix Corporation VADS Sun-3 SunOS => AMD 28K, VAda-110-13525, Version 6.04 (BASE #910920W1.11215)	Sun Microsystems Sun-3 computer family (under SunOS 4.1)	Ironics IV9001 board (AMD 29000) (Am29000 bare VME machine)	Verdix Corporation VADS IBM RISC System/6000, VAda-110-7171, Version 6.2 (#821004W1.11279)	IBM RISC System/6000 model 530H (under AIX 3.2)	Same as Host
Verdix Corporation VADS AT&T 3B2/800GR UNIX System V, Release 4.0, VAda-110-6363, Version 6.1 (#820513W1.11252)	AT&T 3B2/800GR (under UNIX System V, Release 4.0)	Same as Host	Verdix Corporation VADS System V/386/486, VAda-110-3232, Version 6.1 (#821004W1.11280)	ASL 486/33 (under UNIX System V, Release 3.2)	Same as Host
Verdix Corporation VADS IBM RISC System/6000 => IBM RISC System/6000, VAda-110-71710, Version 6.2 (#820513W1.11253)	IBM RISC System/6000 Model 530 (under AIX 3.2)	IBM RISC System/6000 Model 320 (bare machine)	Verdix Corporation VADS System V/386/486, VAda-110-3232, Version 6.1 (#821004W1.11281)	AST Premium 486 (under UNIX System V, Release 4.0)	Same as Host
Verdix Corporation VADS BCS => 68K, VAda-110-80680, Version 6.1 (#820513W1.11254)	Motorola 88000 Delta (under R32V3 920117)	Motorola MVME187 (88000) (bare machine)	Verdix Corporation VADS System V/386/486, VAda-110-3232, Version 6.1 (#821004W1.11282)	NCR model 3450 (under NCR UNIX SVR4 MP-RAS Release 2)	Same as Host
Verdix Corporation VADSworks Sun4 => 68K, VAda-115-40800, Version 2.0 (#820513W1.11256)	Sun-4/20 (under SunOS, 4.1.1)	Motorola MVME187A (88040) (bare machine, using VxWorks 5.0)	Verdix Corporation VADS System V/386/486, VAda-110-3232, Version 6.1 (#821004W1.11283)	NCR model 3550 (under NCR UNIX SVR4 MP-RAS Release 2)	Same as Host
Verdix Corporation VADSworks Sun4 => SPARC, VAda-115-40850, Version 2.0 (#820513W1.11257)	Sun-4/20 (under SunOS, 4.1.1)	Sun SPARCengine 1e (bare machine, using VxWorks v5.0)	Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#821004W1.11284)	RDI Britelite IPX Laptop (under Solaris 2.1)	Same as Host
Verdix Corporation VADS Sun SPARC => 386, VAda-110-40315, Version 6.2 (#820513W1.11258)	Sun-4/290 (under SunOS, Version 4.1.2)	Intel ISBC 386/20p (bare machine)	Verdix Corporation VADS Sun-4 Solaris 2.1, VAda-110-4040, Version 6.2 (#821004W1.11285)	SPARCstation LX 4/30 (under Solaris 2.1)	Same as Host
*Validated by Registration Verdix Corporation VADS Sun SPARC => 386/486, VAda-110-40315, Version 6.2 under SunOS4.x (BASE #820513W1.11258)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1 & 4.2)	Any single-board computer that executes the Intel 80386 or i486 instruction set (bare machine)	*Validated by Registration Verdix Corporation SPARCCompiler Ada Porting Kit, Version 2.0 (BASE #821004W1.11285)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under Solaris 2.1)	Any Host
Verdix Corporation VADSworks DEC-RISC => MIPS R3000, VAda-115-61640, Version 2.0 (#821004W1.11277)	DECstation 5000/200 (under Ulrix V4.1)	Lockheed Sanders STAR MVP board (bare machine, using vxWorks 5.0)	*Validated by Registration Verdix Corporation SPARCworks Professional Ada, Version 2.0 (BASE #821004W1.11285)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under Solaris 2.1 & 2.2)	Any Host

Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11286)	SPARCstation 10 model 30 (under Solaris 2.1)	Same as Host	Verdix Corporation VADS Sun4 => MIPS R3000, VAda-110-42620, Version 6.2 (#930901W1.11323)	Sun SPARCstation 2 (under Solaris 2.2)	Lockheed Sanders STAR MVP (R3000) (bare machine)
Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11287)	SPARCstation 10 model 41 (under Solaris 2.1)	Same as Host	Verdix Corporation VADS Sun4 => MIPS R4000, VAda-110-40630, Version 6.2 (#930901W1.11324)	Sun SPARCstation 2 (under SunOS 4.1.2)	Silicon Graphics Indigo XS4000 used as a MIPS R4000 board (bare machine)
Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11288)	SPARCstation 10 model 42 (under Solaris 2.1)	Same as Host	Verdix Corporation VADS Sun4 => Paragon VAda-110-40782, Version 6.2 (#930901W1.11325)	Sun SPARCstation 2 (under SunOS 4.1.3)	Intel PARAGON Supercomputer (under OSF/1 Release 1.0.3 Server 1.1 FT10.7.6(T10.4))
Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11289)	Sun SPARCserver 680 (under Solaris 2.1)	Same as Host	Verdix Corporation VADS SYSTEM V/88 Release, VAda-110-8080, Version 6.2 (#930901W1.11326)	Motorola Delta 8840 (under UNIX System V/88 Release 4.0)	Same as Host
Verdix Corporation VADS MP Sun SPARC Solaris 2.1, VAda-110-4141, Version 6.2 (#921004W1.11290)	Sun SPARCserver 680 (under Solaris 2.1)	Same as Host	Verdix Corporation VADS SYSTEM V/88 RELEASE 4, VAda-110-8080, Version 6.2 (#930901W1.11327)	Data General AVION Model 530 (under DG/UX Release 5.4.2)	Same as Host
Verdix Corporation VADS Silicon Graphics Self, VAda-110-8484, Version 6.2 (#921004W1.11291)	Silicon Graphics IRIS 4D/440 (under IRIX 4.0.1)	Same as Host	Wang Laboratories, Inc. Wang VS Ada Version 5.00.00 (#901129W1.11093)	wang VS 8480 (under Wang VSOS 7.30.02)	Same as Host
Verdix Corporation VADS MP Silicon Graphics, VAda-110-8565, Version 6.2 (#921004W1.11292)	Silicon Graphics IRIS 4D/440 (under IRIX 4.0.1)	Same as Host	*Validated by Registration Wang Laboratories, Inc. Wang VS Ada Version 5.00.00 (BASE) #901129W1.11093	wang VS Models: 100 & 300; 5430, 5440, 5450 & 5480; 7010, 7110, 7120, 7150 & 7310; 8220, 8230, 8260, 8430, 8460, 8470 & 8480; and 10050, 10075 & 10100 (under all VS OS versions 7.21.xx & 7.30.xx)	Same as Host
Verdix Corporation VADS Self HP 9000 series 700 VAda-110-7575, Version 6.2 (#930226W1.11311)	HP 9000/720 (under HP-UX 8.0.7)	Same as Host	York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (#901127N1.11073)	Intergraph InterPro 3050 workstation (under CLIX R3.1)	Same as Host
Verdix Corporation VADSworks Sun-4 => MIPS R3000 VAda-115-40640, Version 2.0 (#930226W1.11312)	Sun-4/20 (under SunOS Release 4.1.1)	Heurikon HKMIPS/3500 (R3000) board (bare machine, using vxWorks 5.0)	*Validated by Registration York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE) #901127N1.11073	Intergraph Mobile GIS/C2 (under CLIX Release 3.1)	Same as Host
*Validated by Registration Verdix Corporation VADSworks Sun-4 => MIPS R3000 VAda-115-40640, Version 2.0 (BASE) #930226W1.11312	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	Heurikon HKMIPS/V3500; (bare machine, using vxWorks 5.0)	*Validated by Registration York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE) #901127N1.11073	InterPro 125, 225, 340, 360, 2020, 3070, 6040, 6240, 6080 & 6280 (under CLIX Release 3.1)	Any Host

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration					
York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	InterView 220 & 3050 (under CLX Release 3.1)	Any Host			
*Validated by Registration					
York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	InterAct 220, 2020, 3050, 6040, 6080, 6240 & 6280 (under CLX Release 3.1)	Any Host			
*Validated by Registration					
York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	InterServe 200, 300, 2000, 3000, 4200, 5200, 6000, 6105 & 6505 (under CLX Release 3.1)	Any Host			
*Validated by Registration					
York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	Intergraph Series 2400 & 6400—all models that use the C400 chip (under CLX Release 3.1)	Any Host			

2.7.4 PASCAL PROCESSORS

Pascal -
Certificates

VENDOR	PROCESSOR ID VSR # & LEVEL	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	OTHER ENVIRONMENTS HW/OS
Bull S.A.	Pascal SXL-3002 Version 01.01 PCVS/0005/F	DPX/2 250 BOS, Version 2.1	4/1/94	DPX/2 200 and 300 BOS Version 2.1
Digital Equipment Corporation	DEC Pascal for OpenVMS VAX Version 5.0 NIST-93/1762 Level 0/1 (Switchable)	VAXstation 3100 Model 70 OpenVMS VAX Version 5.5	8/1/94	VAXft 3000 Models 110, 310, 410, 610, 612; VAX-11 /730, /750, /780, /785; MicroVAX II; 2000; 3100 Models 10, 10E, 20, 20E, 30, 40, 80, 90; 3200; 3300; 3400; 3500; 3600; 3800; 3900; VAXstation II; II/GPX; II/QVSS; 2000; 2000/GPX, 2000/MFB; 3100 Models 30, 38, 40, 48, 76; 3100/GPX Models 38, 48, 76; 3100/SPX Models 38, 48, 76; 3200; 3500; 3520; 3540; 4000-VLC; 4000 Models 60, 90; VAXserver 3100 Models 10, 10E, 20, 20E; 3200; 3300; 3400; 3500; 3600; 3800; 3900; 4000 Models 200, 300, 400, 500, 600; 6000 Models 210, 220, 310, 320, 410, 420, 510, 520; VAX 4000 Models 100, 200, 300, 500, 600; 6000 Models 210, 220, 230, 240, 310, 320, 330, 340, 360, 410, 420, 430, 440, 450, 460, 510, 520, 530, 540, 550, 560, 610, 620, 630, 640; 7000 Models 610, 620, 630, 640, 650, 660; 8200; 8250; 8300; 8350; 8530; 8550; 8600; 8650; 8700; 8800; 8810; 8820; 8830; 8840; 9000 Models 110, 110VP, 210, 210VP, 310, 310VP, 320, 320VP, 330, 330VP, 340, 340VP, 410, 410VP, 420, 420VP, 430, 430VP, 440, 440VP; 10000 Models 610, 620, 630, 640, 650, 660; VAXserver 8200, 8250, 8300, 8350, 8530, 8550, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840 OpenVMS VAX, Version 5.5
	DEC Pascal for DEC OSF/1 AXP Systems, Version 5.0 NIST-93/1763 Level 0/1 (Switchable)	DEC 3000 Model 500 DEC OSF/1 AXP Version 1.2	8/1/94	DEC 10000, DEC 7000, DEC 4000, DEC 3000, DEC 2000, DEC 1000 DEC OSF/1 AXP Version 1.2
	DEC Pascal for OpenVMS AXP Version 5.0 NIST-93/1764 Level 0/1 (Switchable)	DEC 3000 Model 500 OpenVMS AXP Version 1.5	8/1/94	DEC 10000, DEC 7000, DEC 4000, DEC 3000, DEC 2000, DEC 1000 OpenVMS AXP Version 1.5
IBM Canada Ltd.	IBM AIX XL Pascal Compiler/6000 Version 1 Release 1 NIST-93/1462 Level 5.4	IBM RISC System/6000 POWERstation POWERserver 560 IBM AIX for IBM RISC System/6000, Version 3 Release 2	4/1/94	IBM RISC System/6000 POWERstation/ POWERserver Models 220, 22W, 22G, 340, 350, 550, 560, 580, 970, 980 AIX for RISC System/6000 Version 3 Release 2

PASCAL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID <i>VSR # & LEVEL</i>	HARDWARE & <i>OPERATING SYSTEM</i>	EXPIRY DATE	OTHER ENVIRONMENTS HW/OS
Intergraph Corporation	Pascal-Clipper Version 1.8.4B <i>NIST-94/1102 Level 0/1</i>	Clipper Model 2730 <i>CLIX Version 7.1.3</i>	12/1/94	Clipper C300 and C400 <i>CLIX Version 7.1.3</i>
Siemens Nixdorf Informations-systeme AG	Pascal-XT V2.2B <i>PCVS/0101/UK Level I</i>	7.582 TX (H90) <i>BS 2000 V11.0</i>	9/1/94	7.582 TX (H90) <i>BS 2000 Version 10.0</i>
	Pascal-XT V2.1C <i>PCVS/0102/UK Level I</i>	MX500 (80386) <i>SINIX-M V5.41</i>	9/1/94	SINIX-PC <i>SINIX-Z Version 5.41</i>
	Pascal-XT V2.1C <i>PCVS/0103/UK Level 1</i>	RM600 (MIPS R3000) <i>SINIX-P V5.41</i>	9/1/94	RM400 <i>SINIX-N Version 5.41</i>

2.7.5 C PROCESSORS

'C' -
Certificates

VENDOR	PROCESSOR ID VSR # & LEVEL	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	OTHER ENVIRONMENTS HW/OS
Cray Research Inc.	Cray Standard C Compiler Release 3.0.4 NIST-92/2301	Cray2/4-128 UNICOS Release 6.1.6	12/1/93 (pending)	Cray2 UNICOS Release 6.1.6
	Cray Standard C Compiler Release 3.0.4 NIST-92/2302	Cray Y-MP 81/8128 UNICOS Release 6.1.6	12/1/93 (pending)	Cray Y-MP UNICOS Release 6.1.6
	Cray Standard C Compiler Release 3.0.4 NIST-92/2303	Cray Y-MP C90 UNICOS Release 7C	12/1/93 (pending)	
Control Data	ANSI C Version 3.11 NIST-93/1103	Control Data 4680 EP/IX Version 2.1.1	2/1/94	Control Data 4000 EP/IX Version 2.1.1
	C/V2 Version 2.5 NIST-93/1104	CYBER 180-932 NOS/VE Version 1.7.1 Level 803	2/1/94	CYBER 180, 200 NOS/VE Version 1.7.1 Level 803
Digital Equipment Corporation	DEC OSF/1 for AXP C Compiler Version 1 NIST-93/1313	DEC/3000 Model 400 AXP DEC OSF/1 AXP, Version 1.2	3/1/94	DEC/10000, /7000, /4000, /3000, /2000, /1000 DEC OSF/1 AXP, Version 1.2
	DEC C Version 1.3 for OpenVMS AXP Systems NIST-93/1314	DEC/3000 Model 400 OpenVMS AXP, Version 1.5	3/1/94	DEC/10000, DEC/7000, DEC/4000, DEC/3000, DEC/2000, DEC/1000 OpenVMS AXP, Version 1.5
	DEC C Version 1.3 for OpenVMS VAX Systems NIST-93/1315	VAXstation 4000, Model 60 OpenVMS VAX, Version 5.5	3/1/94	VAX 4000 Models 200, 300; VAX 6000 Models 200, 300, 400, 500; VAX 8200, 8250, 8300, 8350, 85xx, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840; VAX 9000 Models 210, 400; VAXft 3000 Model 310; VAX11/730, VAX11/750, VAX11/780, VAX11/785; MicroVAX's II, 2000, 3100, 3300, 3400, 3500, 3600, 3800, 3900; VAXstation's II, 2000, 3100, 3200, 3500, 3520, 3540; VAXservers 3100, 3300, 3400, 3500, 3600, 3602, 3800, 3900, 4000 Models 200, 300, VAXserver 6000 Models 210/220, 310/320, 410/420, 510/520 OpenVMS VAX, Version 5.5
	DEC OSF/1 for AXP C Version 2.0 NIST-93/2144	DEC 3000 Model 400 DEC OSF/1 for AXP Version 2.0	12/1/94	DEC 3000 400, 500; DEC 4000 610; DEC 7000 610; DEC 10000 610 DEC OSF/1 for AXP Version 2.0
	DEC C for RISC/Ultrix Version 1.2a Release 1 NIST-93/2145	DECstation 5000/200 Ultrix Version 4.4	12/1/94	DECstation 2100, 3100; Personal DECstation 5000 Models 20/25 MX, HX, TX, PXG+, PXG Turbo+; DECstation 5000 Models 120/125/133 MX, CX, HX, PX, TX, PXG, PXG+, PXG Turbo, PXG Turbo+; Models 200 MX, CX, HX, PX, TX, PXG, PXG+, PXG Turbo, PXG Turbo+; Models 240 MX, HX, TX, PXG+, PXG Turbo+; DECsystem 3100; 5000 Models 25, 200, 240; 5100; 5400; 5500; 5810; 5820; 5830; 5840; 5900 Ultrix Version 4.4

C PROCESSORS, *Continued*

'C' -
Certificates

VENDOR	PROCESSOR ID <i>VSR # & LEVEL</i>	HARDWARE & <i>OPERATING SYSTEM</i>	EXPIRY DATE	OTHER ENVIRONMENTS HW/OS
	DEC C for OpenVMS VAX Version 1.3 <i>NIST-93/1765</i>	VAXstation 3100 Model 48 <i>OpenVMS VAX, Version 6.0</i>	8/1/94	VAXft 3000 Models 110, 310, 410, 610, 612; VAX-11 /730, /750, /780, /785; MicroVAX II; 2000; 3100 Models 10, 10E, 20, 20E, 30, 40, 80, 90; 3200; 3300; 3400; 3500; 3600; 3800; 3900; VAXstation II; II/GPX; II/QVSS; 2000; 2000/GPX, 2000/MFB; 3100 Models 30, 38, 40, 48, 76; 3100/GPX Models 38, 48, 76; 3100/SPX Models 38, 48, 76; 3200; 3500; 3520; 3540; 4000-VLC; 4000 Models 60, 90; VAXserver 3100 Models 10, 10E, 20, 20E; 3200; 3300; 3400; 3500; 3600; 3800; 3900; 4000 Models 200, 300, 400, 500, 600; 6000 Models 210, 220, 310, 320, 410, 420, 510, 520; VAX 4000 Models 100, 200, 300, 500, 600; 6000 Models 210, 220, 230, 240, 310, 320, 330, 340, 360, 410, 420, 430, 440, 450, 460, 510, 520, 530, 540, 550, 560, 610, 620, 630, 640; 7000 Models 610, 620, 630, 640, 650, 660; 8200; 8250; 8300; 8350; 8530; 8550; 8600; 8650; 8700; 8800; 8810; 8820; 8830; 8840; 9000 Models 110, 110VP, 210, 210VP, 310, 310VP, 320, 320VP, 330, 330VP, 340, 340VP, 410, 410VP, 420, 420VP, 430, 430VP, 440, 440VP; 10000 Models 610, 620, 630, 640, 650, 660; VAXserver 8200, 8250, 8300, 8350, 8530, 8550, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840 <i>OpenVMS VAX, Version 6.0</i>
Encore Computer Corporation	C Version 1.3.0 <i>NIST-93/2261</i>	Encore 91 <i>UMAX V, Version 3.0.9</i>	11/1/94	ENCORE INFINITY 90, R/T <i>UMAX V, Version 3.0.9</i> ENCORE 93 <i>UMAX V, Version 3.1.3</i>
Hewlett-Packard Company	HP C/HP-UX Version A.09.60 Release HP-UX 9.0 <i>NIST-94/1221</i>	HP9000 Model 720 <i>HP-UX Version 9.0</i>	1/1/95	HP9000 Models 8xx, 7xx, 6xx, FxO, GxO, HxO, lxO <i>HP-UX Version 9.0</i>
	HP C/HP-UX Version B.08.36 Release HP-UX B.09.00 <i>NIST-94/1223</i>	HP9000 Model 42S <i>HP-UX Version B.09.00</i>	1/1/95	HP9000 Models 3xx, 4xx <i>HP-UX Version B.09.00</i>
	HP C/iX Version A.05.02 Release MPE/iX 5.0 <i>NIST-94/1222</i>	HP3000 Model 967 <i>MPE/iX Version 5.0</i>	1/1/95	HP3000 Model 9xx <i>MPE/iX Version 5.0</i>
IBM Canada Ltd.	C/370 Compiler Version 2 Release 1 <i>NIST-93/1051</i>	ES/9000 <i>MVS/ESA SP Version 4 Release 2</i>	1/1/94	3090, 308X, 43XX, 937X <i>MVS/ESA SP Version 4 Release 2</i>

C PROCESSORS, *Continued*

'C' -
Certificates

VENDOR	PROCESSOR ID <i>VSR # & LEVEL</i>	HARDWARE & <i>OPERATING SYSTEM</i>	EXPIRY DATE	OTHER ENVIRONMENTS HW/OS
	C/370 Compiler Version 2 Release 1 <i>NIST-93/1052</i>	ES/9000 <i>VM/ESA Version 1 Release 1.1</i>	1/1/94	3090, 308X, 43XX, 937X <i>VM/ESA Version 1 Release 1.1</i>
	C/370 Compiler Version 2 Release 1 <i>NIST-93/1053</i>	ES/9000 <i>VM/SP Version 1 Release 6</i>	1/1/94	3090, 308X, 43XX, 937X <i>VM/SP Version 1 Release 6</i>
	C/370 Compiler Version 2 Release 1 <i>NIST-93/1054</i>	ES/9000 <i>VM/XA SP Version 1 Release 2</i>	1/1/94	3090, 308X, 43XX, 937X <i>VM/XA SP Version 1 Release 2</i>
	SAA AD/CYCLE C/400 Version 1 Release 1.1 <i>NIST-93/1055</i>	ES/9000 <i>MVS/ESA SP Version 4 Release 2</i>	1/1/94	3909, 908X, 43XX, 937X <i>MVS/ESA SP Version 4, Release 2</i>
	XL C Compiler Version 1 Release 2 <i>NIST-93/1056</i>	IBM RISC 6000 Model 220 <i>AIX for RISC 6000 Version 3 Release 2</i>	1/1/94	IBM RISC 6000 POWERstation/ POWERservers 320, 320H, 340, 350, 520, 520H, 530, 530H, 540, 550, 560, 580; POWER-server(s) 730, 930, 950, 970, 980 <i>AIX for RISC 6000 Version 3 Release 2</i>
	XL C Compiler Version 1 Release 2 <i>NIST-93/1057</i>	IBM RISC 6000 Model 530H <i>AIX for RISC 6000 Version 3 Release 2</i>	1/1/94	IBM RISC 6000 POWERstation/ POWERservers 220, 320, 320H, 340, 350, 520, 520H, 530, 540, 550, 560, 580; POWER-server(s) 730, 930, 950, 970, 980 <i>AIX for RISC 6000 Version 3 Release 2</i>
	IBM C/C+ + TOOLS, Version 2 Release 0 <i>NIST-93/1461</i>	IBM PS/2 486 Model 70 <i>OS/2 Version 2 Release 0</i>	4/1/94	IBM PS/1 2133 386SX/25, 486SX /20, 486DX/20, 486DX/40; 2155 386SX/25, 486SX/20, 486DX/20, 486DX/33, 486DX/40; IBM PS/2 8540 386SX/20, 8543 386SX/20, 8555 386SX/16, 8556 386SX/20, 386SLC/20, 8557 386SX/20, 386SLC/20, 8565 386SX/16, 8570 386DX/16-25, 486DX/25, 8573 386DX/16-20, 8575 486DX/33, IBM PS/2 8580 386DX/20-25, 8590 486SX/25, 486DX/25-33, 486DX2/50-66, 8595 486SX/25, 486DX/25-33, 486DX2/50-66, 9556 486SLC2, 9557 486SLC2, 9576 486SX, 486DX2, 9577 486SX, 486DX2, 9585 486SX, 486DX2, 9595 486DX, 486DX2, 295 486DX; IBM PS/ThinkPad N45SL 386SL, N51SX 386SX, N51SLC 386SLC, CL57SX 386SX, 300 386SL, 700 486SLC, 700C 486SLC, IBM PS/ ValuePoint 325T, 425SX, 433DX, 466DX2 <i>OS/2 Version 3 Release 0</i>
	XL C Compiler Version 1.3 <i>NIST-93/1961</i>	RISC System/6000 Model 530 <i>AIX Version 3.2</i>	10/1/94	

C PROCESSORS, *Continued*

'C' -
Certificates

VENDOR	PROCESSOR ID VSR # & LEVEL	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	OTHER ENVIRONMENTS HW/OS
	C Set ++ for AIX Version 2.1 <i>NIST-93/1962</i>	RISC System/6000 Model 530 <i>AIX Version 3.2</i>	10/1/94	
	IBM ILE C/400 Version 2 Release 3 <i>NIST-93/1963</i>	AS/400 Model 9406/E90 <i>OS/400 Version 2 Release 3</i>	10/1/94	9402 System Models D02, E02, C04, D04, E04, C06, D06, E06, F02, F04, F06; 9404 System Models B10, C10, D10, E10, B20, C20, D20, E20, C25, D25, E25, F10, F20, F25; 9406 System Models B30, B35, B40, B45, B50, B60, B70, D35, E35, D45, E45, D50, E50, D60, E60, F80, F90, F95, D70, E70, D80, E80, E90, E95, F35, F45, F50, F60, F70 <i>OS/400 Version 2 Release 3</i>
Intel SSD	CC Compiler Version R4.5 <i>NIST-93/1782</i>	XP/5 <i>OSF/LAD Release R1.1</i>	11/1/94	
Intergraph Corporation	Clipper Advanced Optimizing C Version 1.57 <i>NIST-94/1103</i>	Clipper Model 2730 <i>CLIX Version 7.1</i>	12/1/94	Clipper C3000 and C4000 <i>CLIX Version 7.1</i>
	Clipper Advanced Optimizing C Version 2.0 <i>NIST-94/1105</i>	Clipper Model 2730 <i>CLIX Version 7.1</i>	12/1/94	Clipper C300 and C400 <i>CLIX Version 7.1</i>
Microsoft Corporation	Microsoft C/C++ Optimizing Compiler Version 8.00 Release Microsoft Visual C++ 1.0 <i>NIST-93/1881</i>	IBM PS/2 Model 70/486 DX <i>MS-DOS 6.0/Microsoft Windows 3.1</i>	9/1/94	IBM PS/2 486DX, IBM PS/2 486SX, IBM PS/2 386DX, IBM PS/2 386SX <i>MS-DOS 6.0/Microsoft Windows 3.1</i>
	Microsoft C/C++ Optimizing Compiler Version 8.00 <i>NIST-93/1882</i>	Compaq 486/33M DX <i>MS-DOS 6.0/Microsoft Windows 3.1</i>	9/1/94	Compaq 486DX, Compaq 486SX, Compaq 386DX, Compaq 386SX <i>MS-DOS 6.0/Microsoft Windows 3.1</i>
	Microsoft C/C++ Optimizing Compiler Version 8.00 <i>NIST-93/1883</i>	Zenith 486/33E DX <i>MS-DOS 6.0/Microsoft Windows 3.1</i>	9/1/94	Zenith 486DX, Zenith 486SX, Zenith 386DX, Zenith 386SX <i>MS-DOS 6.0/Microsoft Windows 3.1</i>
NCR Corporation	NCR C Development Toolkit Release 2 <i>NIST-92/2321</i>	NCR System 3000 Model 3550 <i>NCR UNIX SVR4 MP-RAS Release 2</i>	1/1/94	NCR System 3000 Models 3345, 3445, 3447 <i>NCR UNIX SVR4 MP-RAS Rel. 2</i>
	NCR C Development Toolkit Release 2 <i>NIST-92/2322</i>	NCR System 3000 Model 3450 <i>NCR UNIX SVR4 MP-RAS Release 2</i>	1/1/94	NCR System 3000 Models 3335, 3350, 3355, 3360 <i>NCR UNIX SVR4 MP-RAS Rel. 2</i>

C PROCESSORS, *Continued*

'C' -
Certificates

VENDOR	PROCESSOR ID VSR # & LEVEL	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	OTHER ENVIRONMENTS HW/OS
	NCR C Development Toolkit Release 2 <i>NIST-94/1121</i>	NCR System 3000 Model 3550 <i>NCR UNIX SVR4 MP-RAS Release 2 Version SVR4</i>	1/1/95	NCR System 3000 Models 3335, 3340, 3345, 3350, 3360, 3410, 3430, 3445, 3447, 3450, 3455, 3470, 3475, 3520, 3525, 3555, 3570, 3575, 3600 <i>NCR UNIX SVR4 MP-RAS Rel. 2</i>
Pyramid Technology Corp.	DC/OSx ANSI C, Version 1.1 Release 92c06x <i>NIST-93/1341</i>	MISserver-S <i>DC/OSx Version 1.1 Release 92c06x</i>	5/1/94	MISserver-ES <i>DC/OSx Version 1.1 Release 92c06X</i>
Sequent Computer Systems, Inc.	ptx/C Version 2 Release 1.0 <i>NIST-93/2003</i>	S2000/250 <i>DYNIX/ptx Version 2 Release 1.0</i>	2/1/95	S2000/450, S2000/750 <i>DYNIX/ptx Version 2 Release 1.0</i>
Silicon Graphics Computer Systems	ANSI C Version 3.11 <i>NIST-93/1161</i>	M/120 <i>RISC/OS Release 5.01</i>	4/1/94	M/800, M/1000, RS3260, RC3240, RC2030, RS2030, RC4230, RS4230, RC6280 <i>RISC/OS Release 5.01</i>
	C Release 4.0 <i>NIST-93/1162</i>	IRIS 4D/25 <i>IRIX Release 5.0</i>	4/1/94	Personal IRIS, IRIS, IRIS 4D/50, 4D/70, 4D/120, 4D/220, 4D/280 <i>IRIX Release 5.0</i>
SUNPRO	SPARCompiler C Version 3.0 <i>NIST-93/2184</i>	SPARCstation LX SPARCserver 1000 <i>Solaris Version 2.3</i>	2/1/95	
	ProCompiler C Version 2.0.1 <i>NIST-93/1902</i>	DELL Model 433DE <i>Solaris Version 2.1 Release X86</i>	8/1/94	
Tandem Computers Incorporated	C Version D20 Release D20 <i>NIST-93/2041</i>	NonStop VLX <i>NonStop Kernel Version D20 Release D20</i>	10/1/94	
Unisys	UCS C (UC) Version 4R1 Release SB5R1 <i>NIST-93/2221</i>	2200 Model 900 <i>1100 OS EXEC Version 44R1 Release SB5R1</i>	11/1/94	1100/90, 2200/400, 2200/600 <i>1100 OS ECEC/44R1</i>

2.7.6 MUMPS PROCESSORS

MUMPS -
Certificates

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	LEVEL	OTHER ENVIRONMENTS HW/OS
---------------	-------------------------------------	--------------------------------------------	------------------------	--------------	-------------------------------------

No entries at this time.

2.8 LANGUAGE PROCESSORS WITH REGISTERED REPORTS ONLY

COBOL -
Registered Reports

2.8.1 COBOL PROCESSORS WITH NONCONFORMITIES

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	SUBSET	OTHER ENVIRONMENTS HW/OS
Digital Equipment Corporation	DEC COBOL Version 1 for OpenVMS AXP Systems <i>NIST-93/1311</i>	DEC 3000 Model 500 AXP <i>OpenVMS AXP Version 1.0</i>	3/1/94	High	DEC/10000, DEC/7000, DEC/4000, DEC/3000, DEC/2000, DEC/1000 <i>OpenVMS AXP, Version 1.0</i>

3. DATABASE LANGUAGE (SQL)

3.1 FIPS Database Language Standards

As specified by the FIPS, FIRMR and the associated Federal ADP and Telecommunications Standards Index, Federal agencies, when acquiring SQL processors, are responsible for assuring that processors are in accordance with the applicable FIPS PUB 127, Database Language SQL. On December 3, 1993, FIPS PUB 127-2 superseded FIPS PUB 127-1.

3.2 Organization of Database Language Processor Entries

Each entry in the VPL is a very limited extract from the Validation Summary Report (VSR) available from the Software Standards Validation Group at NIST. See 3.4 and 3.5 below.

Products validated for conformance to FIPS PUB 127-2 are listed first, followed by products validated for FIPS PUB 127-1. Products that demonstrated one or more nonconformities, as assessed by the SQL Validation System, are listed separately at the end. (These products are considered "provisionally" validated, pending correction of nonconformities.) The entries in the VPL for database language processors are presented as follows:

- The **VENDOR ID** column contains the name of the Vendor of the processor.
- The **PROCESSOR ID** column contains the name of the processor, its version number, the VSR number, and the Expiry date of the Validation Certificate or the Registered VSR. The term "Pre-release" means that the vendor has designated the SQL processor as "not commercially available" at the time of validation. The product is listed to assist users in planning for future procurements.
- The **INTERFACES & COMPILERS** column contains the names of associated interactive SQL or programming language interfaces, and identification of the programming language compilers that interface with the SQL processor. A listing in the **COMPILERS** column is not an indication that the compiler has been validated for the applicable programming language standard. See the preceding "Programming Languages" Section for a list of validated compilers.
- The **HARDWARE & OPERATING SYSTEM** column presents the hardware and operating system environment used during the validation.
- The entries in the **OTHER HW/SW ENVIRONMENTS** column include other hardware and operating system environments in which the processor operates, and the programming language compilers that interface with the SQL processor. The listings of the compilers and operating systems may contain a range of versions that are supported. Rebadged or renamed software are also listed here. This column is restricted to binary-compatible hardware environments.
- The **NONCONFORMITIES** column lists the number and type of nonconformities for each programming language interface tested. "Schema" nonconformities are deficiencies in support for standard schema definition language constructs. "FIPS Flagger" in this column indicates that the mandatory FIPS Flagger requirement of FIPS 127 was not implemented. Refer to the VSR for details. The number of nonconformities is only one limited measure of the quality of an SQL interface. It is more important to analyze the nature of each individual nonconformity and its impact on meeting user requirements.

3.3 Validation Requirements

Refer to Database Language SQL Validation Procedures. The requirements for validation of database language processors are the same as those for programming language processors, listed in section 2.3.1, with several exceptions. Expired VSRs are deleted from the VPL to motivate vendors to test new releases of their SQL processors and to demonstrate conformance to more comprehensive versions of the SQL Test Suite. Information about expired VSRs or vendor self-testing with the SQL Test Suite may be available from the vendor.

3.4 Certificate of Validation

A Certificate of Validation is issued for those SQL processors that have been tested and are considered to be in compliance with FIPS as specified by the FIPS, by the FIRMR, and the associated Federal ADP and Telecommunications Standards Index.

3.5 Registered Report

A Validation Summary Report (VSR) that indicates that the SQL processors did not meet the criteria for a Certificate of Validation may be registered by the Computer Systems Laboratory. A VSR is considered registered by CSL when it contains a signed notice that the VSR will be listed in the CSL Validated Products List (VPL).

3.6 Validation Procedures

SQL processors are tested in accordance with the procedures described in the NIST Database Language SQL Validation Procedures. To request a copy of the validation procedures and/or to request the validation of an SQL processor, contact:

National Institute of Standards and Technology
Computer Systems Laboratory
Software Standards Validation Group
Building 225, Room A266
Gaithersburg, Maryland 20899 (U.S.A.)
Telephone (301) 975-2490 (Voice)
(301) 975-3274 (Voice)
(301) 948-6213 (FAX)
e-mail: dashiell@speckle.ncsl.nist.gov (INTERNET)

3.7 SQL Validation System

To request a copy of the SQL Validation System and/or to submit questions regarding the SQL Validation System, contact:

National Institute of Standards and Technology
Computer Systems Laboratory
Database Languages Group
Building 225, Room A266
Gaithersburg, Maryland 20899 (U.S.A.)
Telephone (301) 975-3258 (Voice)
(301) 975-3263 (Voice)
(301) 948-6213 (FAX)
e-mail: sullivan@ecf.ncsl.nist.gov (INTERNET)

3.8 SQL PROCESSORS

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
--------	---------------------------------	---------------------------	------------------------------	-----------------------------

FIPS 127-2 ZERO NONCONFORMITIES

[Entry FIPS 127-2 exceeds requirements for FIPS 127-1 with Integrity Enhancement Option]

Informix Software, Inc.	INFORMIX-OnLine Version AN6.00 Pre-release NIST-94/7041 1/1/95 Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults	Embedded C INFORMIX-ESQL/C Version AN 6.00 Native C for SunOS 4.1.3 Embedded COBOL INFORMIX-ESQL/ COBOL Version AN 6.00 Micro Focus COBOL V3.0.54-Be Interactive SQL (FIPS Default) INFORMIX DB-Access Version AN 6.00	Sun SPARCstation 10 SunOS Version 4.1.3_DBE1.3
----------------------------	------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------

Oracle Corporation	ORACLE7, Release 7.1 (Beta) Pre-release NIST-93/7521 11/1/94 Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults	Embedded C Pro*C, Version 1.6 Native C, bundled with SunOS Version 4.1.3	SUN SPARCstation 10 SunOS Version 4.1.3
-----------------------	----------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------	--------------------------------------------

	ORACLE7, Release 7.1 (Beta) Pre-release NIST-93/7522 11/1/94 Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults	Embedded C Pro*C, Version 2.0 Native C, bundled with SunOS Version 4.1.3	SUN SPARCstation 10 SunOS Version 4.1.3
--	----------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------	--------------------------------------------

	ORACLE7, Release 7.1 (Beta) Pre-release NIST-93/7523 11/1/94 Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults	Embedded Ada Pro*Ada, Version 1.6 Verdix Ada Development System (VADS) SUN Ada, Version 1.1	SUN SPARCstation 10 SunOS Version 4.1.3
--	----------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------	--------------------------------------------

Sybase, Inc.	Sybase System 10 Pre-release 10.0.1 NIST-94/7061 1/1/95 Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults	Schema Processor Interactive SQL (isql) Release 10.0.1 Embedded C Sybase System 10 Embedded SQL/C pre- release 10.0.1 gcc version 2.3.1	Client: Sun 4/690 SunOS Version 4.1.2 Server: Sun 4/690 SunOS Version 4.1.2
--------------	-----------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------

SQL PROCESSORS, *Continued*

SQL -
Certificates

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
--------	---------------------------------	---------------------------	------------------------------	-----------------------------

FIPS 127-1 - ZERO NONCONFORMITIES

Cincom Systems, Inc.	SUPRA Server, Version 3.2 Pre-release NIST-93/7481 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement FIPS Sizing Defaults FIPS Flagger	Embedded SQL C SUPRA C Precompiler Version 3.2 Pre-release C bundled with SunOS Release 4.1.1 Embedded SQL COBOL SUPRA COBOL Precompiler Version 3.2 Pre-release SUN COBOL Version 1.0 Interactive SQL SUPRA I/SQL Version 3.2 Pre-release	SUN SPARCstation 2 SunOS Release 4.1.1	
	SUPRA Server, Version 3.2 Pre-release NIST-93/7482 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement FIPS Sizing Defaults FIPS Flagger	Embedded SQL Ada SUPRA Ada Precompiler, Version 3.2 Pre-release SUN Ada Version 1.1	SUN SPARCstation 2 SunOS Release 4.1.1	
Digital Equipment Corporation	VAX Rdb/VMS Version 4.1 NIST-92/7351 10/01/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Module Ada VAX Ada Version 2.2 Embedded C Module C VAX C Version 3.2 Embedded COBOL Module COBOL VAX COBOL Version 4.4 Embedded FORTRAN Module FORTRAN VAX FORTRAN Version 5.7 Embedded PASCAL Module PASCAL VAX Pascal Version 4.2 Interactive SQL (FIPS Default)	VAXstation 3500 and VAX 8800 VAX/VMS Ver. 5.4-3	VAX, MicroVAX, and VAXstation VMS Versions 5.0 - 5.4-3 VAX Ada V2.0 - 2.2 VAX C V3.0 - 3.2 VAX COBOL V4.2 - 4.4 VAX Fortran V5.0 - 5.7 VAX Pascal V3.9 - 4.2
	VAX Rdb/VMS Version 4.1 NIST-92/7352 10/01/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Module Ada VAX Ada Version 2.1 Embedded C Module C VAX C Version 3.2 Embedded COBOL Module COBOL VAX COBOL Version 4.4 Embedded FORTRAN Module FORTRAN VAX FORTRAN Version 5.7 Embedded PASCAL Module PASCAL VAX Pascal Version 4.2 Interactive SQL (FIPS Default)	VAXstation 4000 Cluster VAX/VMS Ver. 5.5-2	VAX, MicroVAX, and VAXstation VMS Versions 5.0 - 5.5-2 VAX Ada V2.0 - 2.1 VAX C V3.0 - 3.2 VAX COBOL V4.2 - 4.4 VAX Fortran V5.0 - 5.7 VAX Pascal V3.9 - 4.2

SQL PROCESSORS, *Continued*

SQL -
Certificates

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	VAX Rdb/VMS Version 4.2 NIST-92/7353 10/01/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Module Ada VAX Ada Version 2.2 Embedded C Module C VAX C Version 3.2 Embedded COBOL Module COBOL VAX COBOL Version 4.4 Embedded FORTRAN Module FORTRAN VAX FORTRAN Version 5.7 Embedded PASCAL Module PASCAL VAX Pascal Version 4.2 Interactive SQL (FIPS Default)	VAXstation 3500 and VAX 8800 VAX/VMS Ver. 5.4-3	VAX, MicroVAX, and VAXstation VMS Versions 5.0 - 5.4-3 VAX Ada V2.0 - 2.2 VAX C V3.0 - 3.2 VAX COBOL V4.2 - 4.4 VAX Fortran V5.0 - 5.7 VAX Pascal V3.9 - 4.2
	VAX Rdb/VMS Version 4.2 NIST-92/7354 10/01/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Module Ada VAX Ada Version 2.1 Embedded C Module C VAX C Version 3.2 Embedded COBOL Module COBOL VAX COBOL Version 4.4 Embedded FORTRAN Module FORTRAN VAX FORTRAN Version 5.7 Embedded PASCAL Module PASCAL VAX Pascal Version 4.2 Interactive SQL (FIPS Default)	VAXstation 4000 Cluster VAX/VMS Ver. 5.5-2	VAX, MicroVAX, and VAXstation VMS Versions 5.0 - 5.5-2 VAX Ada V2.0 - 2.1 VAX C V3.0 - 3.2 VAX COBOL V4.2 - 4.4 VAX Fortran V5.0 - 5.7 VAX Pascal V3.9 - 4.2
IBM Corporation	Database 2 (DB2) Version 3 NIST-93/7441 8/1/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded C IBM C/370 Version 2 Release 1 Embedded COBOL IBM SAA AD/CYCLE COBOL/370 Version 1 Release 1 Embedded Fortran IBM VS FORTRAN Version 2 Release 5	IBM ES90009021-720 MVS/ESA SP Version 4 Release 1	
Informix Software Inc.	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7301 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 SunAda Version 2.0 Embedded C INFORMIX-ESQL/C Version 5.00 Sun ANSI C Version 2.0.1 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	RDI BriteLite IPX Laptop Solaris 2.1	Sun4c sparc Solaris 2.1

SQL PROCESSORS, *Continued*

SQL -
Certificates

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7302 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 SunAda Version 2.0 Embedded C INFORMIX-ESQL/C Version 5.00 Sun ANSI C Version 2.0.1 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Sun SPARCstation 10, Model 30 Solaris 2.1	Sun4m sparc Solaris 2.1
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7303 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 SunAda Version 2.0 Embedded C INFORMIX-ESQL/C Version 5.00 Sun ANSI C Version 2.0.1 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Sun SPARCstation 10, Model 41 Solaris 2.1	Sun4m sparc Solaris 2.1
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7304 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 SunAda Version 2.0 Embedded C INFORMIX-ESQL/C Version 5.00 Sun ANSI C Version 2.0.1 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Sun SPARCstation 10, Model 42 Solaris 2.1	Sun4m sparc Solaris 2.1
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7305 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 SunAda Version 2.0 Embedded C INFORMIX-ESQL/C Version 5.00 Sun ANSI C Version 2.0.1 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Sun SPARCstation 4/30 Solaris 2.1	Sun4m sparc Solaris 2.1
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7306 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 Verdix VADS System V/386/486 Version 6.1 Embedded C INFORMIX-ESQL/C Version 5.00 Interactive ANSI C Version 3.0 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Alpha Systems Lab PC Model ASL 486/33 Sun Interactive Unix, Version 3.0.1, Release 3.2	Intel 486 Sun Interactive Unix, Version 3.0.1, Release 3.2

SQL PROCESSORS, *Continued*

SQL -
Certificates

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7307 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 Alsys Ada for HP9000 Series 800, Version A.05.35 Embedded C INFORMIX-ESQL/C Version 5.00 HP C Version A.08.17 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Hewlett-Packard 9000 Series 800 Model 867 HP BLS A.08.08	HP9000 Series 800, Series 700 HP BLS A.08.08-09
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7308 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 Alsys Ada for HP9000 Series 800, Version A.05.35 Embedded C INFORMIX-ESQL/C Version 5.00 HP C Version A.08.17 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Hewlett-Packard 9000 Series 800 Model 827 HP BLS A.08.08	HP9000 Series 800, Series 700 HP BLS A.08.08-09
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7309 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 Alsys Ada for HP9000 Series 800, Version A.05.35 Embedded C INFORMIX-ESQL/C Version 5.00 HP C Version A.08.17 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Hewlett-Packard 9000 Series 800 Model 807 HP BLS A.08.08	HP9000 Series 800, Series 700 HP BLS A.08.08-09
	INFORMIX-OnLine Version 5.02 NIST-94/7042 1/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-Ada/SAME Version 5.02 Sun Ada Version 1.10 Embedded Ada INFORMIX-Ada/SAME Version 5.02 Sun Ada Version 1.10 Embedded C INFORMIX-ESQL/C Version 5.02 Native C for SunOS 4.1.3 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.02	Sun Sparc4 SunOS 4.1.3_DBE1.3	

SQL PROCESSORS, *Continued*

SQL -
Certificates

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
Ingres, The ASK Group	ASK INGRES SQL, Release 6.5 Pre-release NIST-93/7501 10/1/94	Embedded Ada Verdix Ada, Version 6.0.3 Embedded C SUN C Version 1.0 Embedded FORTRAN SUN Fortran Version 1.4	SUN SparcStation2 SunOS Version 4.1.3	ESQL/Verdix Ada, Rel. 6.5 ESQL/C Rel. 6.5 ESQL/FORTRAN Rel. 6.5
	ASK INGRES SQL, Release 6.5 Pre-release NIST-93/7502 10/1/94	Embedded Ada VAX Ada, Version 2.0-18 Embedded C VAX C, Version 3.1-051 Embedded FORTRAN VAX FORTRAN, Version 4.5- 219	VAX 6000-410 VAX/VMS Version 5.5	ESQL/Ada, Rel 6.5 ESQL/C, Rel. 6.5 ESQL/FORTRAN, Rel. 6.5
	ASK INGRES SQL, Release 6.5 Pre-release NIST-93/7503 10/1/94	Embedded C IBM XL C Compiler Version 1.2 Embedded FORTRAN IBM XL FORTRAN Compiler Version 2.2	IBM RISC System 6000, Model 530 IBM AIX for RISC System 6000 Version 3.2.3	ESQL/C Rel. 6.5 ESQL/FORTRAN Rel. 6.5
Oracle Corporation	ORACLE7, Release 7.0 NIST-93/7101 11/1/94	Embedded Ada Pro*Ada, Version 1.5 VADS IBM RISC System/6000, AIX 3.2, VAda 110-7171, Version 6 Embedded C Pro*C, Version 1.5 IBM XL C Compiler/6000, Version 1.2	IBM RISC System 6000 Model 530H IBM AIX for RISC System/6000, Version 3 Release 2	IBM RISC System 6000 Models 220, 320, 320H, 340, 350, 520, 520H, 540, 550, 560, 730, 930, 950, 970 AIX for RISC System/6000, Version 3 Release 2
	ORACLE7, Release 7.0 NIST-93/7102 11/1/94	Embedded C Pro*C, Version 1.5 NCR C Development Toolkit, Rel 2	NCR 3450 NCR System V Release 4 MP- RAS, Rel 2	NCR Series 3000, to include 3335, 3345, 3447, 3550, 3600 NCR System V Release 4 MP- RAS, Rel 2
	Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger

SQL PROCESSORS, *Continued*

SQL -
Certificates

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	ORACLE7, Release 7.0 NIST-93/7103 11/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded C Pro*C, Version 1.5 NCR C Development Toolkit, Rel 2	NCR 3550 NCR System V Release 4 MP- RAS, Rel 2	NCR Series 3000, to include 3335, 3345, 3447, 3550, 3600 NCR System V Release 4 MP- RAS, Rel 2
	ORACLE7, Release 7.0 NIST-93/7104 11/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 Verdirx Corp. VADS UNIX System V/386, Release 4, Version 6.1	NCR 3450 NCR System V Release 4 MP- RAS, Rel 2	NCR Series 3000, to include 3335, 3345, 3447, 3550, 3600 NCR System V Release 4 MP- RAS, Rel 2
	ORACLE7, Release 7.0 NIST-93/7105 11/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 Verdirx Corp. VADS UNIX System V/386, Release 4, Version 6.1	NCR 3550 NCR System V Release 4 MP- RAS, Rel 2	NCR Series 3000, to include 3335, 3345, 3447, 3550, 3600 NCR System V Release 4 MP- RAS, Rel 2
	Trusted ORACLE7, Release 7.0 NIST-93/7106 11/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 Alslys Ada HP-B2425, Version A.05.35 Embedded C Pro*C, Version 1.5 HP C HP 92453-01, Version A.08.17	Hewlett-Packard 9000/807 HP-UX BLS, Version 8.08	HP 9000/7xx HP-UX BLS Release 8.09 HP 9000/8xx HP-UX BLS Release 8.08
	Trusted ORACLE7, Release 7.0 NIST-93/7107 11/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 Alslys Ada HP-B2425, Version A.05.35 Embedded C Pro*C, Version 1.5 HP C HP 92453-01, Version A.08.17	Hewlett-Packard 9000/817 HP-UX BLS, Version 8.08	HP 9000/7xx HP-UX BLS Release 8.09 HP 9000/8xx HP-UX BLS Release 8.08
	Trusted ORACLE7, Release 7.0 NIST-93/7108 11/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 Alslys Ada HP-B2425, Version A.05.35 Embedded C Pro*C, Version 1.5 HP C HP 92453-01, Version A.08.17	Hewlett-Packard 9000/847 HP-UX BLS, Version 8.08	HP 9000/7xx HP-UX BLS Release 8.09 HP 9000/8xx HP-UX BLS Release 8.08

SQL PROCESSORS, *Continued*

SQL -
Certificates

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	Trusted ORACLE7, Release 7.0 NIST-93/7109 11/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 Alsys Ada HP-B2425, Version A.05.35 Embedded C Pro*C, Version 1.5 HP C HP 92453-01, Version A.08.17	Hewlett-Packard 9000/867 HP-UX BLS, Version 8.08	HP 9000/7xx HP-UX BLS Release 8.09 HP 9000/8xx HP-UX BLS Release 8.08
	Trusted ORACLE7, Release 7.0 NIST-93/710A 11/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 AlsyComp 034, Version 5.1 Embedded C Pro*C, Version 1.5 SecureWare CMW+ Version 2.2 Native C	Zenith Data Systems Z-Station 433 DEh SecureWare CMW+, Version 2.2	
	Oracle7, Release 7.0 NIST-94/7021 1/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded C Pro*C, Version 1.5 DEC OSF/1 AXP Compiler Driver 3.11 Embedded COBOL Pro*COBOL, Version 1.5 Micro Focus COBOL V3.1 for DEC OSF/1 AXP Embedded FORTRAN Pro*Fortran, Version 1.5 DEC Fortran Version T3.4	DEC 3000 DEC OSF/1 (T2.0-2)	DEC 2000, DEC 4000, DEC 6000, DEC 7000 DEC OSF/1 (T2.0-2)
Praxis International Inc.	Model 204 Advantage/SQL, Version 1 Release 1 NIST-94/7001 1/1/95 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded COBOL COBOL II Version 1.3.2	IBM 9221-170 MVS/ESA Release 4.2.2	
	Model 204 Advantage/SQL, Version 1 Release 1 NIST-94/7002 1/1/95 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded COBOL COBOL II Version 1.3.2	IBM 4381-T92 VM/XA Release 2.1	
Progress Software Corporation	Progress ESQL, Version 7 SDK NIST-93/7421 11/1/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded C Native C, bundled with SunOS Version 4.1.2	SUN SPARCstation ELC SunOS Version 4.1.2	

SQL PROCESSORS, *Continued*

SQL -
Certificates

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	Progress ESQL Version 7 SDK NIST-93/7422 11/1/94	Embedded C Microsoft C for UNIX Version 6	BBC 486 SCO UNIX System V/386 Version 3.2	
	Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger			
	Progress ESQL Version 7 SDK NIST-93/7423 11/1/94	Embedded C Microsoft C/C++ Version 7	BBC 486 MS-DOS Version 5.0	
	Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger			
Sybase, Inc.	Sybase System 10/Beta Version Pre-release NIST-93/7061 9/1/94	Schema Processor Sybase Interactive SQL (isql) System 10 Version 10 Embedded C System 10 Beta Version cc bundled with HP-UX 9.0 Operating System	HP 9000/I 40 HP-UX 9.0	HP 9000/H 30 HP-UX 9.0
	Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger			
	Sybase System 10 Version 10.0 NIST-93/7062 10/1/94	Schema Processor Sybase Interactive SQL (isql) System 10 Version 10.0 Embedded C Sybase ESQL/C System 10 Version 10.0 Metaware High C Release 2.3 Embedded COBOL Sybase ESQL/COBOL System 10 Version 10.0 Microfocus COBOL Version 3.0 Other Software Sybase SQL Server System 10 Version 10.0	Client: NCR 3550 NCR OS Version 2.00.02 Server: NCR 3550 NCR OS Version 2.00.02	NCR 3000 Series NCR SVR 4 2.x
	Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger			
	Sybase System 10 Version 10.0 NIST-93/7063 10/1/94	Schema Processor Sybase Interactive SQL (isql) System 10 Ver 10.0 Embedded C Sybase ESQL/C System 10 Version 10.0 Sparc Compiler C Ver 2.0 Embedded COBOL Sybase ESQL/COBOL System 10 Version 10.0 Microfocus COBOL Compiler 3.1 Other Software Sybase SQL Server System 10 Version 10.0	Client: Sun 4/65 Sun Solaris Version 2.2 Server: Sun 4/65 Sun Solaris Version 2.2	all Sun4, Sparcstation 10, Sparcserver 600 series Sun Solaris 2.2
	Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger			

SQL PROCESSORS, *Continued*

SQL -
Certificates

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	<p>Sybase System 10 Version 10.0 NIST-93/7064 10/1/94</p> <p>Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger</p>	<p>Schema Processor Sybase Interactive SQL (isql) System 10 Ver 10.0 Embedded C Sybase ESQL/C System 10 Version 10.0 IBM AIX XLC Version 1.2 Embedded COBOL Sybase ESQL/COBOL System 10 Version 10.0 Microfocus COBOL Compiler 3.1 Other Software Sybase SQL Server System 10 Version 10.0</p>	<p>Client: IBM RS/6000 Model 520 IBM AIX Version 3.2</p> <p>Server: IBM RS/6000 Model 520 IBM AIX Version 3.2</p>	<p>IBM RS6000 IBM AIX Version 3.2 & 3.2.4</p>
	<p>Sybase System 10 Version 10.0 NIST-93/7065 10/1/94</p> <p>Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger</p>	<p>Schema Processor Sybase Interactive SQL (isql) System 10 Ver 10.0 Embedded C Sybase ESQL/C System 10 Version 10.0 HP Native C, HP C A.09.30 Embedded COBOL Sybase ESQL/COBOL System 10 Version 10.0 HP COBOL Version 3.0 Other Software Sybase SQL Server System 10 Version 10.0</p>	<p>Client: HP 9000/827 HP-UX A.09.00</p> <p>Server: HP 9000/827 HP-UX A.09.00</p>	<p>HP 700 Series, HP 800 Series HP-UX A.09.00</p>
	<p>Sybase System 10 Version 10.0 NIST-93/7066 10/1/94</p> <p>Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger</p>	<p>Schema Processor Sybase Interactive SQL (isql) System 10 Ver 10.0 Embedded C Sybase ESQL/C System 10 Version 10.0 GCC Version 2.3.1 Embedded COBOL Sybase ESQL/COBOL System 10 Version 10.0 Microfocus COBOL Compiler Version 3.0 Other Software Sybase SQL Server System 10 Version 10.0</p>	<p>Client: Sun Sparcserver 690 SunOS 4.1.3</p> <p>Server: Sun Sparcserver 690 SunOS 4.1.3</p>	<p>all Sun4, Sparcstation 10, Sparcserver 600 series SunOS 4.1.3</p>
	<p>Sybase System 10 Version 10.0 NIST-93/7067 10/1/94</p> <p>Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger</p>	<p>Schema Processor Sybase Interactive SQL (isql) System 10 Ver 10.0 Embedded C Sybase ESQL/C System 10 Version 10.0 Vax C Version 3.1 Embedded COBOL Sybase ESQL/COBOL System 10 Version 10.0 Vax COBOL Version 5.1 Other Software Sybase SQL Server System 10 Version 10.0</p>	<p>Client: DEC VAX 6000-450 Vax/VMS 5.4-1 A</p> <p>Server: DEC VAX 6000-450 Vax/VMS 5.4-1 A</p>	<p>all DEC Vax running OS level Vax/VMS 5.4</p>

SQL PROCESSORS, *Continued*

SQL -
Certificates

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	Sybase System 10 Version 10.0 NIST-93/7068 10/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Schema Processor Sybase Interactive SQL (isql) System 10 Ver 10.0 Embedded C Sybase ESQL/C System 10 Version 10.0 DEC OSF/AXP C 3.11 Other Software Sybase SQL Server System 10 Version 10.0	Client: DEC 3000 Model 500 OSF/1 Version 1.2 Server: DEC 3000 Model 500 OSF/1 Version 1.2	all DEC AXP running OS level below Dec OSF/1 Version 1.2
Unisys Corporation	RDMS 2200, Release Level 6R2 (SB5R2), Pre-release NIST-93/7461 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded C UCS C (UC) Version SB5R2 3.11 Embedded COBOL UCS COBOL (UCOB) Version SB5R2 Module Fortran UCS Fortran (UFTN) Version SB5R2	2200/444 System OS 2200 Version SB5R2 (EXEC 44R2) [OS 1100 is renamed OS 2200]	1100/90, 2200/500, 2200/600, 2200/900 OS 2200 Version SB5R2 (EXEC 44R2)
White Cross Systems Ltd.	WHITE CROSS 9000 Release 1.0.0 NIST-93/7251 1/1/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults	Embedded C WHITE CROSS 9000 Client Utilities Release 1.0.0 MICROSOFT C/C++ Optimizing Compiler Version 7.00 Communications FTP PC/TCP Version 2.05 (over Ethernet)	Client: Custom-built 80486-based PC MICROSOFT MS-DOS Version 5.00 Server: WHITE CROSS 9000 Model WCS/9010	
	WHITE CROSS 9000 Release 1.0.0 NIST-93/7252 1/1/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults	Embedded C WHITE CROSS 9000 Client Utilities Release 1.0.0 NeXTSTEP Objective C Release 3.0 Communications TCP/IP software bundled with OS (over Ethernet)	Client: NeXTstation NeXTSTEP Release 3.0 Server: WHITE CROSS 9000 Model WCS/9010	
	WHITE CROSS 9000 Release 1.0.0 NIST-93/7253 1/1/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults	Embedded C WHITE CROSS 9000 Client Utilities Release 1.0.0 C Optimizing Compiler Version 5.10 Communications TCP/IP software bundled with OS (over Ethernet)	Client: Custom-built 80486-based PC SCO UNIX SYSTEM V/386 Development System Release 3.2 Server: WHITE CROSS 9000 Model WCS/9010	
	WHITE CROSS 9000 Release 1.0.0 NIST-93/7254 1/1/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults	Embedded C WHITE CROSS 9000 Client Utilities Release 1.0.0 SPARCCompiler C Ver 2.0.1 Communications TCP/IP software bundled with OS (over Ethernet)	Client: SPARCstation IPX SunOS Release 4.1.2 Server: WHITE CROSS 9000 Model WCS/9010	

SQL PROCESSORS, *Continued*

SQL -
Registered Reports

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS	NONCON- FORMITIES
--------	---------------------------------	---------------------------	------------------------------	-----------------------------	----------------------

FIPS 127-2 - ONE OR MORE NONCONFORMITIES

[Entry FIPS 127-2 exceeds requirements for FIPS 127-1 with Integrity Enhancement Option]

No entries for this quarter.

FIPS 127-1 - ONE OR MORE NONCONFORMITIES

Informix Software, Inc.	INFORMIX-OnLine Version 5.02 NIST-94/7043 1/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded COBOL INFORMIX-ESQL/COBOL Version 5.02 Micro Focus COBOL V3.0.54-Be Embedded FORTRAN INFORMIX-ESQL/Fortran Version 5.02 Sun FORTRAN SC2.0.1	Sun SPARCstation 10 SunOS 4.1.3_DBE1.3		4 COBOL 1 Fortran
<hr/>					
Software AG	ADABAS SQL Server, Version 1.1 NIST-93/7201 1/1/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded C ADABAS Version 1.2 HP C Version A.08.17	HP 9000/817 HP/UX A.08.02		10 C
	ADABAS SQL Server, Ver 1.1 NIST-93/7202 1/1/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded COBOL ADABAS Version 1.2 HP Micro Focus COBOL/2, Version 1.1 Rev. 002	HP 9000/817 HP/UX A.08.02		10 COBOL
	ADABAS SQL Server, Ver 1.1 NIST-93/7203 1/1/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded COBOL ADABAS Version 5.3 COBOL II, Version 3.2	Hitachi HDS/EX90 MVS/ESA Version 4.2.2		10 COBOL

4. GRAPHICS CONFORMANCE TESTING

4.1 FIPS GKS Standard

The Graphical Kernel System (GKS) is a two-dimensional graphics tool box which provides for the display and manipulation of pictures and graphical input from the operator. The purpose of GKS is to promote portability of graphics applications for use on a variety of graphics workstations. It provides a functional interface between an application program and a configuration of graphical devices. The interface is at such a level of abstraction that hardware peculiarities are shielded from the application program.

FIPS PUB 120-1, GKS, is the first Federal Information Processing Standard Publication (FIPS PUB) registered for computer graphics systems. In accordance with FIPS PUB 120-1, two-dimensional graphics toolbox packages acquired for Federal use after November 3, 1986 should implement FIPS GKS. Conformance testing of GKS implementations protects Federal investment by ensuring adherence to the graphics standard. FIPS PUB 120-1 requires that GKS implementations offered to Federal agencies be tested using the NIST Test Suite to ensure that a particular implementation meets the specifications of the FIPS. The GKS Validation Test Suite (Fortran) is available from:

Ms. Susan Sherrick
National Institute of Standards and Technology
Building 225, Room A266
Gaithersburg, MD 20899
(301) 975-3268

4.1.1 Organization of GKS Entries

The entries in the VPL for GKS implementations are presented as follows:

- The **VENDOR ID** column contains the name of the Vendor of the implementation.
- The **GKS NAME** column contains the name of the implementation, its version number, the **VSR** number, and the **Expiry** date of the certificate of validation.
- The **HARDWARE & OP. SYSTEM** column presents the hardware and operating system environment used during the validation.
- The **GRAPHICS DEVICES** column includes the graphics devices that were validated.
- The **GKS LEVEL** column indicates the level of GKS that was validated.
- The entries in the **OTHER HW/OS** column include other hardware and operating system environments in which the processor operates.
- The **NONCONFORMITIES** column indicates whether or not the GKS implementation conforms to the applicable FIPS in one or more cases as evidenced by the validation. The **VSR** should be reviewed for details of the nonconformities.

4.2 FIPS PHIGS Standard

PHIGS stands for Programmer's Hierarchical Interactive Graphics System. PHIGS is a system for interactive 3-dimensional (3D) graphics applications that provides programmers with a set of features enabling them to manipulate and display complex 3D objects. It is called hierarchical because the complex objects can be built up from simpler objects. PHIGS also provides a rich set of facilities for real-time interaction with the user. While it borrows many concepts from the Graphical Kernel System (GKS) standard, it also introduces many new features, such as a "graphics data base" (the centralized structure store), and support for modeling and viewing.

In accordance with FIPS PUB 153, (PHIGS), 3D graphics packages acquired for Federal use should implement FIPS PHIGS. Conformance testing of PHIGS implementations protects Federal investment by ensuring adherence to the graphics standard. FIPS PUB 153 requires that PHIGS implementations offered to Federal agencies be tested using the NIST PVT (PHIGS Validation Tests) test suite. The test suite ensures that a particular implementation meets the specifications set forth in the FIPS. The PHIGS PVT test suite is available from:

Project Leader, PHIGS Validation Tests
National Institute of Standards and Technology
Computer Systems Laboratory
Bldg. 225, Room A-266
Gaithersburg, MD 20899
phone: (301) 975-3265
e-mail: phigs@speckle.ncsl.nist.gov

4.2.1 Organization of PHIGS Entries

The entries in the VPL for PHIGS implementations are as follows:

- The **VENDOR** column contains the name of the vendor of the implementation.
- The **PHIGS name** column contains the name of the implementation, its version number, the Validation Summary Report (VSR) number, and the expiry date of the certification of validation.
- The **HARDWARE & OP.SYSTEM** column presents the hardware and operating system environment used during the validation.
- The **GRAPHICS DEVICES** column includes the graphics devices that were validated.
- The entries in the **REGISTERED ENVIRONMENTS HW/OS** column includes registered hardware and operating systems for the implementation tested. The vendor of the implementation has certified that the identified processor, when operating under the environments included in this column, produces the same test results exhibited during the validation. Test results and other information from these environments may be required as evidence for entries to be included in this column.
- The **NONCONFORMITIES** column indicates whether or not the PHIGS implementation conforms to the FIPS in one or more cases as evidenced by the validation. The VSR should be reviewed for more details of the nonconformities.

4.3 FIPS CGM Standards

The FIPS 128-1, Computer Graphics Metafile (CGM) is a data interchange standard for the storage and retrieval of picture information in a device independent manner. The purpose of the CGM is to facilitate the transfer of graphical information among different computer systems, devices and/or applications.

The FIPS 128-1 requires the use of a CGM application profile. In particular, the Military Specification MIL-D-28003A, commonly known as the CALS CGM profile, is required for Federal government applications when the representation of graphical information in digital form is to be used in technical illustrations and publications, or when the use of a general-purpose, graphical interchange mechanism is required.

NIST offers two CGM Test Services: metafile testing and generator testing. The purpose of the Test Services is to determine the degree to which the metafile or CGM generator conforms to the FIPS 128-1 and the CALS profile. Presently, the Test Service addresses only CGM Version 1.

4.3.1 CGM Test Labs and Test Suite

CGM Validation Testing is available from the National Institute of Standards and Technology through its Computer Systems Laboratory (NIST/CSL).

National Institute of Standards and Technology
CGM Test Service
Building 225, Room A266
Gaithersburg, MD 20899
(301) 975-3265

The CGM Validation Test Software is based on CTS/Metacheck, version 2.10 and is available for purchase from

CGM Technology Software
1527 Route 12, Box 648
Gales Ferry, CT 06335
(203) 464-2623

4.3.2 Certificate of Validation

For metafile testings, a certificate of validation is issued for those CGM files that have been tested and are in compliance with the FIPS 128-1 and MIL-D-28003A. Conformance of a metafile does NOT necessarily imply conformance of the CGM generator, CGM interpreter, or other CGMs created on the same hardware and software platform.

For generator testing, a certificate of validation is issued for a CGM generator that has been tested and is in compliance with the FIPS 128-1 and MIL-D-28003A.

4.3.3 Validated Metafiles

The metafiles presented in Section 4.6 have been tested for conformity with FIPS PUB 128 or MIL-D-28003. Each entry in the VPL is a very limited extract from the Validation Summary Report (VSR) available from NIST/CSL.

4.4 Raster Graphics Standards

FIPS PUB 150 adopts EIA-538 which defines the facsimile coding schemes and their control functions for Group 4 facsimile apparatus, i.e., ITU-T (formerly CCITT) Recommendation T.6. It defines a standard compression algorithm (T.6 - Group 4) suitable for the storage, retrieval, and interchange of raster graphics images.

Military Specification MIL-R-28002 specifies the structure and encoding of raster data files to be delivered to the government. It specifies the use of the standard compression algorithm defined in FIPS PUB 150. It also specifies the use of standard file headers which are defined in MIL-STD-1840. MIL-STD-1840 standardizes the format and structure of digital technical data files for the purpose of interchange between organizations or systems.

4.4.1 Certificate of Validation

The Raster Graphics Validation Test Service tests an implementation's capability of both receiving and generating raster graphics data conforming to the specifications in FIPS PUB 150 and MIL-R-28002.

A certificate of validation is issued for an implementation that passes the validation test and conforms to FIPS PUB 150 and MIL-R-28002.

4.4.2 Information Pack

Upon request, a Raster Graphics Validation Test Information Pack is available from:

National Institute of Standards and Technology (NIST)
Computer Systems Laboratory
Raster Graphics Validation Test Service
Technology Building, Room A266
Gaithersburg, MD 20899
Telephone (301) 975-3265

4.5 GKS IMPLEMENTATIONS

VENDOR	GKS NAME EXPIRY & VSR #	HARDWARE & OP. SYSTEM	GRAPHICS DEVICES	GKS LEVEL	REGISTERED ENVIRONMENTS	NONCON- FORMITIES
Advanced Technology Center	GRAFFPAK-GKS Release 4.0	NCR 3450	X Window System V11	Level 2c		No
	12/1/94 NIST/NCC-92/967	Unix System V Release 4	PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer)			
	GRAFFPAK-GKS Release 4.0	NCR 3550	X Window System V11	Level 2c		No
	12/1/94 NIST/NCC-92/968	Unix System V Release 4	PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer)			
	GRAFFPAK-GKS Release 4.0	IBM RS6000 Model 220	X Window System V11	Level 2c		No
	12/1/94 NIST/NCC-92/969	AIX 3.2	PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer)			
	GRAFFPAK-GKS Release 4.0	IBM RS6000 Model 530H	X Window System V11	Level 2c		No
	12/1/94 NIST/NCC-92/970	AIX 3.2	PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer)			
	GRAFFPAK-GKS Release 4.0	HP-9000/817	X Window System V11	Level 2c		No
	12/1/94 NIST/NCC-92/971	HP-UX 8.08	PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer)			
	GRAFFPAK-GKS Release 4.0	HP-9000/827	X Window System V11	Level 2c		No
	12/1/94 NIST/NCC-92/972	HP-UX 8.02	PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer)			
	GRAFFPAK-GKS Release 4.0	Sun Sparcstation 1	X Window System V11	Level 2c		No
	12/1/94 NIST/NCC-92/974	Solaris 2.1	PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer)			

4.6 COMPUTER GRAPHICS METAFILES

CLIENT	VSR # & DATE	# CGM Submitted /Conforming	CGM/SIZE/ DATE	GENERATOR	PLATFORM (As Reported by Vendor)
Interleaf, Inc El Segundo, CA	NIST-M-92/003-001 9/2/92	1/1	asg.cgm 8880 8/31/92	Interleaf Inc MDL/G	Interleaf 5 v5.3, HP9000/700, HP UX v8.07
IBM Corporation Federal Sector Division Oswego, NY	NIST-M-92/005-002 10/28/92	5/5	gcg_m_1220.cgm 5280 10/27/92	GRAFFPAK-CGM 1.1.2	IBM RS6000 Model 220, AIX 3.2
			gcg_m_1530.cgm 5280 10/27/92	GRAFFPAK-CGM 1.1.2	IBM RS6000 Model 530, AIX 3.2
			gcg_m_n345.cgm 5280 10/27/92	GRAFFPAK-CGM 1.1.2	NCR 3450, NCR UNIX SVR4
			gcg_m_n355.cgm 5280 10/27/92	GRAFFPAK-CGM 1.1.2	NCR 3550, NCR UNIX SVR4
			gks_1530.cgm 23680 10/27/92	GRAFFPAK-GKS 4.0	IBM RS6000 Model 530, AIX 3.2
ESRI Boulder CO	NIST-M-93/006-003 1/26/93	5/5	sun.cgm 181680 1/19/93	ARC/INFO	SUN SparcStation, Sun OS 4.1.3
			lbn.cgm 181680 1/19/93	ARC/INFO	IBM RS6000, AIX 3.2
			dg.cgm 181680 1/19/93	ARC/INFO	Data General AViON, DG/UX 5.4.1
			dec.cgm 181680 1/19/93	ARC/INFO	DecStation 5000, ULTRIX 4.2a
			sgi.cgm 181680 1/19/93	ARC/INFO	Silicon Graphics Indigo, IRIX 4.0.2
EDS Herndon, VA	NIST-M-93/007-004 1/29/93	3/3	demo5.cgm 13280 1/28/93	GRAFFPAK-GKS 4.0	SPARCStation 10 Model 30, Solaris 2.1
			demo7.cgm 5360 1/28/93	GRAFFPAK-GKS 4.0	SPARCStation 10 Model 30, Solaris 2.1
			demo8.cgm 3840 1/28/93	GRAFFPAK-GKS 4.0	SPARCStation 10 Model 30, Solaris 2.1

4.7 PHIGS APPLICATIONS

VENDOR	PHIGS NAME	HARDWARE & OP. SYSTEM	GRAPHICS DEVICES	REGISTERED ENVIRONMENTS	NONCON- FORMITIES
--------	---------------	--------------------------	---------------------	----------------------------	----------------------

No entries at this time.

5. U.S. GOSIP TESTING PROGRAM REGISTER DATABASE SYSTEM (GRD)

5.1 Description

The United States Government Open Systems Interconnection Profile (GOSIP) Testing Program was defined to assist Federal Agencies in assuring conformance to the GOSIP Standard. Testing for conformance to the Open Systems Interconnection (OSI) standards and for interoperability with other OSI implementations is available.

NISTIR 4594, "GOSIP Conformance and Interoperation Testing and Registration" establishes the framework for the establishment of registers for Test Suites, Test Systems (Means of Testing), Conformance Testing Laboratories, and Interoperability Testing Services.

5.2 U.S. GOSIP Register Database (GRD)

The U.S. GOSIP Register Database (GRD) is an online database facility developed by NIST. It provides up-to-date reference information for the following list of registers:

1. U.S. GOSIP Abstract Test Suites (ATS).
2. Assessed Means of Testing (MOT).
3. NVLAP Accredited Test Laboratories.
4. Conformance Tested GOSIP Products.
5. Interoperability Test Suites (ITS) for OSI Products.
6. Reference Entities for Means of Testing Assessment(s).
7. Interworking GOSIP Products.
8. Interoperability Test and Registration Services.

5.3 How To Access the GOSIP Register Database (GRD)

The GOSIP register files available for downloading are now located a different host. These files are available via anonymous ftp over the internet from:

Host Name: huachuca-jitcosi
IP Address: 138.27.7.2

Files are available in both ASCII (.ask) and WordPerfect 5.1 (.w51) formats. Just login with "anonymous" and use your internet address for the password. For .w51 files, binary transfer is required.

For any questions, problems or comments dealing with the GRD or the U.S. GOSIP Testing Program please contact:

Ken Thomas
Joint Interoperability Test Center - TCBB
Fort Huachuca, AZ 85613-7020
(602) 538-5170
e-mail: C3A-TCB@huachuca-EMH2.army.mil

The first part of the document discusses the importance of maintaining accurate records and the role of the auditor in this process.

The second part of the document describes the various methods used to collect and analyze data, including interviews and surveys.

The third part of the document discusses the results of the study and the implications for practice.



The fourth part of the document discusses the limitations of the study and the need for further research.

The fifth part of the document discusses the conclusions of the study and the implications for practice.

The sixth part of the document discusses the implications of the study for future research.

References

5.4 GOSIP REGISTERS

5.4.1 REGISTER OF CONFORMANCE TESTING LABORATORIES

Conformance testing laboratories for the U.S. GOSIP Testing Program are listed here. All registered laboratories are deemed qualified to conduct conformance testing for U.S. GOSIP, for the test method identified.

Laboratory Code: 0354

Laboratory Name: Control Data Corporation, OSI Accredited Test Center
4201 North Lexington Avenue
Arden Hills, MN 55126-6198

Contact and Phone: Ronald D Swan, Telephone: (612) 482-6257
Fax: (612) 482-3616

Scope of Registration: X.400-1984 MHS: P2/P1/RTS/(Session), TP4, TP0, TP2, CLNP, X.25:PLP/HDLC LAP-B

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-JUL-94

Laboratory Code: 0355

Laboratory Name: Bull HN Conformance Test Center
13430 N Black Canyon Hwy, P.O. Box 8000
Phoenix, AZ 85029

Contact and Phone: Oscar V Hefner Telephone: (602) 862-6001
Fax: (602) 862-6051

Scope of Registration: FTAM/ACSE/Presentation/(Session), X.400-1984 MHS: P2/P1/RTS/(Session), TP4, CLNP

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-JUL-94

Laboratory Code: 0357

Laboratory Name: National Computing Centre Limited
Oxford Road
Manchester
M17ED United Kingdom

Contact and Phone: A. E. J. Pink Telephone: +44 61 228 6333
Fax: +44 61 236 4715

Scope of Registration: FTAM/ACSE/Presentation/(Session), X.400-1984 MHS: P2/P1/RTS/(Session), Session, TP4, TP0, TP2, CLNP

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-JUL-94

Laboratory Code: 0361

Laboratory: IBM Corporation - Networking Systems Protocol Center
Dept C70/Building 673, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Contact and Phone: Robert M Amy Telephone: (919) 254-4141
Fax: (919) 254-5410

Scope of Registration: X.25:PLP/HDLC LAP-B

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-JUL-94

Laboratory Code: 0362

Laboratory Name: Digital Equipment Corp
550 King Street
Littleton, MA 01460-1289

Contact and Phone: Richard A Duhamel Telephone: (508)486-5021
Fax: (508) 486-7417

Scope of Registration: FTAM/ACSE/Presentation/(Session), X.400-1984 MHS: P2/P1/RTS/(Session), TP4, TP2, TP0, CLNP, X.25:PLP/HDLC LAP-B

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-JUL-94

Laboratory Code: 0363

Laboratory Name: Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Contact and Phone: Andrea Reitzel Telephone: (703) 205-2809
Fax: (703) 846-8590

Scope of Registration: FTAM/ACSE/Presentation/(Session), X.400-1984 MHS:P2/P1/RTS/(Session), TP4, TP0, TP2, CLNP, X.25:PLP/HDLC LAP-B

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-JUL-94

GOSIP REGISTERS, *Continued*

Laboratory Code: 0364

Laboratory Name: CDA, Incorporated Open Systems Development Group
8301 Greensboro Drive, Suite 610
McLean, VA 22102-3603

Contact and Phone: Kevin P Murray Telephone: (703) 821-1858
Fax: (703) 821-9859

Scope of Registration: FTAM/ACSE/Presentation/(Session),
X.400-1984 MHS: P2/P1/RTS/(Session),
TP0, TP2, TP4, CLNP, X.25: PLP/HDLC
LAP-B

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-JUL-94

Laboratory Code: 0365

Laboratory Name: Hewlett-Packard Company, OSI Conformance Test Center
19420 Homestead Road
Cupertino, CA 95014-9810

Contact and Phone: Murali Subbarao Telephone: (408) 447-2822
Fax: (408) 447-3660

Scope of Registration: FTAM/ACSE/Presentation(Session),
X.400-1984 MHS: P2/P1/RTS(Session),
Session, TP4, TP2, TP0, CLNP

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-JUL-94

Laboratory Code: 0367

Laboratory Name: UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Contact and Phone: Andrew Kalish Telephone: (215) 993-7044
Fax: (215) 993-7425

Scope of Registration: FTAM/ACSE/Presentation/(Session),
X.400-1984 MHS: P2/P1/RTS(Session),
TP4, TP2, TP0, CLNP, X.25:PLP/HDLC
LAP-B

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-JUL-94

Laboratory Code: 0370

Laboratory Name: Conformance Expert Center for OSI Bull - CECOB
Rue Jean Jaures, B.P. 68
78430 Les Clayes/Bois
France

Contact and Phone: Gerard Vanderschooten Telephone: +33 1 30 80 68 11
Fax: +33 1 3080 7879

Scope of Registration: Session, TP4, TP0, TP2, CLNP,
8802.2, 8802.3, X.25:PLP/HDLC LAP-B

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-OCT-94

Laboratory Code: 0371

Laboratory Name: Alcatel TITN Incorporated Conformance, Accreditation and Test Center
7011 Koll Center Parkway, #Suite 200
Pleasanton, CA 94566-3101

Contact and Phone: Sanjay P Lokare Telephone: (510) 484-5764
Fax: (510) 484-4078

Scope of Registration: FTAM/ACSE/Presentation/(Session),
X.400-1984 MHS: P2/P1/RTS/(Session),
Session, TP4, TP2, TP0, CLNP

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-OCT-94

Laboratory Code: 0385

Laboratory Name: Dept of Defense, Joint Interoperability Test Center
ATTN: TCDBA, Building 57305
Ft. Huachuca, AZ 85613-7020

Contact and Phone: Kenneth Thomas Telephone: (602) 538-5170
Fax: (602) 538-4375

Scope of Registration: FTAM/ACSE/Presentation/(Session)
X.400-1984 MHS: P1/P2/RTS/(Session),
Session, TP4, TP2, TP0, CLNP,
8802.2/8802.3, X.25:PLP/HDLC LAP-B

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-APR-94

GOSIP REGISTERS, *Continued*

Laboratory Code: 0391

Laboratory Name: Data General Corporation, OSI Conformance Test Center
4400 Computer Drive, MS/D216
Westborough, MA 01580

Contact and Phone: Charles Stakus Telephone: (508) 870-6392
Fax: (508) 898-4694

Scope of Registration: FTAM/ACSE/Presentation/(Session),
X.400-1984 MHS: P2/P1/RTS/(Session),
Session, TP4, TP2, TPO, CLNP

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-OCT-93 (Did not renew)

Laboratory Code: 0392

Laboratory Name: IBM Rome Networking Systems Laboratory
Via Paolo DiDono, 44
00144 Rome Italy

Contact and Phone: Alberto Sinibaldi Telephone: 39 6 5966-2281
Fax: 39 6 5966-2467

Scope of Registration: FTAM/ACSE/Presentation(Session),
X.400-1984 MHS: P2/P1/RTS/(Session),
Session, TP4, TP2, TPO, CLNP

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-JUL-94

Laboratory Code: 0394

Laboratory Name: Telecommunications Laboratories Test Center
P.O. Box 71
Chung-Li, 320
Taiwan

Contact and Phone: Dr. Ching-Sung Lu Telephone: +886 3 424-4377
Fax: +886 3 490-4464

Scope of Registration: X.400-1984 MHS: P2/P1/RTS/(Session),
FTAM/ACSE/Presentation/(Session),
Session,
TP4, TP2, TPO, CLNP

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-OCT-94

Laboratory Code: 0397

Laboratory Name: OSI Conformance Testing Services, ICL
Wenlock Way
West Gorton, Manchester
M12 5DR, United Kingdom

Contact and Phone: R G Medley Telephone: 44 61 223-1301
Fax: 44 61 223-0482

Scope of Registration: FTAM/ACSE/Presentation(Session),
X.400-1984 MHS: P2/P1/RTS/(Session),
Session, TP4, TP2, TPO, CLNP

Lab Type: Conformance Testing

Registration Type: FULL

Registered Until: 01-APR-94

5.4.2 REGISTER OF APPROVED US GOSIP MOT VALIDATION LABORATORIES

NVLAP Laboratory Code: 0385

Laboratory Name: Department of Defense
Joint Interoperability Test Center
Building 57305
Fort Huachuca, AZ 85613-7020
Contact: Kenneth Thomas Tel (602) 538-5170

MOT Validation Scope of Registration:

FTAM/ACSE/Presentation(Session), Session, MHS 84,
MHS 88, TP4, TPO, TP2, CLNP, ES-IS 8802-2/8802-3,
X.25 PLP/HDLC, LAB B, ISDN (Layer 2 and 3), X.500,
CMIP, IS-IS

Type of Laboratory: MOT Qualification

Type of Registration (Full or Provisional): Full

Registered Until: 01-MAR-94

RNE Accreditation Number: 77.90/01

Laboratory Name: ACERLI
Domaine Technologique de Saclay
Batiment AZUR
4, rue Rene Fazel, SACLAY
91982 ORSAY CEDEX
France

Contact: J-P Baconnet Tel +33 1 60 19 13 10
Fax +33 1 60 19 11 46

MOT Validation Scope of Registration:

FTAM, MMS, and 8804-4

Type of Laboratory: MOT Qualification

Type of Registration (Full or Provisional): Full

Registered Until: 01-MAR-94

GOSIP REGISTERS, *Continued*

Product Code/Type: P-001 WAN	Product ID: 93	Product Code/Type: P-001 WAN	Product ID: 92
Supplier: Bull Information Systems Incorporated 13430 North Black Canyon Highway Phoenix, AZ 85029 Contact: Bill George Tel: (602) 862-6008 Fax: (602) 862-6105		Supplier: Bull Information Systems Incorporated 13430 North Black Canyon Highway Phoenix, AZ 85029 Contact: Bill George Tel: (602) 862-6008 Fax: (602) 862-6105	
GOSIP Product Name: DATANET DCP 7500 Version/Release: DNS Ver 4 U1 Release Date: 01-JAN-92 Additional Info:		GOSIP Product Name: DPX/2 B.O.S. (Stack B) Version/Release: Ver B.O.S. 2 Release Date: 01-OCT-92 Additional Info:	
Registration: Date: 13-NOV-92 Basis: BASE Type: PROV, Gmdfthrd, V1->V2		Registration: Date: 13-NOV-92 Basis: BASE Type: PROV, Grndfthrd, V1->V2	
Hardware and Operating System Platforms: DCP 7500 O/S DNS Ver 4 Update 1 Connectivity: RS-232C		Hardware and Operating System Platforms: DPX/2 200 with ECP Board, O/S B.O.S. 2 Connectivity: RS-232C	
Underlying Stack: None		Underlying Stack: None	
Protocols and Profiles: X.25 PLP/(X.25 LAP-B) X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}		Protocols and Profiles: X.25 PLP/(X.25 LAP-B) X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}	
ATS Used: ATS:1-1 and ATS:1-2		ATS Used: ATS:1-1 and ATS:1-2	
Conformance Lab: NVLAP# 0370 Conformance Expert Center for OSI Bull - CECOB		Conformance Lab: NVLAP# 0370 Conformance Expert Center for OSI Bull - CECOB	
Product Code/Type: P-001 WAN	Product ID: 91	Product Code/Type: P-001 WAN	Product ID: 176
Supplier: Bull Information Systems Incorporated 13430 North Black Canyon Highway Phoenix, AZ 85029 Contact: Bill George Tel: (602) 862-6008 Fax: (602) 862-6105		Supplier: Cisco Systems 1525 O'Brien Drive, P.O. Box 3075 Menlo Park, CA 94026-1435 Contact: William Miskovetz Tel: (415) 688-4682 Fax: (415) 688-4575	
GOSIP Product Name: DPX/2 B.O.S. (Stack B) Version/Release: Ver B.O.S. 2 Release Date: 01-OCT-92 Additional Info:		GOSIP Product Name: AGS+ /3 X.25 Version 2.0 Version/Release: Version 2.0 Release Date: 13-JUL-93 Additional Info:	
Registration: Date: 13-NOV-92 Basis: BASE Type: PROV, Gmdfthrd, V1->V2		Registration: Date: 02-AUG-93 Basis: BASE Type: FULL, GOSIP Version 2	
Hardware and Operating System Platforms: DPX/2 200 with MTB board, O/S B.O.S. 2 Connectivity: RS-232C		Hardware and Operating System Platforms: HW: AGS+ /3 OS: gs3-k 9.1(30) Connectivity: V.35	
Underlying Stack: None		Underlying Stack: None	
Protocols and Profiles: X.25 PLP/(X.25 LAP-B) X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}		Protocols and Profiles: X.25 PLP/(X.25 LAP-B) X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}	
ATS Used: ATS:1-1 and ATS:1-2		ATS Used: ATS:2-2 AND ATS:2-1	
Conformance Lab: NVLAP# 0370 Conformance Expert Center for OSI Bull - CECOB		Conformance Lab: NVLAP# 0364 CDA, Incorporated Open Systems Development Group	

GOSIP REGISTERS, *Continued*

Product Code/Type: P-001 WAN **Product ID: 177**

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: William Miskovetz Tel: (415) 688-4682
Fax: (415) 688-4575

GOSIP Product Name: AGS+/4 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 02-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware and Operating System Platforms:
HW: AGS+/4
OS: gs3-k 9.1(30)

Connectivity: V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN **Product ID: 178**

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: William Miskovetz Tel: (415) 688-4682
Fax: (415) 688-4575

GOSIP Product Name: CGS/24X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 02-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware and Operating System Platforms:
HW: CGS/3
OS: gs3-k 9.1(30)

Connectivity: V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN **Product ID: 179**

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: William Miskovetz Tel: (415) 688-4682
Fax: (415) 688-4575

GOSIP Product Name: CGS/4 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 02-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware and Operating System Platforms:
HW: CGS/4
OS: gs3-k 9.1(30)

Connectivity: V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN **Product ID: 180**

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: William Miskovetz Tel: (415) 688-4682
Fax: (415) 688-4575

GOSIP Product Name: CGS/4 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 02-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware and Operating System Platforms:
HW: IGS/R
OS: lgs-kr 9.1(30)

Connectivity: V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

GOSIP REGISTERS, *Continued*

Product Code/Type: P-001 WAN Product ID: 181

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: William Miskovetz Tel: (415) 688-4682
Fax: (415) 688-4575

GOSIP Product Name: MGS/3 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 02-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware and Operating System Platforms:
HW: MGS/3
OS: gs3-k 9.1(30)

Connectivity: RS-232

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN Product ID: 182

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: William Miskovetz Tel: (415) 688-4682
Fax: (415) 688-4575

GOSIP Product Name: MGS/4 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 02-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware and Operating System Platforms:
HW: MGS/4
OS: gs3-k 9.1(30)

Connectivity: RS-232

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN Product ID: 31

Supplier: Control Data Corporation
4201 North Lexington Avenue
Arden Hills, MN 55126-6198

Contact: Ronald D Swan Tel: (612) 482-6527
Fax: (612) 465-4996

GOSIP Product Name: CDCNET
Version/Release: Ver 1.6.1 L780A
Release Date: 01-MAR-92
Additional Info:

Registration:
Date: 30-JAN-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
CDCNET Device Interface

Connectivity: RS-232C, X.21

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0354
Control Data Corporation, OSI Accredited Test Center

Product Code/Type: P-001 WAN Product ID: 40

Supplier: Data General Corporation
4400 Computer Drive, MS/D216
Westborough, MA 01580

Contact: Charles Stakus Tel: (508) 870-6392
Fax: (508) 898-4694

GOSIP Product Name: X.25 for AViON Systems
Version/Release: Rel 2.20
Release Date: 01-FEB-92
Additional Info:

Registration:
Date: 18-FEB-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
AViON 5000/6000 Series
DG/UX System for AViON Systems Rev. 5.4.1

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center

GOSIP REGISTERS, Continued

Product Code/Type: P-001 WAN

Product ID: 204

Supplier: Data General Corporation
4400 Computer Drive
Westboro, MA 01580

Contact: Peter Conway Tel: (508) 898-5000
Fax: (508) 898-4212

GOSIP Product Name: X.25 for AViiON Systems
Version/Release: Version 2.40
Release Date: 01-OCT-93
Additional Info: Vendor claims support of 1988 X.25.

Registration:

Date: 29-NOV-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware and Operating System Platforms:

HW: AViiON AV500, AV4000, AV5000, AV6000,
AV7000, AV8000, AV8500, AV9000
OS: DG/UX System for AViiON Computers, Revision 5.4R2.10

Connectivity: RS-232

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS 2-2 and ATS 2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN

Product ID: 161

Supplier: Digital Equipment Corp
550 King Street
Littleton, MA 01460-1289

Contact: Richard A Duhamel Tel: (508) 486-5021
Fax: (508) 486-7417

GOSIP Product Name: DEC Wide Area Device Drivers for ULTRIX
(Data Link Layer)

Version/Release: Ver 2.0
Release Date: 01-MAR-92
Additional Info: None

Registration:

Date: 19-MAR-93 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

MicroVAX/VAXstation 3000 Series
DEC ULTRIX Ver 4.2

Connectivity: X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 LAP-B [ISO 7776:1986] {CCITT
1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance Interoperability
Test Center

Product Code/Type: P-001 WAN

Product ID: 140

Supplier: Digital Equipment Corp
550 King Street
Littleton, MA 01460-1289

Contact: Richard A Duhamel Tel: (508) 486-5021
Fax: (508) 486-7417

GOSIP Product Name: DEC X.25 for ULTRIX
Version/Release: Ver 1.0
Release Date: 01-MAR-93
Additional Info: None

Registration:

Date: 19-MAR-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platform

MicroVAX/VAXstation 3000 Series
DEC ULTRIX Ver 4.2

Connectivity: X.25 LAP-B/X.21bis

Underlying Stack: DEC Wide Area Device Drivers for ULTRIX Ver
2.0 01-MAR-92

Protocols and Profiles: X.25 PLP [ISO 8208:1990] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance Interoperability
Test Center

Product Code/Type: P-001 WAN

Product ID: 100

Supplier: Digital Equipment Corp
550 King Street
Littleton, MA 01460-1289

Contact: Richard A Duhamel Tel: (508) 486-5021
Fax: (508) 486-7417

GOSIP Product Name: VAX Packetnet System Interface for
DECnet-VAX (TM)

Version/Release: Ver 5.4 Extensions
Release Date: 01-SEP-91
Additional Info: None

Registration:

Date: 26-JAN-93 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

MicroVAX 3800 with DSV11-SA Card
VMS Ver 5.4

Connectivity: X.25 LAP-B/X.21bis

Underlying Stack: VAX Wide Area Network Device Drivers for
DECnet-VAX(TM) Ver 5.4 Extensions

Protocols and Profiles: X.25 PLP [ISO 8208:1990] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance Interoperability
Test Center

GOSIP REGISTERS, *Continued*

Product Code/Type: P-001 WAN Product ID: 16

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195

Contact: John P Streck Tel: (919) 254-4360
Fax: (919) 254-5410

GOSIP Product Name: IBM AS/400 X.25 Communication Support Program

Version/Release: Ver 2 Rel 1
Release Date: 24-MAY-91

Additional Info:

Registration:

Date: 25-SEP-91 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:

Processor IBM 9406
OS/400 Ver 2 Rel 1

Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN Product ID: 15

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195

Contact: John P Streck Tel: (919) 254-4360
Fax: (919) 254-5410

GOSIP Product Name: IBM AS/400 X.25 Communication Support Program

Version/Release: Ver 2 Rel 1
Release Date: 24-MAY-91

Additional Info:

Registration:

Date: 25-SEP-91 Basis: DERIVED
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

Processor IBM 9402, 9404
OS/400 Ver 2 Rel 1

Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN Product ID: 5

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195

Contact: John P Streck Tel: (919) 254-4360
Fax: (919) 254-5410

GOSIP Product Name: IBM X.25 NCP Packet Switching Interface

Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91

Additional Info:

Registration:

Date: 10-JUL-91 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

Communications Controllers IBM 3745
MVS/XA Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Ver 3

Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN Product ID: 2

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195

Contact: John P Streck Tel: (919) 254-4360
Fax: (919) 254-5410

GOSIP Product Name: IBM X.25 NCP Packet Switching Interface

Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91

Additional Info:

Registration:

Date: 10-JUL-91 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:

Communications Controllers IBM 3745
MVS/SP Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Ver 3

Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center

GOSIP REGISTERS, *Continued*

Product Code/Type: P-001 WAN Product ID: 9

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195
Contact: John P Streck Tel: (919) 254-4360
Fax: (919) 254-5410

GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91
Additional Info:

Registration:
Date: 10-JUL-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
Communications Controllers IBM 3745
MVS/ESA Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Version 3
Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN Product ID: 7

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195

Contact: John P Streck Tel: (919) 254-4360
Fax: (919) 254-5410

GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91
Additional Info:

Registration:
Date: 10-JUL-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
Communications Controllers IBM 3745
VM/SP Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Version 3
Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN Product ID: 6

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195

Contact: John P Streck Tel: (919) 254-4360
Fax: (919) 254-5410

GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91
Additional Info:

Registration:
Date: 10-JUL-91 Basis: DERIVED
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
Communications Controllers IBM 3745
VM/XA Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Version 3
Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN Product ID: 12

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195

Contact: John P Streck Tel: (919) 254-4360
Fax: (919) 254-5410

GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91
Additional Info:

Registration:
Date: 10-JUL-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
Communications Controllers IBM 3720
VM/XA Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Version 3
Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center

GOSIP REGISTERS, *Continued*

Product Code/Type: P-001 WAN **Product ID: 14**

Supplier: IBM Corporation
 P.O. Box 12195
 Research Triangle Park, NC 27709-2195
 Contact: John P Streck Tel: (919) 254-4360
 Fax: (919) 254-5410

GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
 Version/Release: Ver 3 Rel 4
 Release Date: 28-JUN-91
 Additional Info:

Registration:
 Date: 10-JUL-91 Basis: DERIVED
 Type: PROV, Gmddfthrd, V1->V2

Hardware and Operating System Platforms:
 Communications Controllers IBM 3720
 VM/SP Network Control Program (NCP) V5R4
 System Support Program (SSP) V3R6
 Virtual Telecommunications Access Method (VTAM) Version 3
 Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
 X.25 PLP [ISO 8208:1990] {CCITT 1984}
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
 IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN **Product ID: 11**

Supplier: IBM Corporation
 P.O. Box 12195
 Research Triangle Park, NC 27709-2195

Contact: John P Streck Tel: (919) 254-4360
 Fax: (919) 254-5410

GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
 Version/Release: Ver 3 Rel 4
 Release Date: 28-JUN-91
 Additional Info: None

Registration:
 Date: 10-JUL-91 Basis: DERIVED
 Type: PROV, Gmddfthrd, V1->V2

Hardware and Operating System Platforms:
 Communications Controllers IBM 3720
 MVS/XA Network Control Program (NCP) V5R4
 System Support Program (SSP) V3R6
 Virtual Telecommunications Access Method (VTAM) Version 3
 Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
 X.25 PLP [ISO 8208:1990] {CCITT 1984}
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
 IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN **Product ID: 8**

Supplier: IBM Corporation
 P.O. Box 12195
 Research Triangle Park, NC 27709-2195
 Contact: John P Streck Tel: (919) 254-4360
 Fax: (919) 254-5410

GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
 Version/Release: Ver 3 Rel 4
 Release Date: 28-JUN-91
 Additional Info: None

Registration:
 Date: 10-JUL-91 Basis: DERIVED
 Type: PROV, Gmddfthrd, V1->V2

Hardware and Operating System Platforms:
 Communications Controllers IBM 3720
 MVS/ESA Network Control Program (NCP) V5R4
 System Support Program (SSP) V3R6
 Virtual Telecommunications Access Method (VTAM) Version 3
 Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
 X.25 PLP [ISO 8208:1990] {CCITT 1984}
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
 IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN **Product ID: 10**

Supplier: IBM Corporation
 P.O. Box 12195
 Research Triangle Park, NC 27709-2195
 Contact: John P Streck Tel: (919) 254-4360
 Fax: (919) 254-5410

GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
 Version/Release: Ver 3 Rel 4
 Release Date: 28-JUN-91
 Additional Info: None

Registration:
 Date: 10-JUL-91 Basis: DERIVED
 Type: PROV, Gmddfthrd, V1->V2

Hardware and Operating System Platforms:
 Communications Controllers IBM 3720
 VM/XA Network Control Program (NCP) V5R4
 System Support Program (SSP) V3R6
 Virtual Telecommunications Access Method (VTAM) Version 3
 Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
 X.25 PLP [ISO 8208:1990] {CCITT 1984}
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
 IBM Corporation - Networking Systems Protocol Center

GOSIP REGISTERS, *Continued*

Product Code/Type: P-001 WAN **Product ID: 39**

Supplier: International Business Machines Corporation
11400 Burnet Road
Austin, TX 78758-3493
Contact: John P Streck Tel: (919) 254-4360
 Fax: (919) 254-5410

GOSIP Product Name: IBM AIX for RISC System/6000, X.25 WAN
Support, IBM 7011, All Models
Version/Release: Ver 3.2
Release Date: 28-FEB-92
Additional Info:
Registration:
Date: 25-MAR-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
RISC System/6000 Products
Operating System IBM AIX Version 3.2 For RISC
System/6000
Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN **Product ID: 42**

Supplier: International Business Machines Corporation
11400 Burnet Road
Austin, TX 78758-3493

Contact: John P Streck Tel: (919) 254-4360
 Fax: (919) 254-5410

GOSIP Product Name: IBM AIX for RISC System/6000, X.25 WAN
Support, for IBM 7013, All Models
Version/Release: Ver 3.2
Release Date: 28-FEB-92
Additional Info:

Registration:
Date: 25-MAR-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
RISC System/6000 Products
Operating System IBM AIX Version 3.2 For RISC
System/6000
Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN **Product ID: 102**

Supplier: International Business Machines Corporation
3605 Highway 52 North
Rochester, MN 55901-7829
Contact: John P Streck Tel: (919) 254-4360
 Fax: (919) 254-5410

GOSIP Product Name: IBM AS/400 X.25
Version/Release: Ver 2 Rel 2
Release Date: 25-SEP-92
Additional Info:
Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
AS/400 Model IBM 9404
OS/400 Ver 2 Rel 2
Connectivity: RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN **Product ID: 103**

Supplier: International Business Machines Corporation
3605 Highway 52 North
Rochester, MN 55901-7829

Contact: John P Streck Tel: (919) 254-4360
 Fax: (919) 254-5410

GOSIP Product Name: IBM AS/400 X.25 Communication Support
Version/Release: Ver 2 Rel 2
Release Date: 26-JUN-92
Additional Info:

Registration:
Date: 13-NOV-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
AS/400 Model IBM 9402, 9406
OS/400 Ver 2 Rel 2

Connectivity: RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center

GOSIP REGISTERS, Continued

Product Code/Type: P-001 WAN **Product ID: 125**

Supplier: International Business Machines Corporation
3605 Highway 52 North
Rochester, MN 55901-7829

Contact: John P Streck Tel: (919) 254-4360
 Fax: (919) 254-5410

GOSIP Product Name: IBM AS/400 X.25 Communications Support

Version/Release: Ver 2, Rel 1.1

Release Date: 26-JUN-92

Additional Info:

Registration:

Date: 13-NOV-92 Basis: DERIVED

Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

IBM AS/400 Models 9402, 9404, 9406

OS/400 Ver 2 Rel 1.1

Connectivity: RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361

IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN **Product ID: 104**

Supplier: International Business Machines Corporation
3605 Highway 52 North
Rochester, MN 55901-7829

Contact: John P Streck Tel: (919) 254-4360
 Fax: (919) 254-5410

GOSIP Product Name: X.25 Network Control Program Packet
Switching Interface

Version/Release: Ver 3 Rel 5

Release Date: 25-SEP-92

Additional Info:

Registration:

Date: 13-NOV-92 Basis: BASE

Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

IBM 3745 Communication Controller

Network Control Program Ver 6

Connectivity: RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361

IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN **Product ID: 162**

Supplier: International Business Machines Corporation
P.O. Box 12195
Research Triangle Park, NC 27709

Contact: Miriam Green Tel: (919) 254-6323
 Fax:

GOSIP Product Name: X.25 Network Control Program Packet
Switching Interface

Version/Release: Version 3 Release 6

Release Date: 30-APR-93

Additional Info:

Registration:

Date: 28-MAY-93 Basis: BASE

Type: FULL, GOSIP VER 2

Hardware and Operating System Platforms:

IBM 3745

Network Control Program Ver 6 Rel 2

Connectivity: V.24 or RS-232C (X.21bis), V.35 X.21

switched and non-switched

ISDN via X.21 (IBM 7820 Terminal Adaptor)

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)

X.25 PLP [ISO 8208:1990] {ISO 8208}

X.25 LAP-B [ISO 7776:1986] {ISO 7776}

ATS Used: ATS:2-1 and ATS:2-2

Conformance Lab: NVLAP# 0361

IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN **Product ID: 22**

Supplier: MEMOREX TELEX Corporation - Federal Systems
205 Van Buren Steet, Suite #180
Hemdon, VA 22070

Contact: Kevin Good Tel: (703) 318-5600
 Fax: (703) 318-7575

GOSIP Product Name: 1174-10R

Version/Release: Ver B1.3

Release Date: 17-OCT-91

Additional Info:

Registration:

Date: 30-OCT-91 Basis: DERIVED

Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

1174-10R Ver B1.3

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364

CDA, Incorporated Open Systems Development Group

GOSIP REGISTERS, *Continued*

Product Code/Type: P-001 WAN **Product ID: 20**

Supplier: MEMOREX TELEX Corporation - Federal Systems
205 Van Buren Steet, Suite #180
Herndon, VA 22070
Contact: Kevin Good **Tel:** (703) 318-5600
Fax: (703) 318-7575

GOSIP Product Name: 1174-60R
Version/Release: Ver B1.3
Release Date: 17-OCT-91
Additional Info:

Registration:
Date: 30-OCT-91 **Basis:** BASE
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
1174-60R Ver B1.3

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN **Product ID: 21**

Supplier: MEMOREX TELEX Corporation - Federal Systems
205 Van Buren Steet, Suite #180
Herndon, VA 22070
Contact: Kevin Good **Tel:** (703) 318-5600
Fax: (703) 318-7575

GOSIP Product Name: 1174-90R
Version/Release: Ver B1.3
Release Date: 17-OCT-91
Additional Info:

Registration:
Date: 30-OCT-91 **Basis:** DERIVED
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
1174-90R Ver B1.3

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN **Product ID: 29**

Supplier: McData Corporation
310 Interlocken Parkway
Broomfield, CO 80021-3464
Contact: Steve Cartwright **Tel:** (303) 460-9200
Fax:

GOSIP Product Name: LinkMaster 7100 Model 10
Version/Release: Rel 3.0
Release Date: 11-NOV-91
Additional Info:

Registration:
Date: 29-JAN-92 **Basis:** DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
LinkMaster 7100 Model 10

Connectivity: RS-232C, V.35, X.21

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN **Product ID: 27**

Supplier: McData Corporation
310 Interlocken Parkway
Broomfield, CO 80021-3464

Contact: Steve Cartwright **Tel:** (303) 460-9200
Fax:

GOSIP Product Name: LinkMaster 7100 Model 20R
Version/Release: Rel 3.0
Release Date: 11-NOV-91
Additional Info:

Registration:
Date: 17-DEC-91 **Basis:** BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
LinkMaster 7100 Model 20R

Connectivity: RS-232C, V.35, X.21

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

GOSIP REGISTERS, *Continued*

Product Code/Type: P-001 WAN Product ID: 30

Supplier: McData Corporation
310 Interlocken Parkway
Broomfield, CO 80021-3464

Contact: Steve Cartwright Tel: (303) 460-9200
Fax:

GOSIP Product Name: LinkMaster 7100 Model 60
Version/Release: Rel 3.0
Release Date: 11-NOV-91
Additional Info:

Registration:
Date: 29-JAN-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
LinkMaster 7100 Model 60

Connectivity: RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN Product ID: 28

Supplier: McData Corporation
310 Interlocken Parkway
Broomfield, CO 80021-3464

Contact: Steve Cartwright Tel: (303) 460-9200
Fax:

GOSIP Product Name: LinkMaster 7100 Model 90
Version/Release: Rel 3.0
Release Date: 11-NOV-91
Additional Info:

Registration:
Date: 29-JAN-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
LinkMaster 7100 Model 90

Connectivity: RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN Product ID: 189

Supplier: NCR
9900 Old Grove Road
San Diego, CA 92131
Contact: Wendy Morrison Tel: (619) 693-5665
Fax: (619) 693-5705

GOSIP Product Name: NCR MUOE HDLC
Version/Release: Release 1.04
Release Date: 01-AUG-92
Additional Info: Requires NCR System 3000, X.25 Network Services
product for full X.25 capability.

Registration:
Date: 09-SEP-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
HW: NCR System 3000 consisting of the following hardware
models: 3320, 3340, 3345, 3447, 3450, 3550, and 3600
OS: NCR UNIX SVR4, (MP-RAS), Rel 2
Connectivity: RS-232

Underlying Stack: None

Protocols and Profiles: X.25 LAP-B [ISO 7776:1986] {ISO 7776}

ATS Used: ATS:1-1

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center

Product Code/Type: P-001 WAN Product ID: 62

Supplier: NCR
9900 Old Grove Road
San Diego, CA 92131

Contact: Wendy Morrison Tel: (619) 693-5665
Fax: (619) 693-5705

GOSIP Product Name: NCR System 3000, X.25 Network Services
Version/Release: Release 1.04
Release Date: 01-AUG-92
Additional Info: Packet Layer Protocol Only.

Registration:
Date: 09-SEP-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
HW: NCR System 3000 consisting of the following
hardware models: 3320, 3340, 3345, 3447,
3450, 3550, and 3600 OS: NCR UNIX SVR4, (MP-RAS), Rel 2

Connectivity: X.25 LAP-B/RS-232

Underlying Stack: NCR MUOE HDLC, Release 1.04

Protocols and Profiles: X.25 PLP [ISO 8208:1990] {ISO 8208}

ATS Used: ATS:1-2

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center

GOSIP REGISTERS, *Continued*

Product Code/Type: P-001 WAN **Product ID:** 64

Supplier: NETRIX Corporation
13595 Dulles Technology Drive
Herndon, VA 22071

Contact: Ted Ritter **Tel:** (703) 742-6000
Fax: (703) 742-4048

GOSIP Product Name: NETRIX #1-ISS GOSIP X.25, GOSIP X.25
INTERFACE MODULE
Version/Release: Ver 1.0 Rel 1
Release Date: 01-SEP-92
Additional Info:

Registration:
Date: 06-OCT-92 **Basis:** BASE
Type: PROV, Gmrdthrd, V1->V2

Hardware and Operating System Platforms:
Netrix #1-ISS Series 1.0, Netrix Operating System Rel 2.7

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN **Product ID:** 143

Supplier: NETRIX Corporation
13595 Dulles Technology Drive
Herndon, VA 22071

Contact: Ted Ritter **Tel:** (703) 742-6000
Fax: (703) 742-4048

GOSIP Product Name: NETRIX #1-ISS GOSIP X.25, GOSIP X.25
INTERFACE MODULE
Version/Release: Ver 1.0 Rel 1
Release Date: 01-SEP-92
Additional Info:

Registration:
Date: 31-MAR-93 **Basis:** DERIVED
Type: PROV, Gmrdthrd, V1->V2

Hardware and Operating System Platforms:
Netrix #1-ISS Series 1000
Netrix OS Rel 1.1

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN **Product ID:** 165

Supplier: NETRIX Corporation
13595 Dulles Technology Drive
Herndon, VA 22071

Contact: Ted Ritter **Tel:** (703) 742-6000
Fax: (703) 742-4048

GOSIP Product Name: Netrix BRX GOSIP X.25 Interface Module 1.0
Version/Release: Version 1.0
Release Date: 01-JUN-93
Additional Info:

Registration:
Date: 24-JUN-93 **Basis:** BASE
Type: FULL, GOSIP Version 2

Hardware and Operating System Platforms:
H/W BRX Branch Router/Concentrator
O/S BRX O/S Rel 3.3

Connectivity: V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-2 and ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN **Product ID:** 164

Supplier: NETRIX Corporation
13595 Dulles Technology Drive
Herndon, VA 22071

Contact: Ted Ritter **Tel:** (703) 742-6000
Fax: (703) 742-4048

GOSIP Product Name: Netrix S100 GOSIP X.25 Interface Module 1.0
Version/Release: Version 1.0
Release Date: 01-JUN-93
Additional Info:

Registration:
Date: 24-JUN-93 **Basis:** BASE
Type: FULL, GOSIP Version 2

Hardware and Operating System Platforms:
HW: Netrix Series 100
OS: S100 O/S Rel 2.1

Connectivity: RS-232

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-2 and ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

GOSIP REGISTERS, *Continued*

Product Code/Type: P-001 WAN

Product ID: 168

Supplier: Northern Telecom ATTN: NORTEL Federal Systems
2010 Corporate Ridge, Suite 800
McLean, VA 22102

Contact: Torre Albritton Tel: (703) 712-8764
Fax: (703) 712-8982

GOSIP Product Name: Magellan DPN-100
Version/Release: G30S002
Release Date: 01-JAN-93
Additional Info:

Registration:
Date: 08-JUL-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware and Operating System Platforms:
HW: Magellan DPN-100
OS: Magellan DPN-100 G30
Connectivity: RS-232

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {ISO 8208}
X.25 LAP-B [ISO 7776:1986] {ISO 7776}

ATS Used: ATS:2-2 and ATS:2-1

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center

Product Code/Type: P-001 WAN

Product ID: 152

Supplier: SUN Microsystems, Inc. International Centre for Network
Computing
32 Rue du Vieux Chene
F-38240 Meylan, France

Contact: Tom Hull Tel: +33 76 41 42 18
Fax: +33 76 41 42 41

GOSIP Product Name: SUNLink X.25 8.0 Rev B
Version/Release: 8.0 Rev B
Release Date: 01-JUN-93
Additional Info:

Registration:
Date: 06-MAY-93 Basis: BASE
Type: FULL, GOSIP VER 2

Hardware and Operating System Platforms:
HW: SPARCstation 10 Model 41 OS: Solaris 2.1
Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-1 and ATS:2-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN

Product ID: 65

Supplier: SUN Microsystems, Inc. International Centre for Network
Computing
32 Rue du Vieux Chene
F-38240 Meylan, France

Contact: Tom Hull Tel: +33 76 41 42 18
Fax: +33 76 41 42 41

GOSIP Product Name: SUNNet X.25
Version/Release: Ver 7.0.1 Rel 1
Release Date: 01-OCT-92
Additional Info:

Registration:
Date: 07-OCT-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
SUN 4/75
SUNNet O/S 4.1.2 (Solaris 1.0.1)
Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN

Product ID: 151

Supplier: Sync Research, Incorporated
7 Studebaker
Irvine, CA 92718

Contact: Sal Mungo Tel: (714) 588-2070
Fax: (714) 588-2080

GOSIP Product Name: Network Access Concentrator (NAC) 4000
Version/Release: Ver 8.150
Release Date: 31-MAY-93
Additional Info:

Registration:
Date: 29-APR-93 Basis: BASE
Type: FULL, GOSIP VER 2

Hardware and Operating System Platforms:
Network Access Concentrator (NAC) 4000 Proprietary

Connectivity: V.24, RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-1 and ATS:2-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center

GOSIP REGISTERS, *Continued*

Product Code/Type: P-001 WAN **Product ID: 153**

Supplier: Sync Research, Incorporated
7 Studebaker
Irvine, CA 92718

Contact: Sal Mungo Tel: (714) 588-2070
Fax: (714) 588-2080

GOSIP Product Name: SNA Network Access Converter (SNAC) 6000
Version/Release: Ver 10.010
Release Date: 30-SEP-93
Additional Info:

Registration:
Date: 06-MAY-93 Basis: DERIVED
Type: FULL, GOSIP VER 2

Hardware and Operating System Platforms:
Network Access Concentrator (NAC) 4000 SNAC 6000 Proprietary
Connectivity: V.24, RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-1 and ATS:2-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center

Product Code/Type: P-001 WAN **Product ID: 185**

Supplier: Telematics International
1201 Cypress Creek Road
Fort Lauderdale, FL 33309

Contact: Terry Rihel Tel: (818) 880-4900
Fax: (818) 880-4726

GOSIP Product Name: ACP50 X25 Version 10.04
Version/Release: Version 10.04
Release Date: 30-JUL-93
Additional Info:

Registration:
Date: 05-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware and Operating System Platforms:
HW: ACP50
OS: N/A

Connectivity: RS-232

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-1 and ATS:2-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-001 WAN **Product ID: 131**

Supplier: UNISYS Corporation
8008 West Park Drive
McLean, VA 22102

Contact: Dale Pluta Tel: (703) 556-5682
Fax: (703) 556-5172

GOSIP Product Name: CP2000 X.25 Protocol
Version/Release: Ver 30.00.192
Release Date: 30-SEP-92
Additional Info:

Registration:
Date: 01-FEB-93 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
CP2000 with LMH Card, O/S CP2000 Operating Software Ver 3.0

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-001 WAN **Product ID: 69**

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102

Contact: Keith Fretz Tel: (703) 556-5665
Fax: (703) 556-5172

GOSIP Product Name: X.25 PSCS
Version/Release: 51RA & PCR's UP TO 1929 INCLUSIVE
Release Date: 01-OCT-92
Additional Info:

Registration:
Date: 19-OCT-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
DCP-15, DCP/OS 5R2A, TELCON 9R1A

Connectivity: RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory

GOSIP REGISTERS, *Continued*

Product Code/Type: P-002 LAN

Product ID: 79

Supplier: Control Data Corporation
 4201 North Lexington Avenue
 Arden Hills, MN 55126-6198
 Contact: Ronald D Swan Tel: (612) 482-6257
 Fax: (612) 482-3616

GOSIP Product Name: CDCNET Ethernet Serial Channel Interface
 Version/Release: LLC/MAC 1.7.1, PLS 1.6.1
 Release Date: 01-OCT-92
 Additional Info:

Registration:
 Date: 15-OCT-92 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 Device Interface Model #GH120B, Equipment #DY0227-B,
 Product #2608-6 (Stand-alone Machine) O/S None
 Connectivity: 10Base5

Underlying Stack: None

Protocols and Profiles: LLC1{802.2}/MAC & PLS{802.3}
 LLC1 [ISO 8802-2:1989]
 MAC [ISO 8802-3:1989]
 PLS [ISO 8802-3:1989]

ATS Used: ATS:1-3 and ATS:1-6

Conformance Lab: NVLAP# 0363
 Corporation for Open Systems International Test Center

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 167

Supplier: 3Com Corporation
 5400 Bayfront Plaza
 Santa Clara, CA 95052-8145
 Contact: Cyndi Jung Tel: (408) 764-5173
 Fax: (408) 764-5002

GOSIP Product Name: NETBuilder II Extended WAN
 3C6242A-GOSIP
 Version/Release: Version 6.1.5
 Release Date: 04-JUN-93
 Additional Info:

Registration:
 Date: 23-JUN-93 Basis: BASE
 Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:
 NETBuilder II (4 or 8 port chassis) with 2 Ethernet Modules
 SW/NB II-WX, V6.1.5
 Connectivity: Port1: LLC1{802.2}/MAC{802.3}/10Base2
 PORT2: LLC1{802.2}/MAC{802.3}/10Base5

Underlying Stack: NETBuilder II Ethernet Module (Embedded in Product)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS}
 [ISO 9542:1988] {Dynamic Routing
 Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0371
 Alcatel TITN Test Center

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 192

Supplier: Cabletron Systems, Inc.
 35 Industrial Way, P.O. Box 5005
 Rochester, NH 03867-5005
 Contact: Ronald Fotino Tel: (603) 337-1769
 Fax: (603) 337-1697

GOSIP Product Name: CRM-L
 Version/Release: Version 9.1 (3.5)
 Release Date: 01-MAR-93
 Additional Info: The product is a stand-alone system with the O/S
 and I/O functions embedded in the product.

Registration:
 Date: 24-SEP-93 Basis: BASE
 Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:
 (1) HW: CRM-L
 (1) OS: CRM-L Version 9.1 (3.5)
 (2) HW: Cisco IGS Router
 (2) OS: CRM-L Version 9.1 (3.5)
 Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10Base5
 Port 2: LLC1{802.2}/MAC{802.3}/10Base5

Underlying Stack: Embedded in Product

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS}
 [ISO 9542:1988] {Dynamic Routing
 Claimed}

ATS Used: ATS:2-7.1
 Conformance Lab: NVLAP# 0371
 Alcatel TITN Test Center

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 197

Supplier: Cisco Systems
 1525 O'Brien Drive, P.O. Box 3075
 Menlo Park, CA 94026-1435
 Contact: Alex Tweedley Tel: (415) 688-8114
 Fax: (415) 688-4575

GOSIP Product Name: AGS+ /3 X.25 Version 2.0
 Version/Release: Version 2.0
 Release Date: 13-JUL-93
 Additional Info:

Registration:
 Date: 15-OCT-93 Basis: BASE
 Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:
 HW: AGS+ /3
 OS: gs3-k 9.1(30)
 Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
 Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: WAN: AGS+ /3 X.25 Version 2.0 LAN: gs3-k
 9.1(30)(LLC) and Lance AMD(MAC)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS}
 [ISO 9542:1988] {Dynamic Routing
 Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
 CDA, Incorporated Open Systems Development Group

GOSIP REGISTERS, *Continued*

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 196

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: Alex Tweedley Tel: (415) 688-8114
Fax: (415) 688-4575

GOSIP Product Name: AGS+ /4 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 15-OCT-93 Basis: BASE
Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:

HW: AGS+ /4
OS: gs3-k 9.1(30)

Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: WAN: AGS+ /4 X.25 Version 2.0 LAN: gs3-k
9.1(30)(LLC) and Lance AMD(MAC)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS}
[ISO 9542:1988] {Dynamic Routing
Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 127

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: Alex Tweedley Tel: (415) 688-8114
Fax: (415) 688-4575

GOSIP Product Name: CGS/3 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 15-OCT-93 Basis: BASE
Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:

HW: CGS/3
OS: gs3-k 9.1(30)

Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: WAN: CGS/3 X.25 Version 2.0. LAN: gs3-k
9.1(30)(LLC) and Lance AMD(MAC)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS}
[ISO 9542:1988] {Dynamic Routing
Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 198

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: Alex Tweedley Tel: (415) 688-8114
Fax: (415) 688-4575

GOSIP Product Name: CGS/4 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 15-OCT-93 Basis: BASE
Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:

HW: CGS/4
OS: gs3-k 9.1(30)

Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: WAN: CGS/4 X.25 Version 2.0 LAN: gs3-k
9.1(30)(LLC) and Lance AMD(MAC)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS}
[ISO 9542:1988] {Dynamic Routing
Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 199

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: Alex Tweedley Tel: (415) 688-8114
Fax: (415) 688-4575

GOSIP Product Name: IGS/R X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 15-OCT-93 Basis: BASE
Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:

HW: IGS/R
OS: igs-kr 9.1(30)

Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: WAN: IGS/R X.25 Version 2.0 LAN: gs3-k
9.1(30)(LLC) and Lance AMD(MAC)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS}
[ISO 9542:1988] {Dynamic Routing
Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

GOSIP REGISTERS, *Continued*

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 105

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435
Contact: Alex Tweedley Tel: (415) 688-8114
Fax: (415) 688-4575

GOSIP Product Name: MGS/3 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 15-OCT-93 Basis: BASE
Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:
HW: MGS/3
OS: gs3-k 9.1(30)
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/RS-232

Underlying Stack: WAN: MGS/3 X.25 Version 2.0 LAN: gs3-k
9.1(30)(LLC) and Lance AMD(MAC)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS}
[ISO 9542:1988] {Dynamic Routing
Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 190

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435
Contact: Alex Tweedley Tel: (415) 688-8114
Fax: (415) 688-4575

GOSIP Product Name: MGS/4 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info: The MGS/4 runs link and packet X.25 plus CLNP
on the same board/CPU with the OS.

Registration:
Date: 17-SEP-93 Basis: BASE
Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:
HW: MGS/4
OS: gs3-k 9.1(30)
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/RS-232

Underlying Stack: WAN: MGS/4 X.25 Version 2.0 LAN: gs3-k
9.1(30)(LLC) and Lance AMD(MAC)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS}
[ISO 9542:1988] {Dynamic Routing
Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 148

Supplier: Cisco Systems, Incorporated
1525 O'Brien Drive
Menlo Park, CA 94025
Contact: Ms Susan Scheer Tel: (415) 688-8131
Fax: (415) 688-7666

GOSIP Product Name: Cisco Systems Router
Version/Release: Ver 9 Rel 1
Release Date: 01-NOV-92
Additional Info:

Registration:
Date: 20-APR-93 Basis: BASE
Type: PROVISIONAL, GOSIP VER 2

Hardware and Operating System Platforms:
MGS, CGS, AGS+, IGS, cisco3000, cisco4000, cisco7000
Cisco Systems Router (Stand-alone System)
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10Base5
Port 2: LLC1{802.2}/MAC{802.3}/10Base5

Underlying Stack: Embedded in Cisco Router Product Using
CSC-2E2T Interface Hardware

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS}
[ISO 9542:1988] {Dynamic Routing
Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0371
Alcatel TITN Test Center

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 184

Supplier: Digital Equipment Corporation
Imperial Way
Reading, Berks RG20TE United Kingdom
Contact: Ken Chamberlain Tel:
Fax:

GOSIP Product Name: DEC Network Integration Server Software
(DECNIS)

Version/Release: Version 2.1
Release Date: 30-APR-93
Additional Info:

Registration:
Date: 05-AUG-93 Basis: BASE
Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:
HW: DECNIS 500, DECNIS 600
OS: DECNIS V.21 with embedded OS
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10Base5
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: LAN: DEC Network Integration Server S/W,
DNSAE-AA, BNEA4D-02, and H4005. WAN:
DEC Network Integration Server S/W and
DNSAB-AA

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS}
[ISO 9542:1988] {Dynamic Routing
Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance Interoperability
Test Center

GOSIP REGISTERS, *Continued*

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 70

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102
Contact: Keith Fretz Tel: (703) 556-5665
Fax: (703) 556-5172

GOSIP Product Name: DCP OSITS
Version/Release: 2R1A + 192-194,197,199,202,203,205,207
Release Date: 08-APR-92
Additional Info:

Registration:
Date: 16-OCT-92 Basis: BASE
Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
DCP-15 through DCP-55 Front End Processors
DCP/OS Ver 5R2A and TELCON Ver 9R1A
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}
Port 2: X.25 PLP/X.25 LAP-B

Underlying Stack: LAN Platform 2R2A, DCP 802.3 Lan Line
Module, Feature #F5137-00.
WAN: PSCS (Ver 51RA & PCRs), DCP-15.

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] {Static
Routing}

ATS Used: ATS:1-7.1

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 202

Supplier: Wellfleet Communications, Inc.
8 Federal Street
Billerica, MA 01821
Contact: Kathy Huber Tel: (508) 436-3791
Fax: (508) 670-5747

GOSIP Product Name: Access Feeder Node (AFN) S/W Version 5.81
Version/Release: Version 5.81
Release Date: 24-SEP-93
Additional Info: The AFN is a sealed-standalone router with the
CLNP, OS, and underlying stack contained within
the product.

Registration:
Date: 04-NOV-93 Basis: BASE
Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:
H/W: Access Feeder Node (AFN)
O/S: Embedded in Registered Product
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: WAN: Embedded In Product (Access Feeder
Node (AFN) S/W Version 5.81) LAN => S/W:
Embedded In Product; I/O Module: Lance
AMD(MAC)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO
9542:1988] {Dynamic Routing Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 203

Supplier: Wellfleet Communications, Inc.
8 Federal Street
Billerica, MA 01821
Contact: Kathy Huber Tel: (508) 436-3791
Fax: (508) 670-5747

GOSIP Product Name: Link Node (LN) S/W Version 5.81
Version/Release: Version 5.81
Release Date: 24-SEP-93
Additional Info: The LN is a standalone router with the CLNP, OS,
and underlying stack contained within the product.

Registration:
Date: 04-NOV-93 Basis: BASE
Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:
H/W: Link Node (LN) w/ ACE 20 Processor
O/S: Embedded in Registered Product
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: LAN => SW: Embedded in Product; I/O
Module: DSDE (Dual Sync Dual Ethernet)
WAN => Embedded in the Product (Link
Node (LN) S/W Version 5.81)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS}
[ISO 9542:1988] {Dynamic Routing
Claimed}

ATS Used: ATS:2-7.1
Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-003 INTERMEDIATE SYSTEM Product ID: 186

Supplier: Wellfleet Communications, Inc.
8 Federal Street
Billerica, MA 01821
Contact: Dan Mulvey Tel: (703) 739-6710
Fax: (703) 739-1394

GOSIP Product Name: Wellfleet Communications Router
Version/Release: Version 5.81
Release Date: 24-SEP-93
Additional Info:

Registration:
Date: 24-AUG-93 Basis: BASE
Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:
HW: Concentrator Node (CN) w/ACE020 proc; OS: Embedded in
product
HW: Concentrator Node (CN) w/ACE030 proc;
HW: Link Node (LN) w/ ACE020 processor;
HW: Link Node (LN) w/ ACE030 processor;
HW: Feeder Node (FN) w/ ACE020 processor;
HW: Feeder Node (FN) w/ ACE030 processor;
OS: Embedded in product

Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10Base5
Port 2: LLC1{802.2}/MAC{802.3}/10Base5

Underlying Stack: SW: Embedded in Product; I/O Modules: DE
(Dual Port Ethernet), DSDE (Dual Ethernet/Dual Port Sync), and/or
QENET (Quad Port Ethernet)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS}
[ISO 9542:1988] {Dynamic Routing Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0371
Alcatel TITN Test Center

GOSIP REGISTERS, *Continued*

Product Code/Type: P-004 TRANSPORT

Product ID: 98

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029
Contact: Oscar V Hefner Tel: (602) 862-6001
Fax: (602) 862-6051

GOSIP Product Name: DATANET DCP 7500
Version/Release: DNS Ver 4 Update 1
Release Date: 01-JAN-92
Additional Info: None
Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
DCP 7500
O/S DNS Ver 4 Update 1
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: Datanet DCP 7500 ISO 8802-2/3 (LAN)

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:
1989] CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB

Product Code/Type: P-004 TRANSPORT

Product ID: 99

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029
Contact: Oscar V Hefner Tel: (602) 862-6001
Fax: (602) 862-6051

GOSIP Product Name: DATANET DCP 7500
Version/Release: DNS Ver 4 Update 1
Release Date: 01-JAN-92
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: DERIVED
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
DCP 7500
O/S DNS Ver 4 Update 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Datanet DCP 7500 X.25 Packet Layer; Datanet
DCP 7500 X.25 Frame Layer

Protocols and Profiles: Transport Class 4-CONS [ISO 8073:1988]

ATS Used: ATS:1-9

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB

Product Code/Type: P-004 TRANSPORT

Product ID: 169

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029

Contact: Oscar V Hefner Tel: (602) 862-6001
Fax: (602) 862-6051

GOSIP Product Name: DATANET DCP 7500
Version/Release: DNS Ver 4 Update 1
Release Date: 01-JAN-92
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
DCP 7500
O/S DNS Ver 4 Update 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Datanet DCP 7500 X.25 Packet Layer; Datanet
DCP 7500 X.25 Frame Layer.

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB

Product Code/Type: P-004 TRANSPORT

Product ID: 101

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029

Contact: Oscar V Hefner Tel: (602) 862-6001
Fax: (602) 862-6051

GOSIP Product Name: DPX/2 B.O.S (Stack B)
Version/Release: 2
Release Date: 01-OCT-92
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
DPX/2 200, O/S B.O.S. 2

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: DPX/2 X.25 Packet Layer; DPX/2 X.25 Frame
Layer

Protocols and Profiles: Transport Class 4-CONS [ISO 8073:1988]

ATS Used: ATS:1-9

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB

GOSIP REGISTERS, Continued

Product Code/Type: P-004 TRANSPORT Product ID: 94

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029

Contact: Oscar V Hefner Tel: (602) 862-6001
Fax: (602) 862-6051

GOSIP Product Name: DPX/2 B.O.S. (Stack B)
Version/Release: Ver 2
Release Date: 01-OCT-91
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
DPX/2 200, O/S B.O.S. 2

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: DPX/2 X.25 Packet Layer; DPX/2 X.25 Frame Layer

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB

Product Code/Type: P-004 TRANSPORT Product ID: 97

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029

Contact: Oscar V Hefner Tel: (602) 862-6001
Fax: (602) 862-6051

GOSIP Product Name: DPX/2 B.O.S. (Stack B)
Version/Release: Ver/Rel 2
Release Date: 01-OCT-91
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
DPX/2 200, O/S B.O.S. 2

Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: DPX/2, BOS 2, ISO 8802-2/3 (LAN)

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB

Product Code/Type: P-004 TRANSPORT Product ID: 96

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029

Contact: Oscar V Hefner Tel: (602) 862-6001
Fax: (602) 862-6051

GOSIP Product Name: DPX/2 B.O.S. (Stack B)
Version/Release: Ver 2
Release Date: 01-OCT-91
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: DERIVED
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
DPX/2 200, O/S B.O.S. 2

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: DPX/2 X.25 Packet Layer; DPX/2 X.25 Frame Layer

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB

Product Code/Type: P-004 TRANSPORT Product ID: 95

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029

Contact: Oscar V Hefner Tel: (602) 862-6001
Fax: (602) 862-6051

GOSIP Product Name: Datanet (DCP 7500)
Version/Release: DNS Ver 4 Update 1
Release Date: 01-JAN-92
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
DCP 7500
O/S DNS Ver 4 Update 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: DATANET DCP 7500 X.25 Packet Layer
DATANET DCP 7500 X.25 Frame Layer

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB

GOSIP REGISTERS, *Continued*

Product Code/Type: P-004 TRANSPORT

Product ID: 170

Supplier: Control Data Corporation
 4201 North Lexington Avenue
 Arden Hills, MN 55126-6198
 Contact: Ronald D Swan Tel: (612) 482-6257
 Fax: (612) 482-3616

GOSIP Product Name: CDCNET
 Version/Release: 1.7.1/BCU #803AA
 Release Date: 01-MAR-92
 Additional Info: None
 Registration:
 Date: 09-FEB-93 Basis: BASE
 Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
 CYBER 930 Host and Mainframe Device Interface (MDI),
 Mainframe Device Interface (TDI), or Integrated Communications
 Adapter (ICA) CYBER O/S, NOS/Ver 1.7.7, ICA Is stand-alone (Self
 Contained)
 Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: CDCNET Ethernet Serial Channel Interface
 Product 46 (P-2 LAN) (Registered October 15, 1992)
 Protocols and Profiles: TP4-CLNS/CLNP{ES}
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
 CLNP{ES} [ISO 8473:1988] {Static Routing}
 ATS Used: ATS: 1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0354
 Control Data Corporation, OSI Accredited Test Center

Product Code/Type: P-004 TRANSPORT

Product ID: 88

Supplier: Control Data Corporation
 4201 North Lexington Avenue
 Arden Hills, MN 55126-6198
 Contact: Ronald D Swan Tel: (612) 482-6257
 Fax: (612) 482-3616

GOSIP Product Name: CDCNET
 Version/Release: Ver 1.6.1 / B720
 Release Date: 01-MAR-92
 Additional Info: None

Registration:
 Date: 09-NOV-92 Basis: BASE
 Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
 CDCNET Device Interface DY-227-B, O/S NONE

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: CDCNET, Ver 1.6.1, X.25

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0354
 Control Data Corporation, OSI Accredited Test Center

Product Code/Type: P-004 TRANSPORT

Product ID: 38

Supplier: Control Data Corporation
 4201 North Lexington Avenue
 Arden Hills, MN 55126-6198
 Contact: J.F. Carey Tel: (612) 482-2567
 Fax: (612) 482-2791

GOSIP Product Name: Control mData EP/IX Access & Directory
 Version/Release: Ver 1.4.2
 Release Date: 27-NOV-91
 Additional Info: None

Registration:
 Date: 25-FEB-92 Basis: BASE
 Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
 Control Data 4000
 Control Data EP/IX Version 1.4.2
 Connectivity: PLS{802.3}/10Base5

Underlying Stack:

Protocols and Profiles: TP4-CLNS/CLNP{ES}
 Transport Class 4-CLNS[ISO 8073:1988/Add2:
 1989] CLNP{ES} [ISO 8473:1988] {Static Routing}
 ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0354
 Control Data Corporation, OSI Accredited Test Center

Product Code/Type: P-004 TRANSPORT

Product ID: 76

Supplier: Data General Corporation
 4400 Computer Drive, MS/D216
 Westborough, MA 01580
 Contact: Charles Stakus Tel: (508) 870-6392
 Fax: (508) 898-4694

GOSIP Product Name: OSI/Platform for AViON Systems
 Version/Release: Ver 3.0
 Release Date: 01-JUN-92
 Additional Info:

Registration:
 Date: 23-OCT-92 Basis: BASE
 Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
 AViON 5000/6000 Series
 DG/UX System for AViON Systems Rev. 5.4.1
 Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: Protocols and Profiles:
 0003

TP4-CLNS/CLNP{ES}
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
 CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0371
 Alcatel TITN Test Center

GOSIP REGISTERS, Continued

Product Code/Type: P-004 TRANSPORT

Product ID: 77

Supplier: Data General Corporation
4400 Computer Drive, MS/D216
Westborough, MA 01580

Contact: Charles Stakus Tel: (508) 870-6392
 Fax: (508) 898-4694

GOSIP Product Name: OSI/Platform for AViiON Systems
Version/Release: Ver 3.0
Release Date: 01-JUN-92
Additional Info:

Registration:
Date: 23-OCT-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
AViiON 5000/6000 Series
DG/UX System for AViiON Systems Rev. 5.4.1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0371
Alcatel TITN Test Center

Product Code/Type: P-004 TRANSPORT

Product ID: 89

Supplier: Data General Corporation
4400 Computer Drive, MS/D216
Westborough, MA 01580

Contact: Charles Stakus Tel: (508) 870-6392
 Fax: (508) 898-4694

GOSIP Product Name: OSI/Platform for AViiON Systems
Version/Release: Ver 3.0
Release Date: 01-JUN-92
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: DERIVED
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
AViiON 5000/6000 Series
DG/UX System for AViiON Systems Rev. 5.4.1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: X.25 for AViiON Systems, Ver. 2.20

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:
1989] CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0391
Data General Corporation, OSI Conformance Test Center

Product Code/Type: P-004 TRANSPORT

Product ID: 193

Supplier: Data General Corporation
4400 Computer Drive
Westboro, MA 01580

Contact: Peter Conway Tel: (508) 898-7176
 Fax: (508) 898-4212

GOSIP Product Name: OSI/Platform for AViiON Systems
Version/Release: Version 3.30
Release Date: 01-OCT-93
Additional Info: Product tested on Model AV8500 platform. Vendor
claims support for other H/W platforms as listed.

Registration:
Date: 30-SEP-93 Basis: BASE
Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:
HW: AViiON AV500, AV4000, AV5000, AV6000,
AV7000, AV8000, AV8500, AV9000
OS: DG/UX System for AViiON Computers, Revision 5.4R2.10
Connectivity: LLC1{802.2}/MAC{802.3}/10BaseT

Underlying Stack: LAN: LLC and MAC contained in DG/UX
5.4R2.10, embedded in product.

Protocols and Profiles: TP4-CLNS/CLNP{ES} & ES-IS{ES}
Transport Class 4-CLNS [ISO 8073:1988/Add2:
1989] CLNP{ES} [ISO 8473:1988] & ES-IS{ES}
[ISO 9542:1988] {Dyn Rtng Claimed}

ATS Used: ATS:2-7 and ATS:2-9.2
Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-004 TRANSPORT

Product ID: 128

Supplier: Digital Equipment Corp
550 King Street
Littleton, MA 01460-1289

Contact: Richard A Duhamel Tel: (508) 486-5021
 Fax: (508) 486-7417

GOSIP Product Name: DECnet-VAX (TM) Ver 5.4 EXTENSIONS
Version/Release: Ver 5.4
Release Date: 01-SEP-91
Additional Info: None

Registration:
Date: 26-JAN-93 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
MicroVAX 3800
VMS Ver 5.4

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: VAX Packet System Interface for DECnet(TM)
5.4 Extensions, September 1991

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance Interoperability
Test Center

GOSIP REGISTERS, Continued

Product Code/Type: P-004 TRANSPORT

Product ID: 129

Supplier: Digital Equipment Corp
 550 King Street
 Littleton, MA 01460-1289
 Contact: Richard A Duhamel Tel: (508) 486-5021
 Fax: (508) 486-7417
 GOSIP Product Name: DECnet/OSI for OpenVMS VAX V5.5/VOTS,
 v3.0A
 Version/Release: Ver 3.0A
 Release Date: 11-SEP-92
 Additional Info: None
 Registration:
 Date: 13-JAN-93 Basis: DERIVED
 Type: PROV, Grndfthrd, V1->V2
 Hardware and Operating System Platforms: MicroVAX - II, 2000,
 3100, 3300/3400, 3500, 3600, 3800, 3900; VAXstation - II, 2000,
 3100, 3200, 3500, 3520, 3540, 4000; VAXserver - 3100, 3300/3400,
 3500, 3600, 3602, 3800, 3900, 6000; VAX - 11/730, 11/750, 11/780,
 11/785, 4000, 6000, 8200, 8250, 8300, 8350, 85xx, 8600, 8650,
 8700, 8800, 8810, 8820, 8830, 8840, 9000; VAXft - M110/310,
 M410/610/612, WITH O/S OpenVMS V5.5
 Connectivity: LLC1{802.2}/MAC{802.3}
 Underlying Stack: Digital DESQA CSMA/CD LAN Controller; DEC
 (MAU) 44005; DEC (AUI) BNE4D-02; DEC (LLC) OpenVMS for VAX,
 Ver 5.5-2
 Protocols and Profiles:
 TP4-CLNS/CLNP{ES}
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
 CLNP{ES} [ISO 8473:1988] {Static Routing}
 ATS Used: ATS:1-7 AND ATS:1-9
 Conformance Lab: NVLAP# 0362
 Digital Equipment Corporation, OSI Conformance Interoperability
 Test Center

Product Code/Type: P-004 TRANSPORT

Product ID: 144

Supplier: Digital Equipment Corp
 550 King Street
 Littleton, MA 01460-1289
 Contact: Richard A Duhamel Tel: (508) 486-5021
 Fax: (508) 486-7417
 GOSIP Product Name: DECnet/OSI for ULTRIX
 Version/Release: Ver 5.1-ECO0193
 Release Date: 02-JAN-93
 Additional Info: None
 Registration:
 Date: 31-MAR-93 Basis: BASE
 Type: PROV, Gmdfthrd, V1->V2
 Hardware and Operating System Platforms:
 1- DECstations 2100, 3100s, 5000/20, 5000/120,
 5000/125, 5000/200, and 5800/240 w Integrated Ethernet
 Controller ULTRIX Worksystem Software, Ver 4.2A
 2- DECsystems 5000/200, 5000/240, 5100, 5400, 5500, 5810,
 5820, 5830, 5840, 5900 with Integrated Ethernet Controller ULTRIX
 Ver 4.2A
 Connectivity: LLC1{802.2}/MAC{802.3}
 Underlying Stack: DECNet/OSI for ULTRIX Ver 5.1-ECO0193 Layered
 product for ULTRIX; Chipset integrated with the CPU
 Protocols and Profiles: TP4-CLNS/CLNP{ES}
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
 CLNP{ES} [ISO 8473:1988] {Static Routing}
 ATS Used: ATS:1-7 and ATS:1-9
 Conformance Lab: NVLAP# 0362
 Digital Equipment Corporation, OSI Conformance Interoperability
 Test Center

Product Code/Type: P-004 TRANSPORT

Product ID: 54

Supplier: Digital Equipment Corporation
 Digital Park
 Reading, RG2 OTE United Kingdom
 Contact: Bill Daley Tel:
 Fax:
 GOSIP Product Name: DECnet-VAX (TM) Extensions Ver
 5.4A/VOTS Ver 3.0A
 Version/Release: 5.4A
 Release Date: 01-APR-92
 Additional Info: None
 Registration:
 Date: 16-AUG-92 Basis: BASE
 Type: PROV, Grndfthrd, V1->V2
 Hardware and Operating System Platforms:
 Digital VAX Computer with VMS C5.4A+ Operating System
 Connectivity: LLC1{802.2}/MAC{802.3}
 Underlying Stack:
 Protocols and Profiles: TP4-CLNS/CLNP{ES}
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
 CLNP{ES} [ISO 8473:1988] {Static Routing}
 ATS Used: ATS:1-7 and ATS:1-9
 Conformance Lab: NVLAP# 0362
 Digital Equipment Corporation, OSI Conformance Interoperability
 Test Center

Product Code/Type: P-004 TRANSPORT

Product ID: 57

Supplier: Encore Computing Corporation
 6901 West Sunrise Boulevard
 Ft. Lauderdale, FL 33313-4499
 Contact: Augie Gonzales Tel: (305) 587-2900
 Fax: (305) 797-5807
 GOSIP Product Name: EnComm ISO Transport Services
 Version/Release: Ver 3.0.0
 Release Date: 01-JUL-92
 Additional Info: None
 Registration:
 Date: 31-AUG-92 Basis: BASE
 Type: PROV, Gmdfthrd, V1->V2
 Hardware and Operating System Platforms:
 Encore Infinity 90 Series GPIO I, O/S UMAX Ver 3.0.7
 Connectivity: X.25 PLP/X.25 LAP-B
 Underlying Stack: Encore EnComm X.25 and PAD Rev 3.0.0,
 15-JUN-92
 Protocols and Profiles: Transport Class 0 [ISO 8073:1988]
 ATS Used: ATS:1-8
 Conformance Lab: NVLAP# 0364
 CDA, Incorporated Open Systems Development Group

GOSIP REGISTERS, *Continued*

Product Code/Type: P-004 TRANSPORT

Product ID: 56

Supplier: Encore Computing Corporation
6901 West Sunrise Boulevard
Ft. Lauderdale, FL 33313-4499

Contact: Augie Gonzales Tel: (305) 587-2900
Fax: (305) 797-5807

GOSIP Product Name: EnComm ISO Transport Services
Version/Release: Ver 3.0.0
Release Date: 01-AUG-92
Additional Info: None

Registration:
Date: 31-AUG-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
Encore Infinity 90 Series GPIO I, O/S UMAX Ver 3.0.7

Connectivity: CLNP{ES}/LLC1{802.2}/MAC{802.3}
CLNP{ES}/X.25 PLP/X.25 LAP-B

Underlying Stack:
Encore/SynOptics LattisNet Mdl 3030 CLNP{ES}/LAN;
Encore/SynOptics Departmental Hub CLNP{ES}/LAN;
EnComm ISO CLNP{ES}/EnComm X.25 and PAD Revision 3.0

Protocols and Profiles:
Transport Class 4-CLNS [ISO 8073:1988 / Add2:1989]
ATS Used: ATS:1-9

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-004 TRANSPORT

Product ID: 55

Supplier: Encore Computing Corporation
6901 West Sunrise Boulevard
Ft. Lauderdale, FL 33313-4499

Contact: Augie Gonzales Tel: (305) 587-2900
Fax: (305) 797-5807

GOSIP Product Name: Encore EnComm ISO Transport Services
Version/Release: Ver 3.0.0
Release Date: 01-AUG-92
Additional Info:

Registration:
Date: Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
Encore Infinity 90 Series GPIO I, O/S UMAX Ver 3.0.7

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:
EnComm VME Ethernet Dvr 2.1 over
Encore VME Ethernet Cntrlr (VSSC) #
8513-047 SynOptics Enterprise/Dpt Hub Configuration

Protocols and Profiles: CLNP{ES} [ISO 8473:1988] {Static
Routing}
ATS Used: ATS:1-7

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-004 TRANSPORT

Product ID: 58

Supplier: Encore Computing Corporation
6901 West Sunrise Boulevard
Ft. Lauderdale, FL 33313-4499

Contact: Augie Gonzales Tel: (305) 587-2900
Fax: (305) 797-5807

GOSIP Product Name: Encore EnComm ISO Transport Services
SynOptics LattisNet Mdl 3030 Concentrator
Version/Release: VER 3.0.0
Release Date: 01-AUG-92
Additional Info: None

Registration:
Date: 27-OCT-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
Encore Infinity 90 Series GPIO I, O/S UMAX Ver 3.0.7
Connectivity: LLC1{802.2}/MAC{802.3}/10BaseT

Underlying Stack: EnComm VME Ethernet Dvr 2.1 over
Encore VME Ethernet Cntrlr (VSSC) #8523-444
SynOptics LattisNet Model 3030 Concentrator,
3313 Ethernet MMM, and 3308 Host

Protocols and Profiles: CLNP{ES} [ISO 8473:1988] {Static
Routing}
ATS Used: ATS:1-7

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-004 TRANSPORT

Product ID: 78

Supplier: Encore Computing Corporation
6901 West Sunrise Boulevard
Ft. Lauderdale, FL 33313-4499

Contact: Augie Gonzales Tel: (305) 587-2900
Fax: (305) 797-5807

GOSIP Product Name: Encore EnComm ISO Transport Services
over SynOptics Enterprise/Dpt Hub
Configur.

Version/Release: Ver 3.0.0
Release Date: 01-AUG-92
Additional Info: Components of SynOptics Enterprise/Department
Hub Configuration listed in underlying stack.

Registration:
Date: 27-OCT-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
Encore Infinity 90 Series GPIO I, O/S UMAX Ver 3.0.7
Connectivity: LLC1{802.2}/MAC{802.3}/10BaseT

Underlying Stack:
EnComm VME Ethnt Dvr 2.1, Encore VME Ethnt
Cntrl 8513-047, Hub (3000N, 3313A-04, 3314A-04,
504A, 3595A-01, 3308A, 2813-04, 3304-ST, 3301,
3323S, 3383-02, 508A)

Protocols and Profiles: CLNP{ES} [ISO 8473:1988] {Static
Routing}
ATS Used: ATS:1-7

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

GOSIP REGISTERS, *Continued*

Product Code/Type: P-004 TRANSPORT**Product ID: 4**

Supplier: Hewlett-Packard Company
19420 Homestead Road
Cupertino, CA 95014-9810
Contact: Bruce Talley Tel: (408) 447-3599
 Fax: (408) 447-3660

GOSIP Product Name: HP OSI Transport Services/9000, P/N 32070A

Version/Release: Ver C.02.00

Release Date: 10-JUN-91

Additional Info:

Registration:

Date: 28-MAY-91 Basis: BASE

Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

HP 9000 Series 800/HP-UX Operating System, Version 8.0

Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:

Protocols and Profiles: TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0365

Hewlett-Packard Company, OSI Conformance Test Center

Product Code/Type: P-004 TRANSPORT**Product ID: 117**

Supplier: IBM Corporation, Rome Networking Systems Laboratory
Via Paolo DiDona, 44
00144 Rome Italy

Contact: Gerard Bonnes Tel: +33 92 11 41 22
 Fax: +33 93 24 71 57

GOSIP Product Name: IBM AIX OSI Messaging and Filing/6000

Version/Release: Ver 1, Level 180

Release Date: 01-DEC-90

Additional Info:

Registration:

Date: 04-JAN-93 Basis: BASE

Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

IBM RISC System/6000 All Models

(7011, 7012, 7013, 7015, 6016, OS AIX/6000

Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: Software:

IBM AIX/6000 Ver 3.1.5; Hardware: Ethernet Adapter 7013-2890

Protocols and Profiles: TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT**Product ID: 23**

Supplier: IBM Corporation, Rome Networking Systems Laboratory
Via Paolo DiDona, 44
00144 Rome, Italy

Contact: Gerard Bonnes Tel: +33 92 11 41 22
 Fax: +33 93 24 71 57

GOSIP Product Name: OSI/Communications Subsystem

Version/Release: Ver 1 Rel 1.1

Release Date: 01-DEC-90

Additional Info: None

Registration:

Date: 01-NOV-91 Basis: BASE

Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

(1) HW: IBM Enterprise System/390

(1) OS: IBM MVS/ESA Ver 3 Rel 1

(2) HW: IBM Enterprise System/370

(2) OS: IBM MVS/ESA Ver 3 Rel 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Provided by IBM NCP Packet Switching Interface.

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT**Product ID: 26**

Supplier: IBM Corporation, Rome Networking Systems Laboratory
Via Paolo DiDona, 44
00144 Rome Italy

Contact: Gerard Bonnes Tel: +33 92 11 41 22
 Fax: +33 93 24 71 57

GOSIP Product Name: OSI/Communications Subsystem

Version/Release: Ver 1 Rel 1.1

Release Date: 01-DEC-90

Additional Info:

Registration:

Date: 01-NOV-91 Basis: BASE

Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

IBM Enterprise System 370/390

IBM MVS/XA Ver 2 Rel 2

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Provided by IBM NCP Packet Switching Interface.

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0369

GOSIP REGISTERS, *Continued*

Product Code/Type: P-004 TRANSPORT

Product ID: 35

Supplier: IBM Corporation, Rome Networking Systems Laboratory
Via Paolo DiDona, 44
00144 Rome Italy

Contact: Gerard Bonnes Tel: +33 92 11 41 22
Fax: +33 93 24 71 57

GOSIP Product Name: OSI/Communications Subsystem

Version/Release: Ver 1 Rel 1.1

Release Date: 01-DEC-90

Additional Info:

Registration:

Date: 12-FEB-92 Basis: BASE

Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

(1) HW: IBM Enterprise System/390

(1) OS: IBM MVS/ESA Ver 3 Rel 1

(2) HW: IBM Enterprise System/370

(2) OS: IBM MVS/ESA Ver 3 Rel 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Software: IBM OSI/Comm Subsystem

V.1 R1.1 in IBM/S/390[802.2];

Interconnect Controller Program V1.0 on IBM

Interconnect Controller Program (802.3). Hardware: IB

Protocols and Profiles: TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT

Product ID: 33

Supplier: IBM Corporation, Rome Networking Systems Laboratory
Via Paolo DiDona, 44
00144 Rome Italy

Contact: Gerard Bonnes Tel: +33 92 11 41 22
Fax: +33 93 24 71 57

GOSIP Product Name: OSI/Communications Subsystem

Version/Release: Ver 1 Rel 1.1

Release Date: 01-DEC-90

Additional Info: None

Registration:

Date: 12-FEB-92 Basis: BASE

Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

(1) HW: IBM Enterprise System/390

(1) OS: IBM MVS/ESA Ver 3 Rel 1

(2) HW: IBM Enterprise System/370

(2) OS: IBM MVS/ESA Ver 3 Rel 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Provided by IBM NCP Packet Switching Interface.

Protocols and Profiles:

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-9

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT

Product ID: 116

Supplier: IBM Corporation, Rome Networking Systems Laboratory
Via Paolo DiDona, 44
00144 Rome Italy

Contact: Gerard Bonnes Tel: +33 92 11 41 22
Fax: +33 93 24 71 57

GOSIP Product Name: OSI/Communications Subsystem

Version/Release: Ver 1 Rel 1.1

Release Date: 01-DEC-90

Additional Info: None

Registration:

Date: 04-JAN-93 Basis: BASE

Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:

IBM Enterprise System/390 All Models (S/390, 43xx, 30xx),

IBM MVS/ESA, MVS/XA, IBM VM/SP, VM/ESA

Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: Provided by IBM NCP Packet Switching Interface.

Protocols and Profiles: TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT

Product ID: 24

Supplier: IBM Corporation, Rome Networking Systems Laboratory
Via Paolo DiDona, 44
00144 Rome Italy

Contact: Gerard Bonnes Tel: +33 92 11 41 22
Fax: +33 93 24 71 57

GOSIP Product Name: OSI/Communications Subsystem

Version/Release: Ver 1 Rel 1.1

Release Date: 01-DEC-90

Additional Info:

Registration:

Date: 01-NOV-91 Basis: DERIVED

Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:

IBM Enterprise System/390

IBM VM/ESA Ver 1 Rel 1

IBM Enterprise System/370

IBM VM/ESA Ver 1 Rel 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:

Provided By IBM NCP Packet Switching Interface.

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0369

GOSIP REGISTERS, *Continued*

Product Code/Type: P-004 TRANSPORT

Product ID: 25

Supplier: IBM Corporation, Rome Networking Systems Laboratory
Via Paolo DiDonna, 44
00144 Rome Italy

Contact: Gerard Bonnes **Tel:** +33 92 11 41 22
Fax: +33 93 24 71 57

GOSIP Product Name: OSI/Communications Subsystem
Version/Release: Ver 1 Rel 1.1
Release Date: 01-DEC-90
Additional Info:

Registration:

Date: 01-NOV-91 **Basis:** DERIVED
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
IBM System 370/390
IBM VM/SP Rel 5

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:
Provided by IBM NCP Packet Switching Interface.

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT

Product ID: 34

Supplier: IBM Corporation, Rome Networking Systems Laboratory
Via Paolo DiDonna, 44
00144 Rome Italy

Contact: Gerard Bonnes **Tel:** +33 92 11 41 22
Fax: +33 93 24 71 57

GOSIP Product Name: OSI/Communications Subsystem
Version/Release: Ver 1 Rel 1.1
Release Date: 01-DEC-90
Additional Info:

Registration:

Date: 12-FEB-92 **Basis:** DERIVED
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
IBM System 370/390
IBM MVS/XA Ver 2 Rel 2
IBM VM/SP Rel 5
IBM VM/ESA Ver 1 Rel 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:
Provided by IBM NCP Packet Switching Interface.

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-9

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT

Product ID: 36

Supplier: IBM Corporation, Rome Networking Systems Laboratory
Via Paolo DiDonna, 44
00144 Rome Italy

Contact: Gerard Bonnes **Tel:** +33 92 11 41 22
Fax: +33 93 24 71 57

GOSIP Product Name: OSI/Communications Subsystem
Version/Release: Ver 1 Rel 1.1
Release Date: 01-DEC-90
Additional Info:

Registration:

Date: 12-FEB-92 **Basis:** DERIVED
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
IBM System 370/390
IBM MVS/XA Ver 2 Rel 2
IBM VM/SP Rel 5
IBM VM/ESA Ver 1 Rel 1
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:
Provided by IBM NCP Packet Switching Interface.
Protocols and Profiles: Transport Class 4-CONS [ISO 8073:1988]

ATS Used: ATS:1-9

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT

Product ID: 112

Supplier: IBM Corporation, Rome Networking Systems Laboratory
Via Paolo DiDonna, 44
00144 Rome Italy

Contact: Michael Sullivan **Tel:** +39 6 5187 2517
Fax: +39 6 5187 2467

GOSIP Product Name: OSI/Communications Subsystem/400
Version/Release: Ver 2 Rel 1.1
Release Date: 01-MAR-92
Additional Info:

Registration:

Date: 18-DEC-92 **Basis:** BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
AS/400 9404
OS/400 Ver 2 Rel 1.1
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:
IBM AS/400 X.25 Communications Support Program, Ver 2,
Release 1.1

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0392
IBM Rome Networking Systems Laboratory

GOSIP REGISTERS, *Continued*

Product Code/Type: P-004 TRANSPORT

Product ID: 51

Supplier: NCR
9900 Old Grove Road
San Diego, CA 92131
Contact: Wendy Morrison Tel: (619) 693-5665
Fax: (619) 693-5705

GOSIP Product Name: NCR UNIX OSI Network Services
Version/Release: Ver 2.00.02
Release Date: 17-APR-92
Additional Info: Same product also registered over X.25 (Product ID 82) and for TP0 over X.25 (Product ID 83)

Registration:

Date: 07-AUG-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

HW: NCR System 3000 consisting of the following hardware models: 3320, 3340, 3345, 3447, 3450, 3550, and 3600
OS: NCR UNIX SVR4, (MP-RAS), Rel 2

Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:

NCR System 3000, Integrated LAN Driver Ver 2.00 Western Digital WD8003

Protocols and Profiles: TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0363

Corporation for Open Systems International Test Center

Product Code/Type: P-004 TRANSPORT

Product ID: 83

Supplier: NCR
9900 Old Grove Road
San Diego, CA 92131
Contact: Wendy Morrison Tel: (619) 693-5665
Fax: (619) 693-5705

GOSIP Product Name: NCR UNIX OSI Network Services
Version/Release: Ver 2.01
Release Date: 08-SEP-92
Additional Info: Same product also registered for TP4 (Product ID 51 and Product ID 82)

Registration:

Date: 27-OCT-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

HW: NCR System 3000 consisting of the following hardware models:
3320, 3340, 3345, 3447, 3450, 3550, and 3600
OS: NCR UNIX SVR4, (MP-RAS), Rel 2

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:

NCR System 3000, X.25 Ntwrk Svcs [Packet Layer]; NCR MUOE HDLC Ver 1.04 [Link Layer]; NCR Multi-Protocol Communications Adapter/ Firmware Ver 1.1A [Phys Layer]

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0363

Corporation for Open Systems International Test Center

Product Code/Type: P-004 TRANSPORT

Product ID: 82

Supplier: NCR
9900 Old Grove Road
San Diego, CA 92131
Contact: Wendy Morrison Tel: (619) 693-5665
Fax: (619) 693-5705

GOSIP Product Name: NCR UNIX OSI Network Services
Version/Release: Ver 2.01
Release Date: 08-SEP-92
Additional Info: Same product also registered over LAN (Product ID 51) and for TP0 over X.25 (Product ID 83)

Registration:

Date: 27-OCT-92 Basis: DERIVED
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

HW: NCR System 3000 consisting of the following hardware models: 3320, 3340, 3345, 3447, 3450, 3550, and 3600
OS: NCR UNIX SVR4, (MP-RAS), Rel 2

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:

NCR System 3000, X.25 Ntwrk Svcs [Packet Layer]; NCR MUOE HDLC Ver 1.04 [Link Layer]; NCR Multi-Protocol Communications Adapter/ Firmware Ver 1.1A [Phys Layer]

Protocols and Profiles: TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0363

Corporation for Open Systems International Test Center

Product Code/Type: P-004 TRANSPORT

Product ID: 49

Supplier: Novell Incorporated
2180 Fortune Drive
San Jose, CA 95131
Contact: Jan Provan Tel: (408) 473-8422
Fax: (408) 433-9827

GOSIP Product Name: NetWare FTAM Transport Component
Version/Release: Ver 1.2 Rev B
Release Date: 20-APR-92
Additional Info: None

Registration:

Date: 24-JUN-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

AST Premium 386/33 with 8 MB RAM
NOVELL 3.11 Operating System over NOVELL NE2000 Ethernet card (802.3)

Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:

NOVELL 3.11 Operating System over NOVELL NE2000 Ethernet

Protocols and Profiles: TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0357

National Computing Centre Limited

GOSIP REGISTERS, *Continued*

Product Code/Type: P-004 TRANSPORT

Product ID: 50

Supplier: Novell Incorporated
 2180 Fortune Drive
 San Jose, CA 95131
 Contact: Jan Provan Tel: (408) 473-8422
 Fax: (408) 433-9827

GOSIP Product Name: NetWare FTAM Transport Component
 Version/Release: Ver 1.2 Rev B
 Release Date: 20-APR-92
 Additional Info: None
 Registration:
 Date: 24-JUN-92 Basis: DERIVED
 Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
 AST Premium 386/33 with 8 MB RAM
 NOVELL 3.11 Operating System over NOVELL NE2000 Ethernet card (802.3)
 Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:
 NOVELL Ver 3.11 Operating System Over LLC1{802.2}/MAC{802.4} NE2000 and IBM 4MB Token Ring Card

Protocols and Profiles: TP4-CLNS/CLNP{ES}
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
 CLNP{ES} [ISO 8473:1988] {Static Routing}
 ATS Used: ATS:1-7 and ATS:1-9
 Conformance Lab: NVLAP# 0357
 National Computing Centre Limited

Product Code/Type: P-004 TRANSPORT

Product ID: 111

Supplier: Retix
 2401 Colorado Avenue
 Santa Monica, CA 90404
 Contact: Jeff Stone Tel: (310) 828-3400
 Fax: (310) 828-2255

GOSIP Product Name: LT-610
 Version/Release: Ver 2.3.0
 Release Date: 01-OCT-92
 Additional Info:
 Registration:
 Date: 18-DEC-92 Basis: BASE
 Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
 Vendor claims all Intel 386 and 486 based platforms using stated o/s. Test platform was Intel 486DX (Alpha Systems Laboratory, Incorporated ASL486/33 ASL433), O/S UNIX System V Release 3.2 (SUN Soft Interactive Ver 3.0)
 Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:
 S/W: Retix LT-610, Ver 2.3.0; H/W: Western Digital Model WD8003.

Protocols and Profiles: TP4-CLNS/CLNP{ES}
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
 CLNP{ES} [ISO 8473:1988] {Static Routing}
 ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0357
 National Computing Centre Limited

Product Code/Type: P-004 TRANSPORT

Product ID: 132

Supplier: Retix
 2401 Colorado Avenue
 Santa Monica, CA 90404
 Contact: Jeff Stone Tel: (310) 828-3400
 Fax: (310) 828-2255

GOSIP Product Name: LT-610
 Version/Release: Ver 2.3.0
 Release Date: 01-OCT-92
 Additional Info: None

Registration:
 Date: 05-FEB-93 Basis: BASE
 Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
 Intel 386 (Tatung) O/S UNIX System V Rel 3.2 (SCO UNIX 4.0)
 Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:
 Retix LT-610, Ver 2.3.0; Western Digital Model WD8003

Protocols and Profiles: TP4-CLNS/CLNP{ES}
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
 CLNP{ES} [ISO 8473:1988] {Static Routing}
 ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0357
 National Computing Centre Limited

Product Code/Type: P-004 TRANSPORT

Product ID: 187

Supplier: SUN Microsystems, Inc.
 32 Chemin du Vieux Chene
 Meylan F-38240 France
 Contact: Tom Hull Tel: +33 76 41 42 43
 Fax: +33 76 41 42 41

GOSIP Product Name: SUNLink OSI
 Version/Release: Version 8.0
 Release Date: 08-AUG-93
 Additional Info:

Registration:
 Date: 26-AUG-93 Basis: BASE
 Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:
 HW: All SUN SPARC Hardware
 OS: Solaris 2.1
 Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:
 Sunlink X.25 8.0

Protocols and Profiles:
 Transport Class 0 [ISO 8073:1988]
 ATS Used: ATS:2-8

Conformance Lab: NVLAP# 0357
 National Computing Centre Limited

GOSIP REGISTERS, Continued

Product Code/Type: P-004 TRANSPORT

Product ID: 188

Supplier: SUN MicroSystems, Inc.
 32 Chemin du Vieux Chene
 Meylan F-38240 France
 Contact: Tom Hull Tel: +33 76 41 42 43
 Fax: +33 76 41 42 41

GOSIP Product Name: Sunlink OSI
 Version/Release: Version 8.0
 Release Date: 08-AUG-93
 Additional Info:
 Registration:
 Date: 09-SEP-93 Basis: BASE
 Type: Provisional, GOSIP Ver. 2

Hardware and Operating System Platforms:
 HW: SparcStation 10 Model 41
 OS: Solaris 2.1
 HW: Vendor claims support for all SUN SPARC Hardware

Connectivity:
 LLC1{802.2}/MAC{802.3}/10BaseT

Underlying Stack:
 Sunlink OSI 8.0 LLC Module, implementing LLC1, the Solaris 2.1
 Lance Ethernet driver and Am7990 combination-implementing
 ISO8802-3 Sun Motherboard LAN Interface

Protocols and Profiles:
 TP4-CLNS/CLNP{ES} & ES-IS{ES}
 Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]
 CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn
 Rtnng Claimed}

ATS Used: ATS:2-9.2 and ATS:2-7
 Conformance Lab: NVLAP# 0357
 National Computing Centre Limited

Product Code/Type: P-004 TRANSPORT

Product ID: 66

Supplier: SUN MicroSystems, Inc. International Centre for Network
 Computing
 32 Rue du Vieux Chene
 F-38240 Meylan France
 Contact: Tom Hull Tel: +33 76 41 42 18
 Fax: +33 76 41 42 41

GOSIP Product Name: SunNet OSI (Transport)
 Version/Release: Ver 7.1
 Release Date: 01-OCT-92
 Additional Info:
 Registration:
 Date: 14-OCT-92 Basis: BASE
 Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
 SUN MicroSystems SPARCstation 2-4/75
 SUN O/S 4.1.2 (Solaris 1.0.1)

Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:
 SUNNET OSI Ver 7.1 LLC1 (HW) Sun CPU board LAN Interface
 (802.3)

Protocols and Profiles: TP4-CLNS/CLNP{ES}
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
 CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0357
 National Computing Centre Limited

Product Code/Type: P-004 TRANSPORT

Product ID: 87

Supplier: SUN MicroSystems, Inc. International Centre for Network
 Computing
 32 Rue du Vieux Chene
 F-38240 Meylan France

Contact: Tom Hull Tel: +33 76 41 42 18
 Fax: +33 76 41 42 41

GOSIP Product Name: SunNet OSI (Transport)
 Version/Release: Ver 7.1
 Release Date: 01-OCT-92
 Additional Info: None

Registration:
 Date: 25-NOV-92 Basis: BASE
 Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
 SUN MicroSystems SPARCstation 2-4/75
 SUN O/S 4.1.2 (Solaris 1.0.1)

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: SunNet X.25 Ver 7.0.1

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0357
 National Computing Centre Limited

Product Code/Type: P-004 TRANSPORT

Product ID: 85

Supplier: SUN MicroSystems, Inc. International Centre for Network
 Computing
 32 Rue du Vieux Chene
 F-38240 Meylan France
 Contact: Tom Hull Tel: +33 76 41 42 18
 Fax: +33 76 41 42 41

GOSIP Product Name: SunNet OSI (Transport)
 Version/Release: Ver 7.1
 Release Date: 01-OCT-92
 Additional Info: None
 Registration:
 Date: 25-NOV-92 Basis: DERIVED
 Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
 SUN MicroSystems SPARCstation 2-4/75
 SUN O/S 4.1.2 (Solaris 1.0.1)

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: SunNet X.25 Ver 7.0.1

Protocols and Profiles: TP4-CLNS/CLNP{ES}
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
 CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0357
 National Computing Centre Limited

GOSIP REGISTERS, *Continued*

Product Code/Type: P-004 TRANSPORT

Product ID: 108

Product Code/Type: P-004 TRANSPORT

Product ID: 106

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes Tel: (703) 204-4100
Fax: (703) 204-4782

GOSIP Product Name: SUN SPARCstation 10 Model 30 w/SUNLink
OSI 8.0
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info: None
Registration:
Date: 01-DEC-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
HW: SPARCstation 10 Model 30
OS: Solaris 2.1
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:
AMD, Lance 7990 Ethernet Controller SUN Solaris 2.1 Ethernet
Driver
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes Tel: (703) 204-4100
Fax: (703) 204-4782

GOSIP Product Name: SUN SPARCstation 10 Model 42 w/SUNLink
OSI 8.0
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info:
Registration:
Date: 01-DEC-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
HW: SPARCstation 10 Model 42
OS: Solaris 2.1
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:
AMD, Lance 7990 Ethernet Controller. SUN Solaris 2.1 Ethernet
Driver
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-004 TRANSPORT

Product ID: 142

Product Code/Type: P-004 TRANSPORT

Product ID: 107

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes Tel: (703) 204-4100
Fax: (703) 204-4782

GOSIP Product Name: SUN SPARCstation 10 Model 41 w/SUNLink
OSI 8.0
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info:
Registration:
Date: 01-DEC-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
HW: SPARCstation 10 Model 41
OS: Solaris 2.1
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:
AMD, Lance 7990 Ethernet Controller SUN Solaris 2.1 Ethernet
Driver
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306

Contact: Michael Barnes Tel: (703) 204-4100
Fax: (703) 204-4782

GOSIP Product Name: SUN SPARCstation 4/30 w/SUNLink OSI 8.0
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info:
Registration:
Date: 01-DEC-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
HW: SPARCstation 4/30
OS: Solaris 2.1
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:
AMD, Lance 7990 Ethernet Controller. SUN Solaris 2.1 Ethernet
Driver
Protocols and Profiles:
TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

GOSIP REGISTERS, *Continued*

Product Code/Type: P-004 TRANSPORT

Product ID: 109

Supplier: SUN Microsystems Federal, Incorporated
 2650 Park Tower Drive, Suite 500
 Vienna, VA 22180-7306
 Contact: Michael Barnes Tel: (703) 204-4100
 Fax: (703) 204-4782

GOSIP Product Name: SUN, RDI BrightLite Model IPX Color Laptop
 Workstation w/ SUNLink OSI 8.0

Version/Release: Ver 8.0
 Release Date: 04-AUG-92
 Additional Info: None

Registration:

Date: 01-DEC-92 Basis: BASE
 Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:

RDI BrightLite IPX Color Laptop Workstation Solaris 2.1
 Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:

AMD, Lance 7990 Ethernet Controller. SUN Solaris 2.1 Ethernet
 Driver

Protocols and Profiles: TP4-CLNS/CLNP{ES}
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
 CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0364
 CDA, Incorporated Open Systems Development Group

Product Code/Type: P-004 TRANSPORT

Product ID: 133

Supplier: UNISYS Corporation
 8008 West Park Drive
 McLean, VA 22102
 Contact: Dale Pluta Tel: (703) 556-5682
 Fax: (703) 556-5172

GOSIP Product Name: A-Series CP2000 OSI-IPC Software

Version/Release: Ver 30.00.199
 Release Date: 11-DEC-92
 Additional Info:

Registration:

Date: 05-FEB-93 Basis: BASE
 Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

Mainframe: A6 (TP4), FEP: CP2000 (CLNP)
 O/S Mainframe: A-Series System Software, Ver 4.0 (TP4)
 FEP: CP2000 Operating Software, V3.0 (CLNP)
 Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:

S/W: CP2000 O/S V3.0; H/W: CP2000 with LMH Card

Protocols and Profiles: TP4-CLNS/CLNP{ES}
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
 CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0367
 UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-004 TRANSPORT

Product ID: 137

Supplier: UNISYS Corporation
 8008 West Park Drive
 McLean, VA 22102

Contact: Dale Pluta Tel: (703) 556-5682
 Fax: (703) 556-5172

GOSIP Product Name: A-Series/CP2000 OSI-IPC Software

Version/Release: Ver 30.00.200
 Release Date: 05-JAN-93
 Additional Info:

Registration:

Date: 16-FEB-93 Basis: BASE
 Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

A-Series Processor
 A-Series System Software, Version 4.0

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: CP2000 X.25, Ver 30.00.192, 30-SEP-92

Protocols and Profiles: Transport Class 4-CONS [ISO 8073:1988]

ATS Used: ATS:1-9

Conformance Lab: NVLAP# 0367
 UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-004 TRANSPORT

Product ID: 145

Supplier: UNISYS Corporation
 8008 West Park Drive
 McLean, VA 22102
 Contact: Dale Pluta Tel: (703) 556-5682
 Fax: (703) 556-5172

GOSIP Product Name: A-Series/CP2000 OSI-IPC Software

Version/Release: Ver 30.00.199
 Release Date: 11-DEC-92
 Additional Info:

Registration:

Date: 16-FEB-93 Basis: DERIVED
 Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:

H/W: Mainframe: A6 (TP4), FEP: CP2000 (CLNP)
 O/S: Mainframe: A-Series System Software, Ver 4.0
 (TP4), FEP: CP2000 Operating Software, Ver 3.0
 (CLNP)
 Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: CP2000 X.25 Ver 30.00.192, 30-SEP-92

Protocols and Profiles: TP4-CLNS/CLNP{ES}
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
 CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0367
 UNISYS - Open Systems Interconnection Laboratory

GOSIP REGISTERS, *Continued*

Product Code/Type: P-004 TRANSPORT

Product ID: 136

Supplier: UNISYS Corporation
8008 West Park Drive
McLean, VA 22102

Contact: Dale Pluta Tel: (703) 556-5682
 Fax: (703) 556-5172

GOSIP Product Name: A-Series/CP2000 OS-IPC Software, Unisys
Product 113/P4.3
Version/Release: Ver 30.00.200
Release Date: 05-JAN-93
Additional Info:

Registration:
Date: 26-FEB-93 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
A-Series Processor
A-Series System Software, Version 4.0

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: CP2000 X.25, Ver 30.00.192, 30-SEP-92

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-004 TRANSPORT

Product ID: 59

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102

Contact: Keith Fretz Tel: (703) 556-5665
 Fax: (703) 556-5172

GOSIP Product Name: CMS 1100/OSITS
Version/Release: 7R2B+PCR15312/2R1A+PCRs192,193,194,197
Release Date: 01-MAR-92
Additional Info:

Registration:
Date: 01-SEP-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
2200 System and 1100/90 Processors, DCP-15 through DCP-55
Front End Processors. Operating System OS1100 Exec on
processor DCP/OS 5R2A, TELCON 9R1A on Front End Processors
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:
LAN Platform 2R2A, DCP 802.3; LAN Line Module Feature
#F5137-00

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-004 TRANSPORT

Product ID: 81

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102
Contact: Keith Fretz Tel: (703) 556-5665
 Fax: (703) 556-5172

GOSIP Product Name: CMS 1100/OSITS Ver 7R2B+PCR 15312, 1
92-194, 197, 199, 202, 203, 205, 207
Version/Release: Rel 2R1A
Release Date: 01-MAR-92
Additional Info:

Registration:
Date: 16-OCT-92 Basis: DERIVED
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
OS1100 Exec. Ver 43R2 running on 2200 systems and 1190/90
Processors DCP-15 through DCP-55 Front End Processors, O/S
OS1100 Exec. on Processors DCP/OS 5R2A, Telcon 9R1A on
Front End Processors
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:
X.25 PSCS Ver 51RA plus PCRs 1891-1899, 1902, 1911, 1923,
1929.

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-004 TRANSPORT

Product ID: 73

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102

Contact: Keith Fretz Tel: (703) 556-5665
 Fax: (703) 556-5172

GOSIP Product Name: DCP OSITS
Version/Release: 2R1A + 192-194,197,199,202,203,205,207
Release Date: 01-MAR-92
Additional Info:

Registration:
Date: 19-OCT-92 Basis: BASE
Type: PROV, Gmdfthrd, V1->V2

Hardware and Operating System Platforms:
DCP-15 through DCP-55 Front End Processors
DCP/OS Ver 5R2A and TELCON Ver 9R1A
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:
LAN Platform 2R2A, DCP 802.3 LAN Line Module, Feature
#F5137-00

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory

GOSIP REGISTERS, *Continued*

Product Code/Type: P-004 TRANSPORT

Product ID: 72

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102

Contact: Keith Fretz Tel: (703) 556-5665
 Fax: (703) 556-5172

GOSIP Product Name: DCP OSITS
Version/Release: 2R1A + 192-194,197,199,202,203,205,207
Release Date: 01-MAR-92
Additional Info:

Registration:
Date: 19-OCT-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
DCP-15 through DCP-55 Front End Processors
DCP/OS Ver 5R2A and TELCON Ver 9R1A

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-004 TRANSPORT

Product ID: 71

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102

Contact: Keith Fretz Tel: (703) 556-5665
 Fax: (703) 556-5172

GOSIP Product Name: DCP OSITS
Version/Release: 2R1A, + 192-194,197,199,202,203,205,207
Release Date: 01-MAR-92
Additional Info:

Registration:
Date: 19-OCT-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
DCP-15 through DCP-55 Front End Processors
DCP/OS Ver 5R2A and TELCON Ver 9R1A
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-004 TRANSPORT

Product ID: 171

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102

Contact: Keith Fretz Tel: (703) 556-5665
 Fax: (703) 556-5172

GOSIP Product Name: DCP OSITS
Version/Release: 2R1A, + 192-194,197,199,202,203,205,207
Release Date: 01-MAR-92
Additional Info: None

Registration:
Date: 19-OCT-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware and Operating System Platforms:
DCP-15 through DCP-55 Front End Processors
DCP/OS Ver 5R2A and TELCON Ver 9R1A

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:

Protocols and Profiles: Transport Class 4-CONS [ISO 8073:1988]

ATS Used: ATS:1-9

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-006 MHS

Product ID: 154

Supplier: Control Data Systems, Incorporated
4201 North Lexington Avenue
Arden Hills, MN 55126-6198

Contact: B. Sekhon Tel: (612) 482-3868
 Fax: (612) 482-2791

GOSIP Product Name: MAIL*HUB MHS/4000
Version/Release: Ver 2.0.1
Release Date: 29-JAN-93
Additional Info: This product does not support MTA Relaying

Registration:
Date: 04-MAY-93 Basis: BASE
Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
Control Data CD 4000 Series
EP/IX 2.0.1

Connectivity: TP4-CLNS/CLNP/LAN 0004

Underlying Stack:

Control Data EP/IX Access and Directory Ver 1.4.2

Protocols and Profiles: 0045
MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]

ATS Used:
ATS:1-13, ATS:1-14 and ATS:1-15
Conformance Lab: NVLAP# 0354
Control Data Corporation, OSI Accredited Test Center

GOSIP REGISTERS, Continued

Product Code/Type: P-006 MHS **Product ID: 138**

Supplier: Encore Computing Corporation
6901 West Sunrise Boulevard
Ft. Lauderdale, FL 33313-4499

Contact: Augie Gonzales Tel: (305) 587-2900
Fax: (305) 797-5807

GOSIP Product Name: EnComm X.400
Version/Release: Ver 2.0.1
Release Date: 01-JAN-93
Additional Info: None

Registration:
Date: 11-MAR-93 Basis: BASE
Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
Encore Infinity 90 Series GPIO I, O/S UMAX Ver 3.0.7
Connectivity: TP0/WAN

Underlying Stack:
EnComm ISO Transport Services, Rev 3.0.0 [TP0]. EnComm X.25
Rev 3.0 (x.25)
Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13, ATS:1-14 and ATS:1-15

Conformance Lab: NVLAP# 0364
CDA, Incorporated Open Systems Development Group

Product Code/Type: P-006 MHS **Product ID: 191**

Supplier: Enterprise Solutions Limited
32603 Bowman Knoll Drive
Westlake Village, CA 91361
Contact: Barry Sandever Tel: (818) 597-8943
Fax: (818) 595-9621

GOSIP Product Name: Enterprise Mail User Agent
Version/Release: Version 2.11
Release Date: 01-MAY-93
Additional Info: Must be used w NCR StarPRO Message Central
400, Ver 2.0, 01-MAR-93. This combination of products provides
set of MHS: P2, P1, RTS, & embedded

Registration: Session protocols
Date: 17-SEP-93 Basis: BASE
Type: Provisional, GOSIP Ver. 1

Hardware and Operating System Platforms:
HW: NCR System 3000 consisting of the following
hardware models:
3320, 3340, 3345, 3447, 3450, 3550, and 3600
OS: NCR UNIX SVR4, (MP-RAS), Rel 2

Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack:
NCR UNIX OSI Network Services, Version 2.00.02

Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]

ATS Used: ATS:2-13.4

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center

Product Code/Type: P-006 MHS **Product ID: 13**

Supplier: Hewlett-Packard Company, OSI Conformance Test Center
19420 Homestead Road, MS 43UJ
Cupertino, CA 95014-9810
Contact: Murali Subbarao Tel: (408) 447-2822
Fax: (408) 447-2697

GOSIP Product Name: HP X.400/9000 P/N HP32032A;
(X.400 Interface) HP OpenMail, P/N B1600A
Version/Release: Ver C.02.00; Ver A.00.02.03
Release Date: 10-JUN-91
Additional Info: None

Registration:
Date: 19-AUG-91 Basis: BASE
Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
HP 9000 Series 800/HP-UX Operating System, Ver 8.0

Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack:
HP OSI Transport Services/9000 Series 800
Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]

ATS Used: ATS:1-13, ATS:1-14 AND ATS:1-15

Conformance Lab: NVLAP# 0365
Hewlett-Packard Company, OSI Conformance Test Center

Product Code/Type: P-006 MHS **Product ID: 141**

Supplier: IBM Corporation, Rome Networking Systems Laboratory
Via Paolo DiDono, 44
00144 Rome Italy
Contact: Michael Sullivan Tel: +39 6 5187 2517
Fax: +39 6 5187 2467

GOSIP Product Name: X.400 PROFS Connection
Version/Release: V1R3
Release Date: 01-JUN-91
Additional Info: Must be used with Open Network Distribution
Services, V1R1, 01-OCT-90, & OSI/Communications
Subsystem, V1R1.1, 01-DEC-90

Registration:
Date: 19-MAR-93 Basis: BASE
Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
IBM Enterprise System/390
IBM VM/ESA Ver 1 Rel 1
IBM Enterprise System/370
IBM VM/ESA Ver 1 Rel 1

Connectivity: TP0/WAN

Underlying Stack:
OSI/Communications Subsystem Ver 1 Rel 1.1 IBM NCP Packet
Switching Interface

Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]

ATS Used: ATS:1-13, ATS:1-14 AND ATS:1-15

Conformance Lab: NVLAP# 0392
IBM Rome Networking Systems Laboratory

GOSIP REGISTERS, Continued

Product Code/Type: P-006 MHS **Product ID: 123**

Supplier: Retix
 2401 Colorado Avenue
 Santa Monica, CA 90404
 Contact: Jeff Stone Tel: (310) 828-3400
 Fax: (310) 828-2255

GOSIP Product Name: Retix User Agent Model MH-423,
 Retix OpenServer Model MH-4430
 Version/Release: Ver 1.41
 Release Date: 01-OCT-92
 Additional Info: None

Registration:
 Date: 06-JAN-93 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 Test platform was a Tatung (Intel 386), with a Western Digital
 8003 for 802.3
 O/S SCO Ver 4.0 (UNIX V Rel 3.2) Vendor claims all Intel 386 and
 486 based platforms using stated O/S
 Connectivity: TP4-CLNS/CLNP/LAN
 Underlying Stack: Retix LT-610, Ver 2.3.0 (TP4/CLNP/LAN)

Protocols and Profiles: MHS/(Session)
 MHS [X.400:1984] {P2, P1, RTS}
 MHS Session [X.410:1984]
 ATS Used: ATS:1-13, ATS:1-14 AND ATS:1-15
 Conformance Lab: NVLAP# 0357
 National Computing Centre Limited

Product Code/Type: P-006 MHS **Product ID: 149**

Supplier: UNISYS Corporation
 8008 West Park Drive
 McLean, VA 22102
 Contact: Dale Pluta Tel: (703) 556-5682
 Fax: (703) 556-5172

GOSIP Product Name: A-Series OSI-MHS
 Version/Release: 2.0.048
 Release Date: 17-DEC-92
 Additional Info: Used In conjunction with A-Series/CP2000 OSI-IPC
 Software, Version 30.00.199, 11-Dec-92.

Registration:
 Date: 04-MAY-93 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 A-Series/CP2000
 - A-Series System Software Ver 4.0
 - CP2000 Operating Software Ver 3.0
 Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack:
 A-Series/CP2000 OSI-IPC (TP4-CLNS/CLNP). CP2000 Operating
 Software (LAN)

Protocols and Profiles: MHS/(Session)
 MHS [X.400:1984] {P2, P1, RTS}
 MHS Session [X.410:1984]
 ATS Used: ATS:1-13, ATS:1-14, ATS:1-15

Conformance Lab: NVLAP# 0367
 UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-006 MHS **Product ID: 163**

Supplier: UNISYS Corporation
 8008 West Park Drive
 McLean, VA 22102
 Contact: Dale Pluta Tel: (703) 556-5682
 Fax: (703) 556-5172

GOSIP Product Name: A-Series OSI-MHS
 Version/Release: Ver 2.0.048
 Release Date: 17-DEC-92
 Additional Info: In conjunction with A-Series CP/2000 OSI-IPC
 Software Ver 30.00.200, Rel 05-JAN-93

Registration:
 Date: 18-JUN-93 Basis: DERIVED
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 A-Series/CP2000
 - A-Series System Software Ver 4.0
 - CP2000 Operating Software Ver 3.0
 Connectivity: TP4-CONS/WAN
 TP0/WAN
 Underlying Stack:
 A-Series/CP2000 OSI-IPC Software/CP2000X.25; A-Series/CP2000
 OSI-IPC Unisys Product 113/P4.3
 Protocols and Profiles: MHS/(Session)
 MHS [X.400:1984] {P2, P1, RTS}
 MHS Session [X.410:1984]
 ATS Used: ATS:1-13, ATS:1-14 and ATS:1-15

Conformance Lab: NVLAP# 0367
 UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-006 MHS **Product ID: 74**

Supplier: UNISYS Corporation
 8008 Westbrook Drive
 McLean, VA 22102
 Contact: Keith Fretz Tel: (703) 556-5665
 Fax: (703) 556-5172

GOSIP Product Name: DDP-PPC & OS 1100 OSI-MHS
 Version/Release: Ver DDP-PPC 5RIA + PCR 987
 Release Date: 30-MAR-92
 Additional Info: None

Registration:
 Date: 16-OCT-92 Basis: DERIVED
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 Model 1100/90 or any 2200 System using OS1100 EXEC Ver 43R2
 and DCP-15 through DCP-55 using DCP/OS Ver 5R2A and
 TELCON Ver 9R1A

Connectivity:
 TP4-CLNS/CLNP/WAN or TP4-CONS/WAN or TP0/WAN
 Underlying Stack: A-Series/CP2000 OSI-IPC Ver 30.00.199
 (TP4/CLNP). [ISO 8208] X.25
 DCP OSITS, Ver 2RIA(TP4). [ISO 8208]
 X.25 CMS 1100/OSITS Ver 7R2B(TP0).
 [ISO 8208] X.25 (X.25)

Protocols and Profiles: MHS/(Session)
 MHS [X.400:1984] {P2, P1, RTS}
 MHS Session [X.410:1984]
 ATS Used: ATS:1-13, ATS:1-14 AND ATS:1-15

Conformance Lab: NVLAP# 0367
 UNISYS - Open Systems Interconnection Laboratory

GOSIP REGISTERS, *Continued*

Product Code/Type: P-006 MHS	Product ID: 61	Product Code/Type: P-006 MHS Relay	Product ID: 139
<p>Supplier: UNISYS Corporation 8008 Westbrook Drive McLean, VA 22102 Contact: Keith Fretz Tel: (703) 556-5665 Fax: (703) 556-5172</p> <p>GOSIP Product Name: OS1100 OSI-MHS DDP-PPC: 5RIA & PCR 987 Version/Release: Ver OSI-HS 2R1B Release Date: 06-MAY-92 Additional Info: None Registration: Date: 10-SEP-92 Basis: BASE Type: PROVISIONAL, GOSIP VER 1</p> <p>Hardware and Operating System Platforms: 1100/90 and 2200 Series Processors, OS1100 Exec. Ver 43R2 Connectivity: TP4-CLNS/CLNP/LAN Underlying Stack: CMS 1100 7R2B + PCR 15312(TP4). OSITS 2RIA + PCR 192, 193, 194, 197 CMS 1100 7R2B + PCR 15312 (CLNP). DCP 802.3 LAN Line Module (LAN) Protocols and Profiles: MHS/(Session) MHS [X.400:1984] {P2, P1, RTS} MHS Session [X.410:1984]</p> <p>ATS Used: ATS:1-13, ATS:1-14 AND ATS:1-15</p> <p>Conformance Lab: NVLAP# 0367 UNISYS - Open Systems Interconnection Laboratory</p>		<p>Supplier: Digital Equipment Corporation P.O. Box 121 Worton Grange, Reading, Berks RG2 OTE United Kingdom Contact: Richard A Duhamel Tel: (508) 486-5021 Fax: (508) 486-7417</p> <p>GOSIP Product Name: VAX Message Router X.400 Gateway Version/Release: Ver 2.2G Release Date: 18-DEC-92 Additional Info: None Registration: Date: 11-MAR-93 Basis: BASE Type: PROVISIONAL, GOSIP VER 1</p> <p>Hardware and Operating System Platforms: MicroVAX 3400 VAX/VMS Ver 5.4 & 5.5 Connectivity: TP0/WAN</p> <p>Underlying Stack: DECNet-VAX (TM) Extensions Ver5.4A (TD1111)</p> <p>Protocols and Profiles: MHS Relay/(Session) MHS Relay [X.400:1984] {P1, RTS} MHS Session [X.410:1984]</p> <p>ATS Used: ATS:1-13 AND ATS:1-14</p> <p>Conformance Lab: NVLAP# 0357 National Computing Centre Limited</p>	
<p>Product Code/Type: P-006 MHS Relay</p> <p>Supplier: Data General Corporation 4400 Computer Drive, MS/D216 Westborough, MA 01580 Contact: Charles Stakus Tel: (508) 870-6392 Fax: (508) 898-4694</p> <p>GOSIP Product Name: X.400 for AViiON Sys (X.400 for AViiON Sys/3.0) (OSI for AViiON) Version/Release: Ver 3.10 Release Date: 01-AUG-92 Additional Info: None Registration: Date: 01-DEC-92 Basis: BASE Type: PROVISIONAL, GOSIP VER 1</p> <p>Hardware and Operating System Platforms: AViiON Series 5000, VSC Synchronous Comms Controller, O/S, DG/UX Rel. 5.4.1, AV/X.25 Rel. 2.2.0 Connectivity: TP0/WAN</p> <p>Underlying Stack: OSI/Platform for AViiON System Ver 3.0 [TP0]. X.25 for AViiON System Ver 2.20 Protocols and Profiles: MHS Relay/(Session) MHS Relay [X.400:1984] {P1, RTS} MHS Session [X.410:1984] ATS Used: ATS:1-13 and ATS:1-14</p> <p>Conformance Lab: NVLAP# 0391 Data General Corporation, OSI Conformance Test Center</p>	<p>Product ID: 110</p>	<p>Product Code/Type: P-006 MHS Relay</p> <p>Supplier: NCR Network Products Division 9900 Old Grove Road San Diego, CA 92131 Contact: Rolf Krause Tel: (619) 693-5788 Fax: (619) 693-5705</p> <p>GOSIP Product Name: NCR StarPRO Message Central 400 Version/Release: Ver 2.0 Release Date: 01-MAR-93 Additional Info: This Product also registered for TP4 over LAN (Product ID 115) Registration: Date: 29-DEC-92 Basis: BASE Type: PROVISIONAL, GOSIP VER 1</p> <p>Hardware and Operating System Platforms: HW: NCR System 3000 consisting of the following hardware models: 3320, 3340, 3345, 3447, 3450, 3550, and 3600 OS: NCR UNIX SVR4, (MP-RAS), Rel 2 Connectivity: TP0/WAN</p> <p>Underlying Stack: NCR UNIX OSI Network Services, Ver 2.01 (Product ID 83) Protocols and Profiles: MHS Relay/(Session) MHS Relay [X.400:1984] {P1, RTS} MHS Session [X.410:1984] ATS Used: ATS:1-13 AND ATS:1-14</p> <p>Conformance Lab: NVLAP# 0363 Corporation for Open Systems International Test Center</p>	<p>Product ID: 114</p>

GOSIP REGISTERS, Continued

Product Code/Type: P-006 MHS Relay Product ID: 115

Supplier: NCR Network Products Division
 9900 Old Grove Road
 San Diego, CA 92131
 Contact: Rolf Krause Tel: (619) 693-5788
 Fax: (619) 693-5705

GOSIP Product Name: NCR StarPRO Message Central 400
 Version/Release: Ver 2.0
 Release Date: 01-MAR-93
 Additional Info: This Product also registered for TPO over WAN
 (Product ID 114)

Registration:
 Date: 29-DEC-92 Basis: DERIVED
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 HW: NCR System 3000 consisting of the following
 hardware models:
 3320, 3340, 3345, 3447, 3450, 3550, and 3600
 OS: NCR UNIX SVR4, (MP-RAS), Rel 2
 Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack:
 NCR UNIX OSI Network Services,
 Ver 2.00.02 (TP4/CLNP, Product ID 51)
 Protocols and Profiles: MHS Relay/(Session)
 MHS Relay [X.400:1984] {P1, RTS}
 MHS Session [X.410:1984]
 ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0363
 Corporation for Open Systems International Test Center

Product Code/Type: P-006 MHS Relay Product ID: 84

Supplier: SUN Microsystems, Inc. International
 Centre for Network Computing
 32 Rue du Vieux Chene
 F-38240 Meylan France
 Contact: Tom Hull Tel: +33 76 41 42 18
 Fax: +33 76 41 42 41

GOSIP Product Name: SUNNET MHS
 Version/Release: Ver 7.1
 Release Date: 01-OCT-92
 Additional Info: None

Registration:
 Date: 25-NOV-92 Basis: DERIVED
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 SUN 4, Station 2-4/75
 SUN O/S 4.0.3, 4.1, 4.1.1
 Connectivity: TPO/WAN

Underlying Stack: SunNet X.25, Ver 7.0.1 Rel 1

Protocols and Profiles: MHS Relay/(Session)
 MHS Relay [X.400:1984] {P1, RTS}
 MHS Session [X.410:1984]

ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0357
 National Computing Centre Limited

Product Code/Type: P-006 MHS Relay Product ID: 67

Supplier: SUN Microsystems, Inc.
 International Centre for Network Computing
 32 Rue du Vieux Chene
 F-38240 Meylan France
 Contact: Tom Hull Tel: +33 76 41 42 18
 Fax: +33 76 41 42 41

GOSIP Product Name: SUNNET MHS Gateway
 Version/Release: Ver 7.1
 Release Date: 01-OCT-92
 Additional Info: None

Registration:
 Date: 14-OCT-92 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 SUN 4, Station 2-4/75
 SUN O/S 4.0.3, 4.1, 4.1.1
 Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SunNet OSI Ver 7.1 Rel 1

Protocols and Profiles: MHS Relay/(Session)
 MHS Relay [X.400:1984] {P1, RTS}
 MHS Session [X.410:1984]

ATS Used: ATS:1-13 and ATS:1-14

Conformance Lab: NVLAP# 0357
 National Computing Centre Limited

Product Code/Type: P-006 MHS Relay Product ID: 118

Supplier: SUN Microsystems Federal, Incorporated
 2650 Park Tower Drive, Suite 500
 Vienna, VA 22180-7306

Contact: Michael Barnes Tel: (703) 204-4100
 Fax: (703) 204-4782

GOSIP Product Name: SunLink OSI
 Version/Release: Ver 8.0
 Release Date: 04-AUG-92
 Additional Info: None

Registration:
 Date: 04-JAN-93 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 SUN, SPARCstation 10 model 30
 - MAC H/W - AMD, Lance 7990 Ethernet Controller
 - MAC S/W - SUN, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1
 Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SunLink OSI 8.0 (TP4/CLNP)

Protocols and Profiles: MHS Relay/(Session)
 MHS Relay [X.400:1984] {P1, RTS}
 MHS Session [X.410:1984]

ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0364
 CDA, Incorporated Open Systems Development Group

GOSIP REGISTERS, Continued

Product Code/Type: P-006 MHS Relay

Product ID: 119

Supplier: SUN Microsystems Federal, Incorporated
 2650 Park Tower Drive, Suite 500
 Vienna, VA 22180-7306
 Contact: Michael Barnes Tel: (703) 204-4100
 Fax: (703) 204-4782

GOSIP Product Name: SunLink OSI
 Version/Release: Ver 8.0
 Release Date: 04-AUG-92
 Additional Info: None
 Registration:
 Date: 04-JAN-93 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 SUN, SPARCstation 10 Model 42
 - MAC H/W - AMD, Lance 7990 Ethernet Controller
 - MAC S/W - SUN, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1
 Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SunLink OSI 8.0 (TP4/CLNP)

Protocols and Profiles: MHS Relay/(Session)
 MHS Relay [X.400:1984] {P1, RTS}
 MHS Session [X.410:1984]

ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0364
 CDA, Incorporated Open Systems Development Group

Product Code/Type: P-006 MHS Relay

Product ID: 120

Supplier: SUN Microsystems Federal, Incorporated
 2650 Park Tower Drive, Suite 500
 Vienna, VA 22180-7306
 Contact: Michael Barnes Tel: (703) 204-4100
 Fax: (703) 204-4782

GOSIP Product Name: SunLink OSI
 Version/Release: Ver 8.0
 Release Date: 04-AUG-92
 Additional Info: None
 Registration:
 Date: 04-JAN-93 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 SUN, SPARCstation 10 Model 41
 - MAC H/W - AMD, Lance 7990 Ethernet Controller
 - MAC S/W - SUN, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1

Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SunLink OSI 8.0 (TP4/CLNP)

Protocols and Profiles: MHS Relay/(Session)
 MHS Relay [X.400:1984] {P1, RTS}
 MHS Session [X.410:1984]

ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0364
 CDA, Incorporated Open Systems Development Group

Product Code/Type: P-006 MHS Relay

Product ID: 121

Supplier: SUN Microsystems Federal, Incorporated
 2650 Park Tower Drive, Suite 500
 Vienna, VA 22180-7306
 Contact: Michael Barnes Tel: (703) 204-4100
 Fax: (703) 204-4782

GOSIP Product Name: SunLink OSI
 Version/Release: Ver 8.0
 Release Date: 04-AUG-92
 Additional Info: None
 Registration:
 Date: 04-JAN-93 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 SUN, SPARCstation 4/30
 - MAC H/W - AMD, Lance 7990 Ethernet Controller
 - MAC S/W - SUN, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1
 Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SunLink OSI 8.0 (TP4/CLNP)

Protocols and Profiles: MHS Relay/(Session)
 MHS Relay [X.400:1984] {P1, RTS}
 MHS Session [X.410:1984]

ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0364
 CDA, Incorporated Open Systems Development Group

Product Code/Type: P-006 MHS Relay

Product ID: 122

Supplier: SUN Microsystems Federal, Incorporated
 2650 Park Tower Drive, Suite 500
 Vienna, VA 22180-7306
 Contact: Michael Barnes Tel: (703) 204-4100
 Fax: (703) 204-4782

GOSIP Product Name: SunLink OSI
 Version/Release: Ver 8.0
 Release Date: 04-AUG-92
 Additional Info: None

Registration:
 Date: 04-JAN-93 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 RDI BRIGHTLITE Model IPX Color Laptop Workstation
 - MAC H/W - AMD, Lance 7990 Ethernet Controller
 - MAC S/W - SUN, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1
 Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SunLink OSI 8.0 (TP4/CLNP)

Protocols and Profiles: MHS Relay/(Session)
 MHS Relay [X.400:1984] {P1, RTS}
 MHS Session [X.410:1984]

ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0364
 CDA, Incorporated Open Systems Development Group

GOSIP REGISTERS, *Continued*

Product Code/Type: P-007 FTAM Product ID: 113

Product Code/Type: P-007 FTAM Product ID: 130

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029

Contact: Oscar V Hefner Tel: (602) 862-6001
 Fax: (602) 862-6051

GOSIP Product Name: FTAMX
Version/Release: Ver 02.01.06
Release Date: 01-AUG-92
Additional Info: None

Registration:
Date: 18-DEC-92 Basis: BASE
Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
DPX/2 200, O/S B.O.S. 2

Connectivity: Session/TP4-CLNS/CLNP/LAN

Underlying Stack: LT-610, Bull Information Systems

Protocols and Profiles: FTAM [ISO 8571:1988] {T1, M1}

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB

Product Code/Type: P-007 FTAM Product ID: 90

Supplier: Data General Corporation
4400 Computer Drive, MS/D216
Westborough, MA 01580

Contact: Charles Stakus Tel: (508) 870-6392
 Fax: (508) 898-4694

GOSIP Product Name: FTAM For AViON Systems
Version/Release: Ver 3.10
Release Date: 01-AUG-92
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
AViON 5000/6000 Series
DG/UX System for AViON Systems Rev. 5.4.1

Connectivity: Session/TP4-CLNS/CLNP/LAN

Underlying Stack: OSI/Platform for AViON Systems

Protocols and Profiles: FTAM [ISO 8571:1988] {T1, M1}

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0391
Data General Corporation, OSI Conformance Test Center

Supplier: Digital Equipment Corp
550 King Street
Littleton, MA 01460-1289

Contact: Richard A Duhamel Tel: (508) 486-5021
 Fax: (508) 486-7417

GOSIP Product Name: DECnet/OSI for OpenVMS
Version/Release: Ver V5.5
Release Date: 09-NOV-92
Additional Info: None

Registration:
Date: 13-JAN-93 Basis: DERIVED
Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
Digital VAX
VMS Ver 5.5

Connectivity: Session/TP4-CLNS/CLNP/LAN

Underlying Stack:
DECNet - OSI for Open VMS VAX Ver 5.5/VOTS Ver 3.0A

Protocols and Profiles: FTAM [ISO 8571:1988] {T1}

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance Interoperability
Test Center

Product Code/Type: P-007 FTAM Product ID: 53

Supplier: Digital Equipment Corporation
550 King Street
Littleton, MA 01460-1289

Contact: Ladan Porooshani Tel: (508) 486-7123
 Fax:

GOSIP Product Name: DECNET-VAX (TM) Extensions
Ver 5.4A/VAX FTAM Ver 2.0A
Version/Release: Ver 2.0A
Release Date: 01-MAR-92
Additional Info: None

Registration:
Date: 16-AUG-92 Basis: BASE
Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
Digital VAX with VMS V5.4 and DECNET-VAX V5.4 Extensions
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: DECNet - OSI for OpenVMS VAX
Ver 5.5/VOTS Ver 3.0A

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance Interoperability
Test Center

GOSIP REGISTERS, Continued

Product Code/Type: P-007 FTAM **Product ID: 63**

Supplier: Encore Computing Corporation
 6901 West Sunrise Boulevard
 Ft. Lauderdale, FL 33313-4499
 Contact: Augie Gonzales Tel: (305) 587-2900
 Fax: (305) 797-5807

GOSIP Product Name: EnComm FTAM
 Version/Release: Ver 2.0.1
 Release Date: 01-SEP-92
 Additional Info: None
 Registration:
 Date: 23-SEP-92 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 Encore Infinity 90 Series GPIO I, O/S UMAX Ver 3.0.7
 Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: Encore Infinity 90 Series GPIO I

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
 FTAM [ISO 8571:1988] {T1}
 FTAM ACSE [ISO 8650:1988]
 FTAM Presentation [ISO 8823:1988]
 FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0364
 CDA, Incorporated Open Systems Development Group

Product Code/Type: P-007 FTAM **Product ID: 32**

Supplier: Hewlett-Packard Company
 19420 Homestead Road
 Cupertino, CA 95014-9810
 Contact: Kelly Erno Tel: (408) 447-2822
 Fax: (408) 447-3660

GOSIP Product Name: HP FTAM/9000 Series 800
 Version/Release: Ver C.02.03
 Release Date: 10-JUN-91
 Additional Info: None
 Registration:
 Date: 30-JAN-92 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 HP9000 Series 800 computers which support LAN/9000 link product;
 HP-UX Operating System, Version 8.0
 Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: Unknown. Documentation was not retained.

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
 FTAM [ISO 8571:1988] {T1}
 FTAM ACSE [ISO 8650:1988]
 FTAM Presentation [ISO 8823:1988]
 FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0365
 Hewlett-Packard Company, OSI Conformance Test Center

Product Code/Type: P-007 FTAM **Product ID: 135**

Supplier: IBM Corporation, Rome Networking Systems Laboratory
 Via Paolo DiDono, 44
 00144 Rome, Italy

Contact: Michael Sullivan Tel: +39 6 5187 2517
 Fax: +39 6 5187 2467

GOSIP Product Name: IBM AIX OSI Messaging and Filing / 6000
 Version/Release: Ver 1
 Release Date: 01-DEC-90
 Additional Info: None
 Registration:
 Date: 25-FEB-93 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
 IBM AIX/6000, Ver 3.1.5, O/S RISC System 6000
 Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: None

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
 FTAM [ISO 8571:1988] {T1}
 FTAM ACSE [ISO 8650:1988]
 FTAM Presentation [ISO 8823:1988]
 FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0392
 IBM Rome Networking Systems Laboratory

Product Code/Type: P-007 FTAM **Product ID: 166**

Supplier: IBM Corporation, Rome Networking Systems Laboratory
 Via Paolo DiDono, 44
 00144 Rome Italy

Contact: Michael Sullivan Tel: +39 6 5187 2517
 Fax: +39 6 5187 2467

GOSIP Product Name: IBM OSI/File Services
 Version/Release: Version 1 Release 1
 Release Date: 01-JUN-90
 Additional Info: Must be used with OSI/Communications Subsystem Version 1 Release 1.1, 01-DEC-90
 Registration:
 Date: 24-JUN-93 Basis: BASE
 Type: Provisional, GOSIP Ver. 1

Hardware and Operating System Platforms:
 (1) HW: IBM Enterprise System/390
 (1) OS: IBM MVS/ESA Ver 3 Rel 1
 (2) HW: IBM Enterprise System/370
 (2) OS: IBM MVS/ESA Ver 3 Rel 1
 Connectivity: TP4-CONS/WAN

Underlying Stack:
 IBM OSI/Communications Subsystem V1R1.1 IBM X.25 NCP
 Packet Switching Interface V3R4

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
 FTAM [ISO 8571:1988] {T1}
 FTAM ACSE [ISO 8650:1988]
 FTAM Presentation [ISO 8823:1988]
 FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0392
 IBM Rome Networking Systems Laboratory

GOSIP REGISTERS, *Continued*

Product Code/Type: P-007 FTAM

Product ID: 52

Supplier: NCR
 9900 Old Grove Road
 San Diego, CA 92131
 Contact: Wendy Morrison Tel: (619) 693-5665
 Fax: (619) 693-5705

GOSIP Product Name: NCR OSI STAR PRO FTAM

Version/Release: Ver 2.00.00

Release Date: 01-JUL-92

Additional Info: None

Registration:

Date: 07-AUG-92 Basis: BASE

Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:

HW: NCR System 3000 consisting of the following hardware models:

3320, 3340, 3345, 3447, 3450, 3550, and 3600

OS: NCR UNIX SVR4, (MP-RAS), Rel 2

Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack:

Product ID# 51: NCR UNIX OSI Network Services, Ver 2.00.02

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)

FTAM [ISO 8571:1988] {T1}

FTAM ACSE [ISO 8650:1988]

FTAM Presentation [ISO 8823:1988]

FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0363

Corporation for Open Systems International Test Center

Product Code/Type: P-007 FTAM

Product ID: 48

Supplier: Novell Incorporated
 2180 Fortune Drive
 San Jose, CA 95131
 Contact: Jan Provan Tel: (408) 473-8422
 Fax: (408) 433-9827

GOSIP Product Name: NETWARE FTAM

Version/Release: Ver 1.2 Rev B

Release Date: 20-APR-92

Additional Info: None

Registration:

Date: 24-JUN-92 Basis: BASE

Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:

FTAM Initiator Hub and Responder AST Premium 386/33; Netware

3.11; Novell Ethernet Card FTAM Initiator Executable AST Premium

386/33; DOS 3.3; Novell NE2000 Ethernet Card

Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack:

Unknown. Documentation was not retained.

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)

FTAM [ISO 8571:1988] {T1}

FTAM ACSE [ISO 8650:1988]

FTAM Presentation [ISO 8823:1988]

FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0357

National Computing Centre Limited

Product Code/Type: P-007 FTAM

Product ID: 134

Supplier: Retix
 2401 Colorado Avenue
 Santa Monica, CA 90404
 Contact: Jeff Stone Tel: (310) 828-3400
 Fax: (310) 828-2255

GOSIP Product Name: Retix FTAM FT-820

Version/Release: Ver 1.80

Release Date: 01-OCT-92

Additional Info: None

Registration:

Date: 01-FEB-92 Basis: BASE

Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:

Tatung (Intel 386), O/S UNIX System V Rel 3.2 (SCO Ver 4.0)

Connectivity: TP4-CLNS/CLNP/WAN

Underlying Stack: Retix LT-610

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)

FTAM [ISO 8571:1988] {T1}

FTAM ACSE [ISO 8650:1988]

FTAM Presentation [ISO 8823:1988]

FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0357

National Computing Centre Limited

Product Code/Type: P-007 FTAM

Product ID: 126

Supplier: Retix
 2401 Colorado Avenue
 Santa Monica, CA 90404

Contact: Jeff Stone Tel: (310) 828-3400
 Fax: (310) 828-2255

GOSIP Product Name: Retix FTAM Model FT-820

Version/Release: Ver 1.80

Release Date: 01-OCT-92

Additional Info: None

Registration:

Date: 21-JAN-93 Basis: BASE

Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:

Intel 486 Alpha Systems Lab

UNIX System V Rel 3.2

Connectivity: Session/TP4-CLNS/CLNP/LAN

Underlying Stack: Retix LT-610

Protocols and Profiles: FTAM [ISO 8571:1988] {T1}

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0357

National Computing Centre Limited

GOSIP REGISTERS, *Continued*

<p>Product Code/Type: P-007 FTAM Product ID: 68</p> <p>Supplier: SUN Microsystems, Inc. International Centre for Network Computing 32 Rue du Vieux Chene F-38240 Meylan France Contact: Tom Hull Tel: +33 76 41 42 18 Fax: +33 76 41 42 41</p> <p>GOSIP Product Name: SUNNET OSI FTAM Version/Release: Ver 7.1 Release Date: 01-OCT-92 Additional Info: None Registration: Date: 14-OCT-92 Basis: BASE Type: PROVISIONAL, GOSIP VER 1</p> <p>Hardware and Operating System Platforms: SUN 4 SUN O/S 4.0.3, 4.1, 4.1.1, 4.1.2 Connectivity: TP4-CLNS/CLNP/LAN</p> <p>Underlying Stack: SUNNet OSI 7.0</p> <p>Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session) FTAM [ISO 8571:1988] {T1} FTAM ACSE [ISO 8650:1988] FTAM Presentation [ISO 8823:1988] FTAM Session [ISO 8327:1987] ATS Used: ATS:1-16</p> <p>Conformance Lab: NVLAP# 0357 National Computing Centre Limited</p>	<p>Product Code/Type: P-007 FTAM Product ID: 156</p> <p>Supplier: SUN Microsystems Federal, Incorporated 2650 Park Tower Drive, Suite 500 Vienna, VA 22180-7306 Contact: Michael Barnes Tel: (703) 204-4100 Fax: (703) 204-4782</p> <p>GOSIP Product Name: SUNLink OSI FTAM Version/Release: Ver 8.0 Release Date: 04-AUG-92 Additional Info: None Registration: Date: 04-JAN-93 Basis: BASE Type: PROVISIONAL, GOSIP VER 1</p> <p>Hardware and Operating System Platforms: HW: SPARCstation 4/30 OS: Solaris 2.1 Connectivity: TP4-CLNS/CLNP/LAN</p> <p>Underlying Stack: SUNLink OSI 8.0</p> <p>Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session) FTAM [ISO 8571:1988] {T1} FTAM ACSE [ISO 8650:1988] FTAM Presentation [ISO 8823:1988] FTAM Session [ISO 8327:1987]</p> <p>ATS Used: ATS:1-16</p> <p>Conformance Lab: NVLAP# 0364 CDA, Incorporated Open Systems Development Group</p>
<p>Product Code/Type: P-007 FTAM Product ID: 86</p> <p>Supplier: SUN Microsystems, Inc. International Centre for Network Computing 32 Rue du Vieux Chene F-38240 Meylan France Contact: Tom Hull Tel: +33 76 41 42 18 Fax: +33 76 41 42 41</p> <p>GOSIP Product Name: SUNNET OSI FTAM Version/Release: Ver 7.1 Release Date: 01-OCT-92 Additional Info: None Registration: Date: 25-NOV-92 Basis: DERIVED Type: PROVISIONAL, GOSIP VER 1</p> <p>Hardware and Operating System Platforms: SUN 4 SUN O/S 4.0.3, 4.1, 4.1.1, 4.1.2 Connectivity: TP0/WAN</p> <p>Underlying Stack: SUNNet X.25</p> <p>Protocols and Profiles: FTAM [ISO 8571:1988] {T1}</p> <p>ATS Used: ATS:1-16</p> <p>Conformance Lab: NVLAP# 0357 National Computing Centre Limited</p>	<p>Product Code/Type: P-007 FTAM Product ID: 159</p> <p>Supplier: SUN Microsystems Federal, Incorporated 2650 Park Tower Drive, Suite 500 Vienna, VA 22180-7306 Contact: Michael Barnes Tel: (703) 204-4100 Fax: (703) 204-4782</p> <p>GOSIP Product Name: SUNLink OSI FTAM Version/Release: Ver 8.0 Release Date: 04-AUG-93 Additional Info: None Registration: Date: 04-JAN-93 Basis: BASE Type: PROVISIONAL, GOSIP VER 1</p> <p>Hardware and Operating System Platforms: HW: SPARCstation 10 Model 42 OS: Solaris 2.1 Connectivity: TP4-CLNS/CLNP/LAN</p> <p>Underlying Stack: SUNLink OSI 8.0</p> <p>Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session) FTAM [ISO 8571:1988] {T1} FTAM ACSE [ISO 8650:1988] FTAM Presentation [ISO 8823:1988] FTAM Session [ISO 8327:1987] ATS Used: ATS:1-16</p> <p>Conformance Lab: NVLAP# 0364 CDA, Incorporated Open Systems Development Group</p>

GOSIP REGISTERS, *Continued*

Product Code/Type: P-007 FTAM

Product ID: 158

Supplier: SUN Microsystems Federal, Incorporated
 2650 Park Tower Drive, Suite 500
 Vienna, VA 22180-7306
 Contact: Michael Barnes Tel: (703) 204-4100
 Fax: (703) 204-4782

GOSIP Product Name: SUNLink OSI FTAM

Version/Release: Ver 8.0
 Release Date: 04-AUG-93
 Additional Info: None

Registration:

Date: 04-JAN-93 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:

HW: SPARCstation 10 Model 41
 OS: Solaris 2.1

Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SUNLink OSI 8.0

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)

FTAM [ISO 8571:1988] {T1}
 FTAM ACSE [ISO 8650:1988]
 FTAM Presentation [ISO 8823:1988]
 FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0364
 CDA, Incorporated Open Systems Development Group

Product Code/Type: P-007 FTAM

Product ID: 160

Supplier: SUN Microsystems Federal, Incorporated
 2650 Park Tower Drive, Suite 500
 Vienna, VA 22180-7306
 Contact: Michael Barnes Tel: (703) 204-4100
 Fax: (703) 204-4782

GOSIP Product Name: SUNLink OSI FTAM

Version/Release: Ver 8.0
 Release Date: 04-AUG-93
 Additional Info: None

Registration:

Date: 04-JAN-93 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:

RDI BrightLite IPX Color Laptop Workstation
 Solaris 2.1

Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SUNLink OSI 8.0

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)

FTAM [ISO 8571:1988] {T1}
 FTAM ACSE [ISO 8650:1988]
 FTAM Presentation [ISO 8823:1988]
 FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0364
 CDA, Incorporated Open Systems Development Group

Product Code/Type: P-007 FTAM

Product ID: 157

Supplier: SUN Microsystems Federal, Incorporated
 2650 Park Tower Drive, Suite 500
 Vienna, VA 22180-7306
 Contact: Michael Barnes Tel: (703) 204-4100
 Fax: (703) 204-4782

GOSIP Product Name: SUNLink OSI FTAM

Version/Release: Ver 8.0
 Release Date: 04-AUG-93
 Additional Info: None

Registration:

Date: 04-JAN-93 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:

HW: SPARCstation 10 Model 30
 OS: Solaris 2.1

Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SUNLink 8.0

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)

FTAM [ISO 8571:1988] {T1}
 FTAM ACSE [ISO 8650:1988]
 FTAM Presentation [ISO 8823:1988]
 FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0364
 CDA, Incorporated Open Systems Development Group

Product Code/Type: P-007 FTAM

Product ID: 146

Supplier: UNISYS Corporation
 8008 West Park Drive
 McLean, VA 22102
 Contact: Dale Pluta Tel: (703) 556-5682
 Fax: (703) 556-5172

GOSIP Product Name: A-Series OSI FTAM

Version/Release: Ver 40.400.0008
 Release Date: 16-NOV-92

Additional Info: In conjunction with A-Series/CP2000 OSI-IPC Ver
 30.00.199, Rel 11-Dec-92

Registration:

Date: 13-APR-93 Basis: BASE
 Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:

A6
 A-Series System Ver 4.0

Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: A-Series/CP2000 OSI-IPC Ver 30.00.199
 11-DEC-92

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)

FTAM [ISO 8571:1988] {T1}
 FTAM ACSE [ISO 8650:1988]
 FTAM Presentation [ISO 8823:1988]
 FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0367
 UNISYS - Open Systems Interconnection Laboratory

GOSIP REGISTERS, *Continued*

Product Code/Type: P-007 FTAM Product ID: 150

Supplier: UNISYS Corporation
8008 West Park Drive
McLean, VA 22102
Contact: Dale Pluta Tel: (703) 556-5682
Fax: (703) 556-5172

GOSIP Product Name: A-Series OSI-FTAM Product 115/P7.1a
Version/Release: Ver 40.400.0008
Release Date: 16-NOV-92
Additional Info: Session Layer is not registered at the request of
the vendor UNISYS

Registration:
Date: 06-MAY-93 Basis: DERIVED
Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
A6
A-Series System Ver 4.0
Connectivity: TP4-CONS/WAN

Underlying Stack: Unisys Product 113/P4.2

Protocols and Profiles: FTAM/(ACSE)/(Presentation)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS-16

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-007 FTAM Product ID: 75

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102
Contact: Keith Fretz Tel: (703) 556-5665
Fax: (703) 556-5172

GOSIP Product Name: OSI-FTAM
Version/Release: Rel 2R1A
Release Date: 03-MAY-92
Additional Info: None

Registration:
Date: 16-OCT-92 Basis: DERIVED
Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
1100/90 and all 2000 Series Systems, OS1100, Release 43R1

Connectivity: TP4-CLNS/CLNP/WAN

Underlying Stack: CP 2000 X.25

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-007 FTAM Product ID: 80

Supplier: UNISYS Corporation
2450 Swedesford Road
Paoli, PA 19301
Contact: Ed Kelly Tel: (215) 993-7208
Fax:

GOSIP Product Name: OSI-FTAM
Version/Release: Rel 2R1A
Release Date: 03-MAY-92
Additional Info: None

Registration:
Date: 01-SEP-92 Basis: BASE
Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
1100/90 and all 2000 Series Systems OS1100 Release 43R1
DCP-15 through DCP-55, DCP/OS Ver 5R2A/TELCON Ver 9R1A
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: DCP OSITS

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory

Product Code/Type: P-007 FTAM Product ID: 60

Supplier: UNISYS Corporation
2450 Swedesford Road
Paoli, PA 19301
Contact: Ed Kelly Tel: (215) 993-7208
Fax:

GOSIP Product Name: OSI-FTAM
Version/Release: Rel 2R1A
Release Date: 03-MAY-92
Additional Info: None

Registration:
Date: 10-SEP-92 Basis: BASE
Type: PROVISIONAL, GOSIP VER 1

Hardware and Operating System Platforms:
1100/90 and all 2000 Series Systems OS1100 Release 43R1
DCP-15 through DCP-55, DCP/OS Ver 5R2A/TELCON Ver 9R1A
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: CMS 1000 7R2B PLS PCR 15312

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
FTAM Session [ISO 8327:1987]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory

GOSIP REGISTERS, *Continued*

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester, M1 7ED
United Kingdom

U.S. Contact: Andrea Reitzel Tel (703) 205-2809

Fax (703) 846-8590

U.K. Contact: Peter Bird Tel (44) 61 228-6333

Test System Name, Release and Date:

NCC: COS FTAM Tester,
Ver 2.3.1
March 18, 1992

Hardware and Operating System Platform(s):

SUN 3 Series, SUN OS 4.1 or later
SUN 4 Series, SUN OS 4.1 or later

Base/Derived: Derived

Connectivity: ACSE/Presentation/Session/TP0/X.25 PLP/X.25 LAP-B

ACSE/Presentation/Session/TP2/X.25 PLP/X.25 LAP-B

ACSE/Presentation/Session/TP4/X.25 PLP/X.25 LAP-B

ACSE/Presentation/Session/TP4/CLNP

Protocols and Profiles:

FTAM[ISO 8571]; Presentation[ISO 8823]; ACSE[ISO 8650]

FTAM Session Platform[ISO 8327: 1987]

Abstract Test Suite used: ATS:1-16

Date Registered: April 23, 1992

Type of Registration and Expiration Date:

Provisional, until October 01, 1992 GOSIP Version 1

Supplier: The National Computing Centre Limited

Oxford House, Oxford Road
Manchester, M1 7ED
United Kingdom

U.S. Contact: Andrea Reitzel Tel (703) 205-2809

U.K. Contact: Peter Bird Tel (44) 61 228-6333

Test System Name, Release and Date:

NCC: COS FTAM Tester,
Ver 2.4
March 05, 1992

Hardware and Operating System Platform(s):

SUN 3 Series, SUN OS 4.1 or later
SUN 4 Series, SUN OS 4.1 or later

Base/Derived: Derived

Connectivity: Session/TP0/X.25 PLP/X.25 LAP-B

Session/TP2/X.25 PLP/X.25 LAP-B

Session/TP4/X.25 PLP/X.25 LAP-B

Session/TP4/CLNP

Protocols and Profiles:

FTAM[ISO 8571]; ACSE[ISO 8650]; Presentation[ISO 8823];

FTAM Session[ISO 10607-1]

Abstract Test Suite used: ATS:1-16

Date Registered: July 14, 1992

Type of Registration and Expiration Date:

Provisional, until October 01, 1992 GOSIP Version 1

REGISTER OF GOSIP MEANS OF TESTING GOSIP VERSION 2

Means of Testing (MOT) for the GOSIP program of conformance testing are listed here. These MOTs relate to the protocols identified in FIPS 146-1 GOSIP Version 2. The type of registration and expiration date are listed with each MOT. For further details of each MOT listed, please contact the named supplier.

MEANS OF TESTING REGISTER: WIDE AREA NETWORKS

MOT 2-1 WIDE AREA NETWORK

Supplier: International Business Machines

P.O. Box 12195
Research Triangle Park, NC 27709
USA

Contact: John G. Conner Tel (919) 254-2679

Fax

Test System Name, Release and Date:

Automated Protocol Test System/2 (APTS/2),
Ver 1.1 August 03, 1992

Hardware and Operating System Platform(s):

IBM PS/2 Model 70, 80, or 90 w 8MB memory, OS/2 Ver 1.3

Base/Derived: Base

Connectivity: RS-232C, V.3

Protocols and Profiles:

X.25 PLP[8208] (X.25 LAP-B[7776]) {CCITT 1980, 1984,
ISO 8208}

Abstract Test Suite used: ATS:2-1 (99.7%) and ATS:2-2 (100%) FULL
X.25 WITH THE INCLUSION OF ANSI DEFECT REPORTS.

Date Registered: December 14, 1992

Type of Registration and Expiration Date:

FULL, until October 01, 1994 GOSIP Version 2

Supplier: Hewlett-Packard Company

42115 Street
Edmonton, Alberta, T6E5R5
Canada

Contact: Bill Mortimer Tel (403) 462-4545

Fax

Test System Name, Release and Date:

ISO 8882 Test Suite
Ver 3.0

September 01, 1992

Hardware and Operating System Platform(s):

PT300, PT302, PT500, PT502, and PT540, O/S Ver 2.0

Base/Derived: Base

Connectivity: RS-232C, V.35

Protocols and Profiles:

X.25 PLP[8208]
(X.25 LAP-B[7776]) {CCITT 1980, 1984, ISO 8208}

Abstract Test Suite used: ATS:2-1 (99.7%) and ATS:2-2 (100%) FULL
X.25 WITH THE INCLUSION OF ANSI DEFECT REPORTS.

Date Registered: January 29, 1993

Type of Registration and Expiration Date:

FULL, until October 01, 1994 GOSIP Version 2

GOSIP REGISTERS, *Continued*

Supplier: Hewlett-Packard Company
42115 Street
Edmonton, Alberta, T6E5R5
Canada

Contact: Bill Mortimer Tel (403) 462-4545
Fax

Test System Name, Release and Date:
ISO 8882 Test Suite
Ver 3.1
February 01, 1993

Hardware and Operating System Platform(s):
PT300, PT302, PT500, PT502, and PT540, O/S Ver 2.0
(PT500/300), 2.7 (PT502/302) and 2.8 (PT540)

Base/Derived: Derived

Connectivity: RS-232C, V.35

Protocols and Profiles:
X.25 PLP[8208]
(X.25 LAP-B[7776]) {CCITT 1980, 1984, ISO 8208}

Abstract Test Suite used: ATS:2-1 (99.7%) and ATS:2-2 (100%)
FULL X.25 WITH THE INCLUSION OF
ANSI DEFECT REPORTS.

Date Registered: February 17, 1993

Type of Registration and Expiration Date:
FULL, until October 01, 1994 GOSIP Version 2

Supplier: TEKELEC
26580 W. Agoura Road
Calabasas, CA 91302

Contact: Siamak Pousabahian Tel (818) 880-7952
Fax (818) 880-6993

Test System Name, Release and Date:
Chameleon 32 Plus, ISO 8882 Test Suite
Ver 1.0
July 14, 1992

Hardware and Operating System Platform(s):
Chameleon 32 Plus
MTOS-UX

Base/Derived: Base

Connectivity: RS-232C, V.35

Protocols and Profiles:
X.25 PLP/X.25 LAP-B
X.25 PLP[ISO 8208:1990] {CCITT 1984}
X.25 LAP-B[ISO 7776:1986] {CCITT 1984}

Abstract Test Suite used: ATS:2-1 (100%) and ATS:2-2 (100%) FULL
X.25 WITH THE INCLUSION OF ANSI DEFECT REPORTS.

Date Registered: February 08, 1993

Type of Registration and Expiration Date:
FULL, until October 01, 1994 GOSIP Version 2

Supplier: TEKELEC
26580 W. Agoura Road
Calabasas, CA 91302

Contact: Pierre Prescott Tel (880) 880-7780
Fax (818) 880-6993

Test System Name, Release and Date:
Chameleon 32 Plus, ISO 8882 Test Suite
Ver 2.0
December 17, 1992

Hardware and Operating System Platform(s):
Chameleon 32 Plus
MTOS-UX

Base/Derived: Derived

Connectivity: RS-232C, V.35

Protocols and Profiles:
X.25 PLP/X.25 LAP-B
X.25 PLP[ISO 8208:1990] {CCITT 1984}
X.25 LAP-B[ISO 7776:1986] {CCITT 1984}

Abstract Test Suite used: ATS:2-1 (100%) and ATS:2-2 (100%)

Date Registered: May 12, 1993

Type of Registration and Expiration Date:
FULL, until October 01, 1994 GOSIP Version 2

MEANS OF TESTING REGISTER: CLNP

MOT 2-3 CLNP TEST SYSTEMS

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Contact: Scott M. Schmitz Tel (703) 715-0800
Fax (703) 715-0804

Test System Name, Release and Date:
XRTLE Ver 4.21
CLNP Ver 1.1
January 29, 1992

Hardware and Operating System Platform(s):
80386 PC, Interactive 386/IX UNIX Version 2.2, 3.0, and 3.0.1
over (LAN) CMC 640 A.T. Type CMC

Base/Derived: Base

Connectivity: LLC1{802.2}/MAC{802.3}

Protocols and Profiles:
CLNP{ES}[ISO 8473]

Abstract Test Suite used: ATS:2-7 (90.9% W use of manual assessment)

Date Registered: January 11, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

GOSIP REGISTERS, Continued

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester M1 7ED
United Kingdom

Contact: Peter Bird Tel (44) 612286333
Fax

Test System Name, Release and Date:
NCC IP (CLNP) Test System,
Ver 2.2.1
March 01, 1991
ITS Ver 2.3

Hardware and Operating System Platform(s):
SUN OS 4.1.2, SUN SPARCstation 330, SUNNET OSI Ver 7.0

Base/Derived: Base

Connectivity: LLC1{802.2}/MAC{802.3}

Protocols and Profiles:
CLNP{ES}[ISO 8473: 1988]

Abstract Test Suite used: ATS:2-7 (97.0% With use of manual
assessment)

Date Registered: March 03, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2 (Level 1)

MEANS OF TESTING REGISTER: ES-IS(ES)

MOT 2-3 ES-IS TEST SYSTEMS

Supplier: Alcatel TITN, Inc.
7011 Koll Center Parkway, Suite 200
Pleasanton, California 94566-3101

Contact: Mr. Scott Schmitz
National Technical Manager (703) 715-0800

Test System Name, Release and Date:
Alcatel TITN, Inc. XRTLE V5.20
ES-IS(ES) V1.1 June 1993.

Hardware and Operating System Platform:
PC 386/486
Interactive UNIX V2.2, V2.2.1, V3.0, V3.0.1

Base/Derived: Base

Connectivity: LLC1{802.2}/MAC{802.3}/10Base5

Underlying Stack: TWICE software modified by Alcatel TITN
ANSWARE.

Protocols and Profiles: SIA VER 3:ES-IS{ES} [ISO 9542:1988]

Abstract Test Suite used: ATS:2-18

Percentage of ATCs Passed:
Literal Passes: 87%
Passes Based on Manual Assessment: 8%
Total Percentage Passed: 95%

Date Registered: 01-OCT-93

Type of Registration: Provisional GOSIP V2
Expiration Date: _____

MEANS OF TESTING REGISTER: TRANSPORT

MOT 2-4 TRANSPORT TEST SYSTEMS

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Contact: Scott M. Schmitz Tel (703) 715-0800
Fax (703) 715-0804

Test System Name, Release and Date:
XRTLE Ver 4.21
TR02(TP0) Ver 1.1
(Transport Class 0)
January 29, 1992

Hardware and Operating System Platform(s):
80386 based PC, Interactive 386/iX UNIX Ver 2.2 TWICE
Source code modified by Alcatel TITN ANSWARE

Base/Derived: Base

Connectivity: X.25 PLP/X.25 LAP-B/RS-232C

Underlying Stack:

Protocols and Profiles:
ISO 8073:1988, Transport Class 0
Abstract Test Suite used: ATS:2-8 (87%)

Date Registered: February 01, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Contact: Scott M. Schmitz Tel (703) 715-0800
Fax (703) 715-0804

Test System Name, Release and Date:
XRTLE Ver 4.21
TR02(TP2) Ver 1.1
(Transport Class 2)
January 29, 1992

Hardware and Operating System Platform(s):
80386 based PC
Interactive 386/iX UNIX Ver 2.2
TWICE Source code modified by Alcatel TITN ANSWARE for
X.25

Base/Derived: Base

Connectivity: X.25 PLP/X.25 LAP-B/RS-232C

Protocols and Profiles:
Transport Class 2 [ISO 8073:1988]

Abstract Test Suite used: ATS:2-20 (92.7%) (93.7% With use of
manual assessment)

Date Registered: March 05, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

GOSIP REGISTERS, *Continued*

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Contact: Scott M. Schmitz Tel (703) 715-0800
 Fax (703) 715-0804

Test System Name, Release and Date:
XRTLE Ver 4.21
TP4-CONS Ver 2.3
January 29, 1992

Hardware and Operating System Platform(s):
80386 based PC
Interactive 386/IX UNIX Ver 2.2
TWICE Source code modified by Alcatel TITN ANSWARE for X.25

Base/Derived: Base

Connectivity: X.25 PLP/HDLC LAP-B/RS-232C

Protocols and Profiles:
TP4-CONS[ISO 8073:1988]

Abstract Test Suite used: ATS:2-9.2 (86.5%) (89.1% With use of manual assessment)

Date Registered: March 02, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Contact: Scott M. Schmitz Tel (703) 715-0800
 Fax (703) 715-0804

Test System Name, Release and Date:
XRTLE Ver 4.21
TP4-CLNS Ver 2.41
January 29, 1992

Hardware and Operating System Platform(s):
80386 based PC, Interactive 386/IX UNIX Ver 2.2, TWICE
Source code modified by Alcatel TITN ANSWARE for CLNP

Base/Derived: Base

Connectivity: CLNP{ES}/LLC1{802.2}/MAC{802.3}

Protocols and Profiles:
TP2[ISO 8073:1988]

Abstract Test Suite used: ATS:2-20 (94.7%) (95.3% With use of manual assessment)

Date Registered: March 05, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester M1 7ED
United Kingdom

Contact: Peter Bird Tel 011-44-612-286-333
 Fax 011-44-612-369-877
 Internet peter@ncc.co.uk

USA: Robert Clark Technical Support Executive
 Tel (510) 687-3002
 Fax (510) 685-2864
 Internet rob@premenos.sf.ca.us

Test System Name, Release and Date:
NCC ITS Transport Test System, Class 0
Release 3.0
January 04, 1992
ITS Protocol Engine Ver 2.3

Hardware and Operating System Platform(s):
SUN 3 or SUN 4 Series operating SUN OS 4.1.1 or later
SUNNet 7.0 X.25 + OSI

Base/Derived: Base

Connectivity: X.25 PLP/X.25 LAP-B/RS-232C

Protocols and Profiles:
TP0[ISO 8073:1988]

Abstract Test Suite used: ATS:2-8 (85.2%) (88.9% With use of manual assessment)

Date Registered: March 31, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester M1 7ED
United Kingdom

Contact: Peter Bird Tel 011-44-612-286-333
 Fax 011-44-612-369-877
 Internet peter@ncc.co.uk

USA: Robert Clark, Technical Support Executive
 Tel (510) 687-3002
 Fax (510) 685-2864
 Internet rob@premenos.sf.ca.us

Test System Name, Release and Date:
NCC ITS Transport Test System, Class 2
Release 3.0
January 04, 1992
ITS Protocol Engine Ver 2.3

Hardware and Operating System Platform(s):
SUN 3 or SUN 4 Series operating SUN OS 4.1.1 or later
SUNNet 7.0 X.25 + OSI

Base/Derived: Base

Connectivity: X.25 PLP/X.25 LAP-B/RS-232C

Protocols and Profiles:
TP2[ISO 8073:1988]

Abstract Test Suite used: ATS:2-20 (66.5%) (71.8% With use of manual assessment)

Date Registered: March 31, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

GOSIP REGISTERS, *Continued*

5.4.7 US GOSIP PICS PROFORMA

PICS Proforma ID: 1

Protocol/Profile: X.25 HDLC PLP
GOSIP Version: 2
Reference ATS: 2-2

Organization: NIST/JITC
Title: US GOSIP Protocol Implementation Conformance Statement Proforma for Packet Layer (ISO 8208)
Issue/Number: None
Date: March 1992

Addl Document: None
Organization:
Title:
Issue/Number:
Date:

Additional Info: None

PICS Proforma ID: 2

Protocol/Profile: X.25 HDLC LAP-B
GOSIP Version: 2
Reference ATS: 2-1

Organization: NIST/JITC
Title: US GOSIP Protocol Implementation Conformance Statement Proforma for Data Link Layer (ISO 7776)
Issue/Number: None
Date: March 1992

Addl Document: None
Organization:
Title:
Issue/Number:
Date:

Additional Info: None

PICS Proforma ID: 3

Protocol/Profile: CLNP
GOSIP Version: 2
Reference ATS: 2-7

Organization: NIST/JITC
Title: US GOSIP Protocol Implementation Conformance Statement Proforma for Connectionless Network Layer Protocol (ISO 8473)
Issue/Number: None
Date: March 1992

Addl Document: None
Organization:
Title:
Issue/Number:
Date:

Additional Info: None

PICS Proforma ID: 4

Protocol/Profile: ES-IS
GOSIP Version: 2
Reference ATS: TBD

Organization: ISO
Title: Annex A, PICS Proformas [ISO 9542:1988(E)]
Issue/Number: ISO 9542
Date: 15 August 1988

Addl Document: Interim Profile Specific ICS
Organization: JITC
Title: Interim ISO 9542 (1988) Profile Specific ICS Proforma
Issue/Number: None
Date: July 1992

Additional Info: ICS to be submitted to OIW for consideration

PICS Proforma ID: 5

Protocol/Profile: TP0, TP2, TP4
GOSIP Version: 2
Reference ATS: 2-8, 2-9.1, 2-9.2, 2-9.3, 2-20

Organization: NIST/JITC
Title: US GOSIP Protocol Implementation Conformance Statement Proforma for TRANSPORT Class 0, 2, and 4 Protocols (ISO 8073:1988)
Issue/Number: None
Date: June 1993

Addl Document: None
Organization:
Title:
Issue/Number:
Date:

Additional Info: None

PICS Proforma ID: 6

Protocol/Profile: TP0, TP4
GOSIP Version: 2
Reference ATS: 1-8, 1-9, 2-8, 2-9.1, 2-9.2, 2-9.3

Organization: NIST/JITC
Title: US GOSIP Protocol Implementation Conformance Statement Proforma for Transport Class 0 and 4 Protocols (ISO 8073)
Issue/Number: None
Date: March 1992

Addl Document: None
Organization:
Title:
Issue/Number:
Date:

Additional Info: None

GOSIP REGISTERS, *Continued*

PICS Proforma ID: 7
Protocol/Profile: CLTP
GOSIP Version: 2
Reference ATS:

Organization: ISO
Title: Draft Amendment ISO 8602:1987/DAM 1:PICS Proforma
Issue/Number: None
Date: April 1993

Addl Document: None
Organization:
Title:
Issue/Number:
Date:

Additional Info: Voting Terminates on 29 Oct 1993 for ISO 8602:1987/DAM 1

PICS Proforma ID: 8
Protocol/Profile: MHS-84 {RTS, P1, P2}
GOSIP Version: 1
Reference ATS: 1-13, 1-14, 1-15

Organization: Corporation for Open Systems (COS)
Title: COS Stack Specification COS/AMH113
Issue/Number: Version 1.2
Date: 15 April 1992

Addl Document: None
Organization:
Title:
Issue/Number:
Date:

Additional Info: None

PICS Proforma ID: 9
Protocol/Profile: MHS-84 {RTS, P1, P2}
GOSIP Version: 2
Reference ATS: 2-13.2, 2-13.3, 2-13.4

Organization: Corporation for Open Systems (COS)
Title: COS Stack Specification COS/AMH113
Issue/Number: Version 1.2
Date: 15 April 1992

Addl Document: None
Organization:
Title:
Issue/Number:
Date:

Additional Info: None

PICS Proforma ID: 10
Protocol/Profile: Session
GOSIP Version: 2
Reference ATS: 2-10.1, 2-10.2

Organization: ISO
Title: Basic connection oriented session Protocol Implementation Conformance Statement (PICS) Proforma
Issue/Number: 8327-2
Date: 22 Oct 1992

Addl Document: None
Organization:
Title:
Issue/Number:
Date:

Additional Info: JITC is producing an addendum - several changes to align this PICS with US GOSIP

PICS Proforma ID: 11
Protocol/Profile: MHS-84 {Session}
GOSIP Version: 2
Reference ATS: 2-13.1

Organization: Corporation for Open Systems (COS)
Title: COS Stack Specification COS/AMH113
Issue/Number: Version 1.2
Date: 15 April 1992

Addl Document: None
Organization:
Title:
Issue/Number:
Date:

Additional Info: None

PICS Proforma ID: 12
Protocol/Profile: FTAM ACSE
GOSIP Version: 2
Reference ATS: 2-16.9

Organization: ISO
Title: ACSE Protocol Implementation Conformance Statement (PICS) Proforma
Issue/Number: 8650-2
Date: 22 October 1992

Addl Document: None
Organization:
Title:
Issue/Number:
Date:

Additional Info: Adjust requirements to conform to FTAM

GOSIP REGISTERS, *Continued*

PICS Proforma ID: 13
Protocol/Profile: FTAM
GOSIP Version: 2
Reference ATS: 2-16 Series

Organization: ISO/IEC
Title: Protocol Implementation Conformance Statement
ISO 8571, Part 5
Issue/Number: First Edition
Date: 15 December 1990

Addl Document: Profile Requirements List for NIST OW FTAM
Phase 3

Organization: NIST/JITC
Title: Stable Implementation Agreements for OSI
Protocols: Part 10 - FTAM Phase 3
Issue/Number: Version 5, Edition 1
Date: December 1991

Additional Info: None

PICS Proforma ID: 14
Protocol/Profile: FTAM Presentation
GOSIP Version: 2
Reference ATS: 2-16.10

Organization: ISO
Title: Presentation Protocol Implementation
Conformance Statement (PICS) Proforma
Issue/Number: 8823-2
Date: 22 Oct 1992

Addl Document: None

Organization:
Title:
Issue/Number:
Date:

Additional Info: Adjust requirements to conform to FTAM

PICS Proforma ID: 15
Protocol/Profile: FTAM Session
GOSIP version: 2
Reference ATS: 2-16.12

Organization: ISO
Title: Basic connection oriented session Protocol
Implementation Conformance Statement (PICS)
Proforma
Issue/Number: 8327-2
Date: 22 October 1992

Addl Document: None

Organization:
Title:
Issue/Number:
Date:

Additional Info: Adjust requirements to conform to FTAM

5.4.8 GOSIP Register Database: Abstract Test Suites (ATS)

ATS Code: ATS:1-1

Protocol: 0000000001
HDLC LAP-B
High Level Data Link Control, Logical Access
Procedure
B
GOSIP Version: 1
Expire Date:
Comments:

Title: X.25-DTE Conformance Testing: Text for Data Link Layer
Test Suite

Organization: ISO/IEC JTC1/SC2
Issue Date: 30-JUN-90
Issue: ISO/IEC DP 8882-2
Comments:

ATS Code: ATS:1-10

Protocol: 00000000011
Session
GOSIP Version: 1
Expire Date:
Comments:

Title: Session Abstract Test Suite; Volumes 1, 2 and 3

Organization: CTS-WAN 000068

Issue Date: 01-SEP-88
Issue: CTS-WAN/T&S/ABS/SES/CS/1.0
Comments:

ATS Code: ATS:1-13

Protocol: MHS-84{RTS}
Message Handling System - 1984, Reliable Transfer
Service Profile

GOSIP Version: 1
Expire Date:
Comments: Also issued under NIST cover, August 1990.

Title: MHS RTS Tests and Testing Guide

Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED United Kingdom

Issue Date: 01-APR-90

Issue: Issue 2

Comments:

ATS Code: ATS:1-14

Protocol: MHS-84{P1}
Message Handling System - 1984, P1 Profile

GOSIP Version: 1
Expire Date:
Comments: Also issued under NIST cover, August 1990.

Title: MHS P1 Tests and Testing Guide

Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED United Kingdom
Issue Date: 01-APR-90
Issue: Issue 3
Comments:

ATS Code: ATS:1-15

Protocol: MHS-84{P2}
Message Handling System - 1984, P2 Profile

GOSIP Version: 1
Expire Date:
Comments: Also issued under NIST cover, August 1990.

Title: MHS P2 Tests and Testing Guide

Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED United Kingdom
Issue Date: 01-APR-90
Issue: Issue 3
Comments:

ATS Code: ATS:1-16

Protocol: FTAM{T1,T2}/ACSE/Presentation
File Transfer, Access, and Management: T1 and T2
Profiles, Association Control Service Element, and
Presentation

GOSIP Version: 1
Expire Date:
Comments: T1 and T2 profiles from NIST; ACSE and
Presentation from NCC.

Title: FTAM Abstract Test Suite for GOSIP Version 1

Organization: National Institute of Standards and Technology
(NIST)
Building 225, Room B151
Gaithersburg MD 20899 USA
Issue Date: 01-AUG-90
Issue:
Comments:

Title: FTAM Tests and Testing Guide
Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED United Kingdom
Issue Date: 03-AUG-90
Issue: NCC/TPD - 89/016
Comments:

ATS Code: ATS:1-2

Protocol: X.25 PLP
X.25 Packet Layer Protocol

GOSIP Version: 1
Expire Date:
Comments:

Title: DIS 8882-3 London Output.

Organization: ISO/IEC JTC1/SC2
Issue Date: 20-JUN-90
Issue: ISO/IEC JTC1/SC6/N5608 Revised
Comments:

ATS Code: ATS:1-3

Protocol: MAC & PLS [ISO 8802/3]
Medium Access Control and Physical Layer Signaling
[ISO 8802/3]

GOSIP Version: 1
Expire Date:
Comments: Incorporates four test suites submitted by
Corporation for Open Systems (COS) International,
October 1989.

Title: 802.3 Draft Abstract Test Suite for GOSIP Version 1.

Organization: National Institute of Standards and Technology
(NIST)
Building 225, Room B151
Gaithersburg MD 20899 USA
Issue Date: 01-AUG-90
Issue:
Comments:

ATS Code: ATS:1-4

Protocol: MAC & PLS [ISO 8802/4]
Medium Access Control and Physical Layer Signaling
[ISO 8802/4]

GOSIP Version: 1
Expire Date:
Comments:

Title: 802.4 MAC Sublayer Conformance Test System Test
Case Reference Guide.

Organization: Corporation for Open Systems International Test
Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax VA 22031 USA
Issue Date: 01-MAR-88
Issue: COS/TPD-88/008, Issue 1
Comments:

ATS Code: ATS:1-5

Protocol: MAC & PLS [ISO 8802/5]
Medium Access Control and Physical Layer Signaling
[ISO 8802/5]

GOSIP Version: 1
Expire Date:
Comments: No registered ATS

GOSIP REGISTERS, *Continued*

ATS Code: ATS:1-6

Protocol: LLC-1
Logical Link Control Type 1
GOSIP Version: 1
Expire Date:
Comments:
Title: 802.2 LLC (Type 1) Abstract Test Suite Submission
(extract from 802.3 10BASE5 Layer 2 Test System
Results Analysis Guide - LLC Sublayer).
Organization: Corporation for Open Systems International Test
Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax VA 22031 USA
Issue Date: 01-AUG-90
Issue: Issue 1
Comments:

ATS Code: ATS:1-7

Protocol: CLNP{ES}
Connectionless Network Protocol, End System
GOSIP Version: 1
Expire Date:
Comments:
Title: Internet Protocol Tests and Testing Guide for ISO 8473
Connectionless Network Protocol Implementations.
Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED United Kingdom
Issue Date: 01-JUL-90
Issue: NCC/TPD-90/003, Issue 2
Comments:

ATS Code: ATS:1-7.1

Protocol: CLNP{IS}
Connectionless Network Protocol, Intermediate System
GOSIP Version: 1
Expire Date:
Comments:
Title: Interim Abstract Test Suite for CLNP Intermediate
Systems Testing.
Organization: National Institute of Standards and Technology
(NIST)
Building 225, Room B151
Gaithersburg MD 20899 USA
Issue Date: 30-OCT-90
Issue:
Comments:

ATS Code: ATS:1-8

Protocol: TP0
Transport Protocol Class 0
GOSIP Version: 1
Expire Date:
Comments:
Title: ISO/OSI Transport Class 0 CTS-WAN Abstract Test Suite
Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED United Kingdom
Issue Date: 13-OCT-88
Issue: CTS-WAN/T&S/ABS/TR0/CS/1.0, Rev 2.1
Comments:

ATS Code: ATS:1-9

Protocol: TP4
Transport Protocol Class 4
GOSIP Version: 1
Expire Date:
Comments:
Title: Transport Class 4 Tests and Testing Guide for ISO 8073
Transport Class 4 Implementations.
Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED United Kingdom
Issue Date: 01-JUL-90
Issue: NCC/TPD - 90/002, Issue 2
Comments:

ATS Code: ATS:2-1

Protocol: HDLC LAP-B
High Level Data Link Control, Logical Access Procedure B
GOSIP Version: 2
Expire Date:
Comments:
Title: Information Technology-Telecommunications and
Information Exchange Between Systems- X.25 DTE
Conformance Testing- Part 2: Data Link Layer
Conformance Test Suite
Organization: ISO/IEC JTC1/SC6
Issue Date: 20-JAN-92
Issue: ISO/IEC 8882-2:1992(E), First Edition
Comments:
Title: Defect Report to ISO/IEC 8882-2: 1992
Organization: ISO/IEC JTC1/SC6
Issue Date: 30-MAR-92
Issue: X3S3.4/92-54
Comments:

ATS Code: ATS:2-10.1

Protocol: Session
GOSIP Version: 2
Expire Date:
Comments: Should be superseded by ATS:2-10.2
Title: Session Abstract Test Suite, Volumes 1, 2, and 3
Organization: CTS-WAN
Issue Date: 01-SEP-88
Issue: CTS/WAN/T&S/ABS/SES/CS/1.0
Comments:
Title: Session CTS-WAN Abstract Test Suite, CTS2 Extension
Organization: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton CA 94566-3101 USA
Issue Date: 19-MAR-91
Issue: Version 2.0
Comments:

ATS Code: ATS:2-10.2

Protocol: Session
 GOSIP Version: 2
 Expire Date:
 Comments:
 Title: Session Abstract Test Suite
 Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium
 Issue Date: 01-JAN-92
 Issue: OSTC/T&S/ABS/SES/CS/2.1
 Comments:

ATS Code: ATS:2-13.1

Protocol: MHS-84 Session
 Message Handling System - 1984, Session Protocol
 GOSIP Version: 2
 Expire Date:
 Comments:
 Title: Abstract Session Test Suite DSE MHS
 Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium
 Issue Date: 18-JAN-89
 Issue: OSTC/MHS/ABS/SES/DSE/3.0, Version 3.0
 Comments:

ATS Code: ATS:2-13.2

Protocol: MHS-84{RTS}
 Message Handling System - 1984, Reliable Transfer
 Service Profile
 GOSIP Version: 2
 Expire Date:
 Comments:
 Title: MHS RTS Abstract Test Suite
 Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium
 Issue Date: 01-JUL-91
 Issue: OSTC/MHS/ABS/RTS/2.0
 Comments:

ATS Code: ATS:2-13.3

Protocol: MHS-84{P1}
 Message Handling System - 1984, P1 Profile
 GOSIP Version: 2
 Expire Date:
 Comments:
 Title: MHS Abstract Test Suite, P1 Protocol A/311 and A/3211
 Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium
 Issue Date: 28-SEP-90
 Issue: OSTC/MHS/ABS/P1/2.0
 Comments:

ATS Code: ATS:2-13.4

Protocol: MHS-84{P2}
 Message Handling System - 1984, P2 Profile
 GOSIP Version: 2
 Expire Date:
 Comments:
 Title: MHS Abstract Test Suite, P2
 Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium
 Issue Date: 01-SEP-92
 Issue: OSTC/MHS/ABS/P2/2.0
 Comments:

ATS Code: ATS:2-16.1

Protocol: FTAM{T1}
 File Transfer, Access, and Management; Simple File
 Transfer Profile
 GOSIP Version: 2
 Expire Date:
 Comments:
 Title: T1-A/111, Volume 1 (Responder Tests) and Volume 2
 (Initiator Tests)
 Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium
 Issue Date: 01-JAN-88
 Issue: CTS-WAN/FTAM/ABS/FTAM-A111/1.0
 Comments:

ATS Code: ATS:2-16.10

Protocol: FTAM Presentation
 File Transfer, Access, and Management; Presentation
 Protocol
 GOSIP Version: 2
 Expire Date:
 Comments:
 Title: FTAM Presentation Abstract Test Suite
 Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium
 Issue Date: 01-JAN-92
 Issue: OSTC/FTAM/ABS/FTAM/PRES
 Comments:

ATS Code: ATS:2-16.11

Protocol: FTAM Presentation ASN.1
 File Transfer, Access, and Management; Presentation
 Abstract Syntax Notation One
 GOSIP Version: 2
 Expire Date:
 Comments:
 Title: FTAM Presentation ASN.1 Abstract Test Suite
 Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium
 Issue Date: 01-JAN-92
 Issue: OSTC/FTAM/ABS/FTAM/PRES/ASN.1/BER
 Comments:

GOSIP REGISTERS, *Continued*

ATS Code: ATS:2-16.12

Protocol: FTAM Session
File Transfer, Access, and Management; Session Protocol
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM Session Abstract Test Suite
Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium
Issue Date: 17-SEP-91
Issue: OSTC/FTAM/ABS/FTAM/SES
Comments:

ATS Code: ATS:2-16.13

Protocol: FTAM Session R&R
File Transfer, Access, and Management; Session Restart
and Recovery
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM Session Restart and Recovery Abstract Test Suite
Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium
Issue Date: 01-JAN-92
Issue: OSTC/FTAM/ABS/FTAM/SES/R&R
Comments:

ATS Code: ATS:2-16.2

Protocol: FTAM{T1}
File Transfer, Access, and Management; Simple File
Transfer Profile
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM A/111 (T1) Responder ATS and FTAM A/111 (T1)
Initiator ATS
Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium
Issue Date: 01-APR-91
Issue: CTS-WAN/FTAM/ABS/FTAM-A111/2.0, Version 2.0,
Volumes.1
Comments:

ATS Code: ATS:2-16.3

Protocol: FTAM{R&R}
File Transfer, Access, and Management; Restart and
Recovery Profile
GOSIP Version: 2
Expire Date:
Comments:
Title: FTAM A/111 Restart and Recovery, Abstract Test Suite
Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium
Issue Date:
Issue: OSTC/FTAM/ABS/FTAM-A111 R&R/1.0
Comments:

ATS Code: ATS:2-16.4

Protocol: FTAM{R&R}
File Transfer, Access, and Management; Restart and
Recovery Profile
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM A/111 Restart and Recovery, Abstract Test Suite
Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium
Issue Date: 29-OCT-91
Issue: OSTC/FTAM/ABS/FTAM-A111 R&R\2.0
Comments:

ATS Code: ATS:2-16.5

Protocol: FTAM{M1}
File Transfer, Access, and Management; Management
Profile
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM A/13 ATS
Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium
Issue Date: 01-JAN-90
Issue: FTAM/ABS/FTAM-A13/1.0
Comments:

ATS Code: ATS:2-16.6

Protocol: FTAM{M1} File Transfer, Access, and
Management; Management Profile
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM A/13 ATS, Version 2.0
Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium
Issue Date: 01-AUG-91
Issue: FTAM/ABS/FTAM/A13/2.0
Comments:

ATS Code: ATS:2-16.7

Protocol: FTAM{T2}
File Transfer, Access, and Management; Positional File
Transfer Profile
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM A/112 Abstract Test Suite, Volume 1 (A/112
Responder) and Volume 2 (A/112 Initiator)
Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium
Issue Date: 01-JAN-92
Issue: OSTC/FTAM/ABS/FTAM-A/112
Comments:

ATS Code: ATS:2-16.8

Protocol: FTAM{A1}
File Transfer, Access, and Management; Simple File
Access Profile

GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM A/122 Responder Abstract Test Suite (Volume 1)
and FTAM A/122 Initiator Abstract Test Suite (Volume 2)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium

Issue Date: 01-JAN-92
Issue: OSTC/FTAM/ABS/FTAM-A/122

ATS Code: ATS:2-16.9

Protocol: FTAM ACSE
File Transfer, Access, and Management; Association
Control Service Element

GOSIP Version: 2
Expire Date:
Comments: ATS Consists of a common part and a specific annex.

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium

Issue Date: 05-SEP-91
Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0
Comments: Without OSTC cover, document is identified as
CTS2-ACSE V2.02

Title: FTAM ACSE Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium

Issue Date: 01-JAN-92
Issue: OSTC/FTAM/ABS/FTAM/ACSE
Comments: This document is Annex D of Document 1. Without
OSTC cover, document is identified as ACSE_CTS2_FTAM.

ATS Code: ATS:2-17

Protocol: VT
Virtual Terminal

GOSIP Version: 2
Expire Date:
Comments: No registered ATS.

ATS Code: ATS:2-18

Protocol: ES-IS{ES}
End System to Intermediate System in End System

GOSIP Version: 2
Expire Date:
Comments:

Title: ES/IS in ES Abstract Test Suite

Organization: Alcatel TITN Answare
Aix-en-Provence France

Issue Date: 01-MAY-93
Issue: Version 1.1

ATS Code: ATS:2-19

Protocol: CONS
Connection Oriented Network Service

GOSIP Version: 2
Expire Date:
Comments: No registered ATS.

ATS Code: ATS:2-1A

Protocol: HDLC LAP-B
High Level Data Link Control, Logical Access Procedure B

GOSIP Version: 2
Expire Date:
Comments: This ATS consists of ATS:2-1 as modified by the
documents below.

Title: Instructions to the Editor for the corrections of
reported defects in ISO/IEC 8882-2 and 8882-3

Organization: ISO/IEC SC6
Issue Date: 12-FEB-93
Issue: SC6 N 7988
Comments: To be used with Defect Reports referenced within.

Title: Instructions to the Editor for the preparation of the
2nd Edition of ISO/IEC 8882-2 and 8882-3

Organization: ISO/IEC SC6
Issue Date: 23-JUL-92
Issue: SC6 N 7565
Comments: To be used with Defect Reports referenced within.

ATS Code: ATS:2-2

Protocol: X.25 PLP
X.25 Packet Layer Protocol

GOSIP Version: 2
Expire Date:
Comments:

Title: Information Technology-Telecommunications and
Information Exchange Between Systems-X.25-DTE
Conformance Testing-Part 3: Packet Layer Conformance
Test Suite

Organization: ISO/IEC JTC1/SC2/WG2
Issue Date: 16-JAN-91
Issue: ISO/IEC 8882-3:1991(E), First Edition

Title: Defect Report to ISO/IEC 8882-3:1991

Organization: ISO/IEC JTC1/SC2/WG2
Issue Date: 01-MAR-92
Issue: X3S3.7/92-49

ATS Code: ATS:2-20

Protocol: TP2
Transport Protocol Class 2

GOSIP Version: 2
Expire Date:
Comments: A revised version of this ATS is registered as
ATS:2-20A

Title: OSTC Abstract Test Suite, Transport Class 2

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium

Issue Date: 31-JAN-91
Issue: OSTC/T&S/ABS/TR2/CS/2.0

ATS Code: ATS:2-20A

Protocol: TP2
 Transport Protocol Class 2
 GOSIP Version: 2
 Expire Date:
 Comments: Minor revisions of ATS:2-20

Title: OSTC Abstract Test Suite, Transport Class 2

Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium

Issue Date:
 Issue: OSTC/T&S/ABS/TR2/CS/2.1

ATS Code: ATS:2-21

Protocol: ISDN
 Integrated Services Digital Network
 GOSIP Version: 2
 Expire Date:
 Comments: No registered ATS.

ATS Code: ATS:2-2A

Protocol: X.25 PLP
 X.25 Packet Layer Protocol
 GOSIP Version: 2
 Expire Date:
 Comments: This ATS consists of ATS:2-2 as modified by the documents below.

Title: Instructions to be Editor for the corrections of reported defects in ISO/IEC 8882-2 and 8882-3

Organization: ISO/IEC SC6
 Issue Date: 12-FEB-93
 Issue: SC6 N 7988
 Comments: To be used with Defect Reports referenced within.

Title: Instructions to the Editor for the preparation of the 2nd Edition of ISO/IEC 8882-2 and 8882-3

Organization: ISO/IEC SC6
 Issue Date: 23-JUL-92
 Issue: SC6 N 7565
 Comments: To be used with Defect Reports referenced within.

ATS Code: ATS:2-3

Protocol: MAC & PLS [ISO 8802/3]
 Medium Access Control and Physical Layer Signaling [ISO 8802/3]
 GOSIP Version: 2
 Expire Date:
 Comments: Incorporates four test suites submitted by Corporation for Open Systems (COS) International in October 1989

Title: 802.3 Draft Abstract Test Suite for GOSIP Version 1
 Organization: National Institute of Standards and Technology (NIST)
 Building 225, Room B151
 Gaithersburg MD 20899 USA
 Issue Date: 01-AUG-90
 Issue:

ATS Code: ATS:2-4

Protocol: MAC & PLS [ISO 8802/4]
 Medium Access Control and Physical Layer Signaling [ISO 8802/4]

GOSIP Version: 2
 Expire Date:
 Comments:

Title: 802.4 MAC Sublayer Conformance Test System Test Case Reference Guide

Organization: Corporation for Open Systems International Test Center
 8260 Willow Oaks Corp Drive, Suite 700
 Fairfax VA 22031 USA

Issue Date: 01-MAR-88
 Issue: COS/TPD-88/008, Issue 1

ATS Code: ATS:2-5

Protocol: MAC & PLS [ISO 8802/5]
 Medium Access Control and Physical Layer Signaling [ISO 8802/5]

GOSIP Version: 2
 Expire Date:
 Comments: No Registered ATS

ATS Code: ATS:2-6

Protocol: LLC-1
 Logical Link Control Type 1

GOSIP Version: 2
 Expire Date:
 Comments:

Title: 802.2 LLC (Type 1) Abstract Test Suite Submission (extract from 802.3 10BASE5 Layer 2 Test System Results Analysis Guide - LLC Sublayer)

Organization: Corporation for Open Systems International Test Center
 8260 Willow Oaks Corp Drive, Suite 700
 Fairfax VA 22031 USA

Issue Date: 01-AUG-90
 Issue: Issue 1
 Comments:

ATS Code: ATS:2-7

Protocol: CLNP{ES}
 Connectionless Network Protocol, End System

GOSIP Version: 2
 Expire Date:
 Comments:

Title: Internet Protocol Tests and Testing Guide for ISO 8473 Connectionless Network Protocol Implementations

Organization: National Computing Centre Limited
 Oxford Road
 Manchester M17ED United Kingdom

Issue Date: 01-JUL-90
 Issue: NCC/TPD-90/003, Issue 2
 Comments:

ATS Code: ATS:2-7.1

Protocol: CLNP{IS}
 Connectionless Network Protocol, Intermediate System
 GOSIP Version: 2
 Expire Date:
 Comments:

 Title: Interim Abstract Test Suite for CLNP Intermediate
 Systems Testing
 Organization: National Institute of Standards and Technology
 (NIST)
 Building 225, Room B151
 Gaithersburg MD 20899 USA
 Issue Date: 30-OCT-90
 Issue:

ATS Code: ATS:2-8

Protocol: TP0
 Transport Protocol Class 0
 GOSIP Version: 2
 Expire Date:
 Comments: A revised version of this ATS registered as ATS:2-8A

 Title: OSTC Abstract Test Suite, Transport Class 0

 Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium
 Issue Date: 31-JAN-91
 Issue: OSTC/T&S/ABS/TRO/CS/2.0

ATS Code: ATS:2-8A

Protocol: TP0
 Transport Protocol Class 0
 GOSIP Version: 2
 Expire Date:
 Comments: Minor revision of ATS 2-8

 Title: OSTC Abstract Test Suite, Transport Class 0

 Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium
 Issue Date:
 Issue: OSTC/T&S/ABS/TRO/CS/2.1

ATS Code: ATS:2-9.1

Protocol: TP4-CLNS
 Transport Protocol Class 4 Over Connectionless Network
 Service

 GOSIP Version: 2
 Expire Date:
 Comments: New ATS under development by EWOS.

 Title: Transport Class 4 over CLNS Abstract Test Suite

 Organization: Alcatel TITN Answare
 Aix-en-Provence France
 Issue Date: 07-MAY-92
 Issue: Version 2.2

ATS Code: ATS:2-9.2

Protocol: TP4
 Transport Protocol Class 4
 GOSIP Version: 2
 Expire Date:
 Comments: New ATS under development by EWOS.
 Title: Transport Class 4 Tests and Testing Guide for ISO 8073
 Transport Class 4 Implementations
 Organization: National Computing Centre Limited
 Oxford Road
 Manchester M17ED United Kingdom
 Issue Date: 01-MAY-92
 Issue: ISG-DEV-008-10-004, Issue 5

ATS Code: ATS:2-9.3

Protocol: TP4-CONS Transport Protocol Class 4 Over
 Connection Oriented Network Service
 GOSIP Version: 2
 Expire Date:
 Comments: New ATS under development by EWOS
 Title: Transport Class 4 over CONS Abstract Test Suite
 Organization: Alcatel TITN Answare
 Aix-en-Provence France
 Issue Date: 30-SEP-91
 Issue: Version 2.0

ATS Code: ATS:3-22.1

Protocol: MHS-88 Session
 Message Handling System - 1988, Session
 GOSIP Version: 3
 Expire Date:
 Comments:
 Title: MHS-88 DSE Session ATS
 Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium
 Issue Date:
 Issue: MHS-88/ABS/SES/DSE/1.0

ATS Code: ATS:3-22.2.1

Protocol: MHS-88 {PRES-MH}
 Message Handling System - 1988, Presentation - MH
 GOSIP Version: 3
 Expire Date:
 Comments: ATS consists of a specific annex and a common part.
 Title: MHS '88 Presentation Abstract Test Suite MH (88) Part
 Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium
 Issue Date: 20-DEC-91
 Issue: OSTC/MHS-88/ABS/PRES/MH/1.0
 Comments: This document is Annex A of document 2. Without
 OSTC cover, document is identified as
 CTS2/XMHS/MH/PRES/ATS/ V3.1
 Title: MHS '88 Presentation - Common Abstract Test Suite
 Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium
 Issue Date: 20-DEC-91
 Issue: OSTC/MHS-88/ABS/PRES/ALL/1.0
 Comments: Without OSTC cover, document is identified as
 CTS2/XMHS/ALL/PRES/ATS/V4.0 CTS2_XX_PRES

GOSIP REGISTERS, *Continued*

ATS Code: ATS:3-22.3.1

Protocol: MHS-88 {ACSE-MH} Message Handling System
-1988, Association Control Service Element

GOSIP Version: 3

Expire Date:

Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite MH

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium

Issue Date: 04-DEC-91

Issue: OSTC/MHS-88/ABS/ACSE/MH/1.0

Comments: This is Annex C of Document 2. Without OSTC
cover, document is identified as
ACSE_ATS_MHS_SPECIFIC_PART V2.03.

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium

Issue Date: 05-SEP-91

Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0

Comments: Without OSTC cover, document is identified as
CTS2-ACSE V2.02

ATS Code: ATS:3-22.3.2

Protocol: MHS-88 {ACSE-P3-UA}
Message Handling System - 1988, Association Control
Service Element-P3-UA

GOSIP Version: 3

Expire Date:

Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P3-UA

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium

Issue Date: 01-DEC-91

Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0

Comments: This is Annex B4 of Document 2. Without OSTC
cover, document is identified as
ACSE_ATS_RA_SPECIFIC_PART P3-UA V2.03

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium

Issue Date: 05-SEP-91

Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0

Comments: Without OSTC cover, document is identified as
CTS2-ACSE V2.02

ATS Code: ATS:3-22.3.3

Protocol: MHS-88 {ACSE-P3-MTA}
Message Handling System - 1988, Association Control
Service Element-P3-MTA

GOSIP Version: 3

Expire Date:

Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P3-MTA

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium

Issue Date: 01-DEC-91

Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0

Comments: This is Annex B5 of Document 2. Without OSTC
cover, document is identified as
ACSE_ATS_RA_SPECIFIC_PART P3-MTA V2.03

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium

Issue Date: 05-SEP-91

Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0

Comments: Without OSTC cover, document is identified as
CTS2-ACSE V2.02

ATS Code: ATS:3-22.3.4

Protocol: MHS-88 {ACSE-P3-MS}
Message Handling System - 1988, Association Control
Service Element-P3-MS

GOSIP Version: 3

Expire Date:

Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P3-MS

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium

Issue Date: 01-DEC-91

Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0

Comments: This is Annex B3 of Document 2. Without OSTC
cover, document is identified as
ACSE_ATS_RA_SPECIFIC PART P3-MS V2.03

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels Belgium

Issue Date: 05-SEP-91

Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0

Comments: Without OSTC cover, document is identified as
CTS2-ACSE V2.02

ATS Code: ATS:3-22.3.5

Protocol: MHS-88 {ACSE-P7-UA}
 Message Handling System - 1988, Association Control
 Service Element-P7-UA

GOSIP Version: 3
 Expire Date:
 Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P7-UA

Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium

Issue Date: 01-DEC-91
 Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0
 Comments: This is Annex B2 of Document 2. Without OSTC
 cover, document is identified as
 ACSE_ATS_RA_SPECIFIC_PART P7-UA V2.03

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium

Issue Date: 05-SEP-91
 Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0
 Comments: Without OSTC cover, document is identified as
 CTS2-ACSE V2.02

ATS Code: ATS:3-22.3.6

Protocol: MHS-88 {ACSE-P7-MS}
 Message Handling System - 1988, Association Control
 Service Element-P7-MS

GOSIP Version: 3
 Expire Date:
 Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P7-MS

Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium

Issue Date: 01-DEC-91
 Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0
 Comments: This is Annex B4 of Document 2. Without OSTC
 cover, document is identified as
 ACSE_ATS_RA_SPECIFIC_PART P7-MS V2.03

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium

Issue Date: 05-SEP-91
 Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0
 Comments: Without OSTC cover, document is identified as
 CTS2-ACSE V2.02

ATS Code: ATS:3-22.4

Protocol: MHS-88 {RTSE}
 Message Handling System - 1988, Reliable Transfer
 Service Element

GOSIP Version: 3
 Expire Date:
 Comments:

Title: MHS '88 RTSE Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium

Issue Date: 15-OCT-91
 Issue: OSTC/MHS-88/ABS/RTSE/1.0
 Comments: Without OSTC cover, document is identified as
 CTS2/ XMHS/MH/RTSE/ATS/V6.0

ATS Code: ATS:3-22.5

Protocol: MHS-88 {P1}
 Message Handling System - 1988, P1 Profile

GOSIP Version: 3
 Expire Date:
 Comments:

Title: MHS '88 P1 Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium

Issue Date: 08-JAN-92
 Issue: OSTC/MHS-88/ABS/P1/1.0
 Comments: Without OSTC cover, document is identified as
 CTS2/ XMHS/MH/P1/ATS/V2.5.

ATS Code: ATS:3-22.6

Protocol: MHS-88 {P2}
 Message Handling System - 1988, P2 Profile

GOSIP Version: 3
 Expire Date:
 Comments:

Title: MHS '88 P2 Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium

Issue Date: 26-MAY-91
 Issue: OSTC/MHS-88/ABS/P2/1.0
 Comments: Without OSTC cover, this document is identified as
 CTS2/XMHS/MH/P2/ATS/V3.2

ATS Code: ATS:3-22.7.1

Protocol: MHS-88 {P3-UA}
 Message Handling System - 1988, P3-UA Profile

GOSIP Version: 3
 Expire Date:
 Comments:

Title: MHS '88 P3-UA Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium

Issue Date: 01-SEP-91
 Issue: OSTC/MHS-88/ABS/P3-UA/1.0
 Comments: Without OSTC cover, document is identified as
 CTS2/ XMHS/RA/P3-UA/ATS/V4.0

ATS Code: ATS:3-22.7.2

Protocol: MHS-88 {P3-MTA}
 Message Handling System - 1988, P3-MTA Profile

GOSIP Version: 3
 Expire Date:
 Comments:

Title: MHS '88 P3-MTA Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium

Issue Date: 18-SEP-91
 Issue: OSTC/MHS-88/ABS/P3-MTA/1.0
 Comments: Without OSTC cover, document is identified as
 CTS2/ XMHS/RA/P3-MTA/ATS/V4.0

ATS Code: ATS:3-22.8.1

Protocol: MHS-88 {P7-UA}
 Message Handling System - 1988, P7-UA Profile

GOSIP Version: 3
 Expire Date:
 Comments:

Title: MHS '88 P7-UA Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium

Issue Date: 18-SEP-91
 Issue: OSTC/MHS-88/ABS/P7-UA/1.0
 Comments: Without OSTC cover, document is identified as
 CTS2/ XMHS/RA/P7-UA/ATS/V4.0

ATS Code: ATS:3-22.8.2

Protocol: MHS-88 {P7-MS}
 Message Handling System - 1988, P7-MS Profile

GOSIP Version: 3
 Expire Date:
 Comments:

Title: MHS '88 P7-MS Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
 Rue du Trone, 12
 B-1050 Brussels Belgium

Issue Date: 19-SEP-91
 Issue: OSTC/MHS-88/ABS/P7-MS/1.0
 Comments: Without OSTC cover, document is identified as
 CTS2/XMHS/RA/P7-MS/ATS/V4.0

ATS Code: ATS:3-23

Protocol: X.500
 Directory Services

GOSIP Version: 3
 Expire Date:
 Comments: No Registered ATS. NIST plans to establish a
 conformance testing Infrastructure for Directory
 Services by the end of 1993

6. NIST POSIX CONFORMANCE TESTING

6.1 FIPS POSIX Standard

The National Institute of Standards and Technology through its Computer Systems Laboratory (NIST/CSL) has established a conformance testing program for the Federal Information Standard for POSIX (FIPS 151-1 and FIPS 151-2). FIPS 151-2 will replace FIPS 151-1 in its entirety on October 15, 1992. These standards are based on the IEEE POSIX Std. 1003.1-1988 (FIPS 151-1) and ISO/IEC 9945-1:1990 (FIPS 151-2). The testing model includes a Certification Authority, NVLAP Accredited Testing Laboratories, Clients and the official NIST POSIX Conformance Test Suites. The Certification Authority is the Director of NIST/CSL. The National Voluntary Laboratory Accreditation Program (NVLAP), part of NIST, accredits the testing laboratories. The test suites are NIST-PCTS:151-1 and NIST-PCTS:151-2 were developed by NIST/CSL and are based on the test assertions specified by the IEEE Standard for Information Technology — Test Methods for Measuring Conformance to POSIX, IEEE Std. 1003.3-1991 (NIST-PCTS:151-1) and the IEEE Standard for Information Technology — Test Methods for Measuring conformance to POSIX.1, IEEE Std 2003.1-1992 (NIST-PCTS:151-2).

6.2 POSIX Test Procedures

There are Accredited POSIX Testing Laboratories (APTLs) accredited by NVLAP for using one or both test suites. NVLAP accreditation is renewable after one year, and identifies the specific testing procedures which the lab is authorized to run. The labs provide testing and analysis services to their clients and may forward the final test results to NIST/CSL for evaluation and subsequent issuance of a Certificate of Validation by NIST/CSL.

Testing policy documents and registers of validated products and accredited laboratories and available on an electronic mail (email) file server system. For most email systems, send an email message to posix@nist.gov (mail posix@nist.gov). The first line of the message should contain a command to send index (send index). After issuing the send command and a carriage return, end the email message. A listing of all of the available files will be returned via email to the requesting email address.

6.3 POSIX Test Suite

The NIST-PCTS:151-2 is available from NIST/CSL, POSIX Certification Authority, Building 225 Room B266, National Institute of Standards and Technology, Gaithersburg, MD 20899. The NIST-PCTS:151-1 is available from the National Technical Information Services (NTIS), 5825 Port Royal Road, Springfield, VA 22161, (703) 487-4650. For ordering information call (301) 975-3290.

6.4 Validation Requirements

An accredited lab may submit a "clean" test report to NIST/CSL for evaluation in anticipation of a Certification of Validation being issued. "Clean" implies no test assertion failures. The Certificate of Validation will confirm that the stated product has been tested using the official NIST-PCTS and that the test results have been validated by NIST/CSL. The Certificate of Validation and the Test Results Summary contain information on the product tested, the implementation that was tested, the suppliers, conditional features that were tested, configuration details and the identification of the testing laboratory. These certificates are issued by NIST/CSL through the testing lab. Fees for services by the testing labs are established by the labs.

6.5 TESTING LABORATORIES for NIST POSIX (FIPS 151-1)

The National Voluntary Laboratory Accreditation Program (NVLAP) has accredited the following laboratories to test computer operating system interfaces for conformance with the Federal Information Processing Standard 151-1 (FIPS 151-1) using the NIST POSIX Conformance Test Suite (NIST-PCTS:151-1). Only accredited laboratories may submit test reports to NIST/CSL for validation.

ACCREDITED NIST POSIX TESTING LABORATORIES

The National Voluntary Laboratory Accreditation Program (NVLAP) has accredited the following laboratories to test computer operating system interfaces for conformance with the Federal Information Processing Standard 151-1 (FIPS 151-1) using the NIST POSIX Conformance Test Suite (NIST-PCTS:151-1). Only accredited laboratories may submit test reports to NIST/CSL for validation.

BULL S.A. / Laboratoire POSIX
1 rue de Provence / BP208
38432 ECHIROLLES CEDEX (France)

Contact: Mr. Georges Chardon
Phone: (33) 76 39 75 93

DataFocus Incorporated
12450 Fair Lakes Circle, Suite 400
Fairfax, VA 22033-3831

Contact: Mr. Glen McPherson
Phone: 703-631-6770

Mindcraft, Inc.
410 Cambridge Avenue
Palo Alto, CA 94306

Contact: Mr. Bruce Weiner
Phone: 415-323-9000

PERENNIAL
4699 Old Ironsides Drive, Suite 210
Santa Clara, CA 95054

Contact: Mr. Barry E. Hedquist
Phone: 408-748-2900

UniSoft Corporation
6121 Hollis Street
Emeryville, CA 94608-2092

Contact: Ms. Audrey Ruelas
Phone: 510-420-6400

6.6 VALIDATED PRODUCTS for NIST POSIX (FIPS 151-1)

NIST POSIX VALIDATED PRODUCTS

The following products have been tested by an Accredited POSIX Testing Laboratory (APTL) using the official National Institute of Standards and Technology POSIX Conformance Test Suite (NIST-PCTS:151-1) for the Federal Information Processing Standards Publication 151-1 (FIPS PUB 151-1). A Certificate of Validation has been issued by NIST/CSL. Additional information is available from NIST/CSL on conditional features supported, configuration details, and resolved test codes (if appropriate).

<u>PRODUCT SUPPLIERS</u>	<u>REFERENCE FILE #</u>	<u>SYSTEM SUPPLIERS</u>	<u>REFERENCE FILE #</u>
Amdahl Corporation	AMD5598	AGI Computer, Inc.	EVR0901
Apple Computer Inc.	APP2482, APP3355, APP7204, APP7224, APP7235, APP8616, APP9125, APP9165	Alpha Systems Lab	SUN3403
AT&T	ATT1566	Amdahl Corporation	AMD5598
BULL S.A.	BUL2387, BUL6051	Apple Computer Inc.	APP2482, APP3355, APP7204, APP7224, APP7235, APP8616, APP9125, APP9165
Control Data Corporation	CDC1101, CDC5574, CDC5750	AST Research, Inc.	SCO4102, UNV3055, UNV9180, USL2115, USL6259
CONVEX Computer Corporation	CON0202, CON2551, CON6027	AT&T	ATT1566, USL3610
Cray Research, Inc.	CRA2641	BULL S.A.	BUL2387, BUL6051
Data General Corporation	DGC2542, DGC4767, DGC8016, DGC8703, DGC9391, DGC9574	Compaq Computer Corporation	INT5154, LNX3076, SUN6859
Digital Equipment Corp.	DEC0319, DEC0638, DEC4670, DEC5794, DEC7386, DEC7833, DEC7917, DEC8003, DEC9418, DEC9672	Control Data Corporation	CDC1101, CDC5574, CDC5750
Encore Computer Corporation	ENC6897	CONVEX Computer Corp.	CON0202, CON2551, CON6027
ESIX/Everex Systems, Inc.	EVR0901, EVR9749	Cray Research, Inc.	CRA2641
Harris Corporation	HAR5240	Data General Corporation	DGC2542, DGC4767, DGC8016, DGC8703, DGC9391, DGC9574, SCO6748
Hewlett-Packard Company	HPC0115, HPC0303, HPC0535, HPC0603, HPC1581, HPC1992, HPC2540, HPC2698, HPC2952, HPC3574, HPC3760, HPC3897, HPC4246, HPC6304, HPC6391, HPC6637, HPC6906, HPC7051, HPC7716, HPC8098, HPC9185	Dell Computer Corporation	SUN1065
Interactive Systems Corp.	INT5154	Diamond Flower Incorporated	SCO3664, SCO8054
Intergraph Corporation	INT4675	Digital Equipment Corp.	DEC0319, DEC0638, DEC4670, DEC5794, DEC7386, DEC7833, DEC7917, DEC8003, DEC9418, DEC9672
International Business Machines, Inc.	IBM0320, IBM0458, IBM1344, IBM2592, IBM3697	Encore Computer Corporation	ENC6897
Lynx Real-Time Systems, Inc.	LNX3076	ESIX/Everex Systems, Inc.	EVR9749
Modular Computer Systems, Inc.	MOD4817	Harris Corporation	HAR5240
Motorola Computer Group	MOT1086, MOT5618	Hewlett-Packard Company	HPC0115, HPC0303, HPC0535, HPC1581, HPC1992, HPC2540, HPC2698, HPC2952, HPC3574, HPC3760, HPC3897, HPC4246, HPC0603, HPC6304, HPC6391, HPC6637, HPC6906, HPC7051, HPC7716, HPC8098, HPC9185
NCR Corporation	NCR0554, NCR1448, NCR2047, NCR2805, NCR3061, NCR3331, NCR4518, NCR5533, NCR7380, NCR7549	Intergraph Corporation	INT4675
NeXT Computer, Inc.	NXT0623	International Business Machines	IBM0320, IBM0458, IBM1344, IBM2592, IBM3697
Pyramid Technology Corporation	PYR1271, PYR3067, PYR3233, PYR4970, PYR9863	Modular Computer Systems, Inc.	MOD4817
Santa Cruz Operation Inc.	SCO3664, SCO3832, SCO4102, SCO5199, SCO6748, SCO8054, SCO9875	Motorola Computer Group	MOT1086, MOT5618
Sequent Computer Systems Inc.	SEC8754	NCR Corporation	NCR0554, NCR1448, NCR2047, NCR2805, NCR3061, NCR3331, NCR4518, NCR5533, NCR7380, NCR7549
Silicon Graphics, Inc.	SGI5507, SGI9297	NeXT Computer, Inc.	NXT0623
Sun Microsystems Computer Corp.	SUN1065, SUN1442, SUN2031, SUN2727, SUN2930, SUN3272, SUN3402, SUN5684, SUN5782, SUN5970, SUN6602, SUN7188, SUN7793	Pyramid Technology Corp.	PYR1271, PYR3067, PYR3233, PYR4970, PYR9863
SunSoft, Inc.	SUN0617, SUN2241, SUN3129, SUN3403, SUN4529, SUN5382, SUN6635, SUN6859, SUN8720, SUN9763	RDI	SUN3402
Unisys Corporation	UNI0505, UNI1798, UNI3690, UNI5711, UNI9063, UNI9080	Sequent Computer Systems Inc.	SEC8754
Univel	UNV0528, UNV2014, UNV3055, UNV3978, UNV9180	Silicon Graphics, Inc.	SGI5507, SGI9297
UNIX System Laboratories	USL2115, USL3610, USL6259	Sun Microsystems Corp.,	SUN0617, SUN1442, SUN2031, SUN2241, SUN2727, SUN2930, SUN3129, SUN3272, SUN4529, SUN5382, SUN5684, SUN5782, SUN5970, SUN6602, SUN6635, SUN7188, SUN7793, SUN8720, SUN9763
		Unisys Corporation	SCO9875, UNI0505, UNI1798, UNI3690, UNI5711, UNI9063, UNI9080, UNV0528, UNV2014, UNV3978
		Zenith Data Systems	SCO3832, SCO5199

NIST POSIX VALIDATED PRODUCTS, *Continued*

Reference File #: AMD5598

Product Supplier: Amdahl Corporation
Product Tested: UTS System Version: 4 Release: 1
System Supplier: Amdahl Corporation
System Hardware: 5995M Model: 4550
C Compiler: Amdahl C Version: 1.5 Release: June, 1993
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 07/23/93

Reference File #: APP2482

Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 2.0.1 Release: 01/30/1991
System Supplier: Apple Computer Inc.
System Hardware: Macintosh Model: IIfx
C Compiler: A/UX native C compiler (cc) Ver: 1.21 Rel: 1/13/1991
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

Reference File #: APP3355

Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 3.0 Release: March 9, 1992
System Supplier: Apple Computer Inc.
System Hardware: Macintosh Model: Quadra 700
C Compiler: A/UX native C compiler (cc) Ver: 1.23 Rel: Feb 9, 1992
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 04/16/92

Reference File #: APP7204

Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 3.0.1 Release: April 23, 1993
System Supplier: Apple Computer Inc.
System Hardware: Workgroup Server Model: 80
C Compiler: A/UX Developer's Tools (c89) Ver: 1.1 Rel: Apr 1, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 06/24/93

Reference File #: APP7224

Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 3.0 Release: March 9, 1992
System Supplier: Apple Computer Inc.
System Hardware: Macintosh Model: Quadra 950
C Compiler: A/UX native C compiler (cc) Ver: 1.23 Rel: Feb 9, 1992
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/14/92

Reference File #: APP7235

Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 2.0.1 Release: 01/30/1991
Supplier: Apple Computer Inc. Hardware: Macintosh Model: IIfx
C Compiler: A/UX native C compiler (cc) Ver: 1.21 Rel: 01/13/1991
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

Reference File #: APP8616

Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 2.0.1 Release: 01/30/1991
Supplier: Apple Computer Inc. Hardware: Macintosh Model: IIfx
C Compiler: A/UX native C compiler (cc) Ver: 1.21 Rel: 01/13/1991
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

Reference File #: APP9125

Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 3.0 Release: March 9, 1992
System Supplier: Apple Computer Inc.
System Hardware: Macintosh Model: Quadra 700
C Compiler: A/UX Developer's Tools (c89) Ver: 1.1 Rel: April 1, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 08/11/92

Reference File #: APP9165

Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 3.0 Release: March 9, 1992
System Supplier: Apple Computer Inc.
System Hardware: Macintosh Model: Quadra 950
C Compiler: A/UX Developer's Tools (c89) Ver: 1.1 Rel: Apr 1, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 08/11/92

Reference File #: ATT1566

Product Supplier: AT&T
Product Tested: AT&T UNIX System V Ver: Release 4 Rel: 4.0.3
System Supplier: AT&T
System Hardware: AT&T 3B2 R3 Series Model: 3B2/600 GR
C Compiler: AT&T 3B2/RISC C Development System Version: 1.0
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0343 DataFocus Incorporated Date Issued: 11/06/91

Reference File #: BUL2387

Product Supplier: BULL S.A.
Product Tested: BOS Version: 2 Release: 1
System Supplier: BULL S.A.
System Hardware: DPX/2 Model: 200
C Compiler: C Compiler Version: 72 Release: 1
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0373 BULL S.A./Laboratoire POSIX Date Issued: 2/24/93

Reference File #: BUL6051

Product Supplier: BULL S.A.
Product Tested: BOS/X Version: 3 Release: 2
System Supplier: BULL S.A.
System Hardware: DPX/20 Model: 620
C Compiler: BOS/X XLC C Compiler Version: 1 Release: 02
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0373 BULL S.A./Laboratoire POSIX Date Issued: 1/22/93

Reference File #: CDC1101

Product Supplier: Control Data Corporation
Product Tested: EP/IX Version: 1.4.2 Release: November 27, 1991
System Supplier: Control Data Corporation
System Hardware: Control Data 4000 Model: 4680MP
C Compiler: EP/IX C Language RISCompiler V: C 2.11 Rel: July 1990
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0356 Applications Software Incorporated Date Issued: 1/29/92

Reference File #: CDC5574

Product Supplier: Control Data Corporation
Product Tested: EP/IX Version: 1.3.1 Release: 03/21/1991
System Supplier: Control Data Corporation
System Hardware: Control Data 4000 Model: 4330-250
C Compiler: EP/IX C Language RISCompiler Version: 2.11 Release: July 1990
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0356 Applications Software Incorporated Date Issued: 05/24/91

Reference File #: CDC5750

Product Supplier: Control Data Corporation
Product Tested: EP/IX Version: 1.3.1 Release: 03/21/1991
System Supplier: Control Data Corporation
System Hardware: Control Data 4000 Model: 4680
C Compiler: EP/IX C Language RISCompiler Version: 2.11 Release: 07/16/1990
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0356 Applications Software Incorporated Date Issued: 05/24/91

NIST POSIX VALIDATED PRODUCTS, *Continued*

Reference File #: CON0202

Product Supplier: CONVEX Computer Corporation
Product Tested: ConvexOS Version: 10.1 Release: C200 Series
System Supplier: CONVEX Computer Corporation
System Hardware: C2 Model: C220
C Compiler: CONVEX C Version: 4.3.2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/11/92

Reference File #: CON2551

Product Supplier: CONVEX Computer Corporation
Product Tested: ConvexOS Version: 10.1 Release: C3800 Series
System Supplier: CONVEX Computer Corporation
System Hardware: C38 Model: C3810
C Compiler: CONVEX C Version: 4.3.2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/11/92

Reference File #: CON6027

Product Supplier: CONVEX Computer Corporation
Product Tested: ConvexOS Version: 10.1 Release: C3400 Series
System Supplier: CONVEX Computer Corporation
System Hardware: C34 Model: C3440
C Compiler: CONVEX C Version: 4.3.2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/11/92

Reference File #: CRA2641

Product Supplier: Cray Research, Inc.
Product Tested: UNICOS Version: 7.0.5.bu Release: 7.0
System Supplier: Cray Research, Inc.
System Hardware: Cray Y-MP Model: YMP2E/232-4
C Compiler: Cray Standard C Compiler Release: 3.0.5 (5/20/93)
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 10/14/93

Reference File #: DEC0319

Product Supplier: Digital Equipment Corporation
Product Tested: DEC OSF/1 Version: 1.2 Release: March 1993
System Supplier: Digital Equipment Corporation
System Hardware: DEC/3000 Model: 500
C Compiler: DEC OSF/1 for AXP C Compiler Version: 1 Release: March 1993
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 03/10/93

Reference File #: DEC0638

Product Supplier: Digital Equipment Corporation
Product Tested: VMS Version: 5 Release: 5 (with VMS POSIX, version 1.0)
System Supplier: Digital Equipment Corporation
System Hardware: VAXstation Model: 3100 M76
C Compiler: VAX C Version: 3 Release: 2
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0343 DataFocus Incorporated Date Issued: 01/29/92

Reference File #: DEC4670

Product Supplier: Digital Equipment Corporation
Product Tested: The ULTRIX Operating System Version: 4.3A Release: July 1993
System Supplier: Digital Equipment Corporation
System Hardware: DECstation Model: 5000/150
C Compiler: Mips C Compiler Version: 3.0
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 06/24/93

Reference File #: DEC5794

Product Supplier: Digital Equipment Corporation
Product Tested: ULTRIX Version: 4.2 Release: May 31, 1991
System Supplier: Digital Equipment Corporation
System Hardware: VAXstation II Model: GPX
C Compiler: pcc Version: 4.2
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 06/17/91

Reference File #: DEC7386

Product Supplier: Digital Equipment Corporation
Product Tested: The ULTRIX Operating System Version: 4.3 Release: August 1992
System Supplier: Digital Equipment Corporation
System Hardware: DECstation Model: 5000/200
C Compiler: Mips C Compiler Version: 2.10
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 09/18/92

Reference File #: DEC7833

Product Supplier: Digital Equipment Corporation
Product Tested: OpenVMS VAX Version: 6 Release: 0 (with OpenVMS VAX POSIX, Version X1.2-35E)
System Supplier: Digital Equipment Corporation
System Hardware: VAXstation Model: 3100 M76
C Compiler: VAX C Version: 3 Release: 2
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 10/14/93

Reference File #: DEC7917

Product Supplier: Digital Equipment Corporation
Product Tested: the ULTRIX Operating System Version: 4.2A Release: November 18, 1991
System Supplier: Digital Equipment Corporation
System Hardware: DECstation Model: 3100
C Compiler: MIPS C Compiler Version: 2.10
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0342 Mindcraft, Inc. Date Issued: 12/06/91

Reference File #: DEC8003

Product Supplier: Digital Equipment Corporation
Product Tested: The ULTRIX Operating System Version: 4.3A Release: July 1993
System Supplier: Digital Equipment Corporation
System Hardware: DECstation Model: 5000/260
C Compiler: Mips C Compiler Version: 3.0
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 06/24/93

Reference File #: DEC9418

Product Supplier: Digital Equipment Corporation
Product Tested: ULTRIX Version: 4.2 Release: May 31, 1991
System Supplier: Digital Equipment Corporation
System Hardware: DECstation Model: 3100
C Compiler: MIPS C Compiler Version: 2.10
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 06/17/91

Reference File #: DEC9672

Product Supplier: Digital Equipment Corporation
Product Tested: The ULTRIX Operating System Version: 4.2A Release: December 1991
System Supplier: Digital Equipment Corporation
System Hardware: DECstation Model: 5000/200
C Compiler: MIPS C Compiler Version: 2.10
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0342 Mindcraft, Inc. Date Issued: 02/12/92

NIST POSIX VALIDATED PRODUCTS, *Continued*

Reference File #: DGC2542

Product Supplier: Data General Corporation
Product Tested: DG/UX Version: 5.4
System Supplier: Data General Corporation
System Hardware: AViion 5000 Model: AV/5240
C Compiler: GNU C Compiler for AViON Systems Version: 1.37.23
PCTS: 151-1 Version: 1.1 - 07/01/91
APTL: 0342 Mindcraft, Inc. Date Issued: 09/10/91

Reference File #: DGC4767

Product Supplier: Data General Corporation
Product Tested: DG/UX Version: 5.4.2 Release: August 1992
System Supplier: Data General Corporation
System Hardware: AViion AV/530/4600 Model: AV/532
C Compiler: GNU C Compiler for AViON Systems Version: DG-2.2.3
Release: August 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 09/09/92

Reference File #: DGC8016

Product Supplier: Data General Corporation
Product Tested: DG/UX Version: 5.4
System Supplier: Data General Corporation
System Hardware: AViion 400/4000 Model: AV/4100
C Compiler: GNU C Compiler for AViON Systems Version: 1.37.23
PCTS: 151-1 Version: 1.1 - 07/01/91
APTL: 0342 Mindcraft, Inc. Date Issued: 09/10/91

Reference File #: DGC8703

Product Supplier: Data General Corporation
Product Tested: DG/UX Version: 5.4
System Supplier: Data General Corporation
System Hardware: AViion 400/4000 Model: AV/412
C Compiler: GNU C Compiler for AViON Systems Version: 1.37.23
PCTS: 151-1 Version: 1.1 - 07/01/91
APTL: 0342 Mindcraft, Inc. Date Issued: 09/10/91

Reference File #: DGC9391

Product Supplier: Data General Corporation
Product Tested: DG/UX Version: 4.32
System Supplier: Data General Corporation
System Hardware: AViion AV/400/4000 Model: AV/410
C Compiler: GNU C Compiler for AViON Sys Version: 1.37.23
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

Reference File #: DGC9574

Product Supplier: Data General Corporation
Product Tested: DG/UX Version: 5.4.2 Release: August 1992
System Supplier: Data General Corporation
System Hardware: AViion AV/8000 Model: AV/6240
C Compiler: GNU C Compiler for AViON Systems Version: DG-2.2.3
Release: August 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 11/03/92

Reference File #: ENC6897

Product Supplier: Encore Computer Corporation
Product Tested: UMAX V Release: 3.0.6
System Supplier: Encore Computer Corporation
System Hardware: 91 Series Model: 91-02427
C Compiler: Green Hills Software, Inc. C Release: 1.1
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0345 UniSoft Corporation Date Issued: 3/12/92

Reference File #: EVR0901

Product Supplier: ESIX/Everex Systems, Inc.
Product Tested: ESIX System V Release 4 Version: 4 Release: 4.0
System Supplier: AGI Computer, Inc.
System Hardware: AGI Model: 486/33
C Compiler: ESIX ANSI C Compiler Version: 5.0
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

Reference File #: EVR9749

Product Supplier: ESIX/Everex Systems, Inc.
Product Tested: ESIX System V Release 4 Version: 4 Release: 4.0
System Supplier: ESIX/Everex Systems, Inc.
System Hardware: Everex Model: 3000S 386/33
C Compiler: ESIX ANSI C Compiler Version: 5.0
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

Reference File #: HAR5240

Product Supplier: Harris Corporation
Product Tested: CX/UX Release: 5.3
System Supplier: Harris Corporation, Computer Systems Division
System Hardware: Night Hawk Model: HN4802
C Compiler: Harris C Compiler Release: 5.3
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0342 Mindcraft, Inc. Date Issued: 12/16/91

Reference File #: HPC0115

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.02 Release: 10/06/91
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 867S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC0303

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.02 Release: 10/06/91
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 867s
C Compiler: HP C Compiler Version: A 08.17 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 09/09/92

Reference File #: HPC0535

Product Supplier: Hewlett-Packard Company
Product Tested: Domain/OS Version: 10.4 Release: April 1992
System Supplier: Hewlett-Packard Company
System Hardware: Domain Series 4000 Model: DN4500
C Compiler: Domain/C Version: 6.9.M/MPX Release: May 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 09/2/92

Reference File #: HPC0603

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 9.01 Release: January 4, 1993
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 700 Model: 735
C Compiler: HP C Compiler Version: HP92453-01 A.09.19 Release: December, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 2/19/93

NIST POSIX VALIDATED PRODUCTS, *Continued*

Reference File #: HPC1581

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.02 Release: 10/06/91
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 827S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC1992

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.08 Release: 11/23/92
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 827S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC2540

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.07 Release: December 1991
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 700 Model: 720
C Compiler: HP C Compiler Version: A 08.71 Release: Dec 1991
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 01/29/92

Reference File #: HPC2698

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.02 Release: 10/06/91
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 817S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC2952

Product Supplier: Hewlett-Packard Company
Product Tested: Domain/OS Version: 10.4 Release: April 1992
System Supplier: Hewlett-Packard Company
System Hardware: Domain Series 400 Model: 433S
C Compiler: Domain/C Version: 6.9.M/MPX Release: May 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 09/2/92

Reference File #: HPC3574

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 9.0 Release: October 7, 1992
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 400 Model: 433S
C Compiler: HP C Compiler Version: B2371B.08.00 Internal Revision 70.2 Release: October 7, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 2/19/93

Reference File #: HPC3760

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.02 Release: 10/06/91
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 847S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC3897

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 9.0 Release: October 7, 1992
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 847S
C Compiler: HP C Compiler Version: A 09.19 Release: Oct 7, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 1/07/93

Reference File #: HPC4246

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.08 Release: 11/23/92
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 807S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC6304

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 9.01 Release: January 4, 1993
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 700 Model: 720
C Compiler: HP C Compiler Ver: HP92453-01 A.09.19 Rel: Dec, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 2/19/93

Reference File #: HPC6391

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.00 with PHCO_0800 (Patch) Release: January 1991, January 1992 (Patch)
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 400 Model: 400S
C Compiler: HP C Compiler Version: B 08.00 Release: Dec. 1991
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 04/17/92

Reference File #: HPC6637

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.08 Release: 11/23/92
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 817S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC6906

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 9.01 Release: January 4, 1993
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 700 Model: 715
C Compiler: HP C Compiler Ver: HP92453-01 A.09.19 Rel: Dec. 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 2/19/93

Reference File #: HPC7051

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.08 Release: 11/23/92
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 867S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

NIST POSIX VALIDATED PRODUCTS, *Continued*

Reference File #: HPC7716

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.08 Release: 11/23/92
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 847S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC8098

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.02 Release: 10/06/91
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 807S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC9185

Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8 Release: 5/6/91
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 835
C Compiler: HP C Compiler Version: A 08.17 Release: 5/6/91
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 12/18/91

Reference File #: IBM0320

Product Supplier: International Business Machines Inc.
Product Tested: AIX Version 3 for RISC System/6000 Version: 3 Release: 2
System Supplier: International Business Machines Inc.
System Hardware: RISC System/6000 Model: 220
C Compiler: xlc Version: 1 Release: 2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 02/25/92

Reference File #: IBM0458

Product Supplier: International Business Machines Inc.
Product Tested: AIX Version 3 for RISC System/6000 Version: 3 Release: 2
System Supplier: International Business Machines Inc.
System Hardware: RISC System/6000 Model: 530H
C Compiler: xlc Version: 1 Release: 2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 02/25/92

Reference File #: IBM1344

Product Supplier: International Business Machines Inc.
Product Tested: AIX Version: 3 Release: 1
System Supplier: International Business Machines Inc.
System Hardware: RISC System/6000 Model: 320
C Compiler: xlc Version: 3 Release: 1
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

Reference File #: IBM2592

Product Supplier: International Business Machines Inc.
Product Tested: AIX Version: 3 Release: 1
System Supplier: International Business Machines Inc.
System Hardware: RISC System/6000 Model: 530
C Compiler: xlc Version: 3 Release: 1
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

Reference File #: IBM3697

Product Supplier: International Business Machines Inc.
Product Tested: AIX Version 3 for RISC System/6000 Version: 3 Release: 2
System Supplier: International Business Machines Inc.
System Hardware: RISC System/6000 Model: 320
C Compiler: xlc Version: 1 Release: 2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 02/25/92

Reference File #: INT4675

Product Supplier: Intergraph Corporation
Product Tested: CLIX Version: 06.02.01 Release: 3.1
System Supplier: Intergraph Corporation
System Hardware: Intergraph 6400 Series Workstation Model: 6450
C Compiler: CLIPPER Advanced Optimizing C Compiler Version: 06.00.01.43 Release: 28-JAN-1992
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

Reference File #: INT5154

Product Supplier: Interactive Systems Corp.
Product Tested: Interactive UNIX Operating System Version: 3.0 Release: 3.2
System Supplier: Compaq Computer Corporation
System Hardware: Compaq Model: System Pro
C Compiler: Interactive UNIX Software Development System Ver: 3.0
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0345 UniSoft Corporation Date Issued: 10/16/91

Reference File #: LNx3076

Product Supplier: Lynx Real-Time Systems, Inc.
Product Tested: LynxOS Version: 2 Release: 2.2.0
System Supplier: Compaq Computer Corporation
System Hardware: ProLinea Model: 4/33
C Compiler: gcc Version: 1.42 Release: September 19, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/14/93

Reference File #: MOD4817

Product Supplier: Modular Computer Systems, Inc.
Product Tested: REAL/IX Version: V.3 Release: D.0
System Supplier: Modular Computer Systems, Inc.
System Hardware: REAL/STAR Model: 1000
C Compiler: GNU C Compiler for REAL/IX Systems Version: 1.37
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/05/92

Reference File #: MOT1086

Product Supplier: Motorola Computer Group
Product Tested: UNIX[®] System V/88 Release 4.0 Version: 3 Release: 4.0
System Supplier: Motorola Computer Group
System Hardware: Motorola Series 8000 Model: 8x40
C Compiler: Software Development System Version: T302.0 Release: 12/2/92
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 2/19/93

Reference File #: MOT5618

Product Supplier: Motorola Computer Group
Product Tested: UNIX[®] System V/88 Release 4.0 Version: 3 Release: 4.0
System Supplier: Motorola Computer Group
System Hardware: Motorola Series 8000 Model: 8x20
C Compiler: Software Development System Ver: T302.0 Rel: 12/2/92
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 2/19/93

NIST POSIX VALIDATED PRODUCTS, *Continued*

Reference File #: NCR0554

Product Supplier: NCR Corporation
Product Tested: NCR UNIX System V Ver: Release 4 Rel: 4.0.4
System Supplier: NCR Corporation
System Hardware: NCR 3B2 R3 Series Model: 3B2/1000 R3
(Military ID: 3B2/600 GR)
C Compiler: 3B2/RISC C Development System Release: 1.1
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 12/09/92

Reference File #: NCR1448

Product Supplier: NCR Corporation
Product Tested: NCR UNIX System V Release 4 MP-RAS, Rel 2
Version: SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3455
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 10/08/93

Reference File #: NCR2047

Product Supplier: NCR Corporation
Product Tested: NCR System V Release 4 MP-RAS, Rel 2 Version:
SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3447
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus, Inc. Date Issued: 06/26/92

Reference File #: NCR2805

Product Supplier: NCR Corporation
Product Tested: NCR System V Release 4 MP-RAS, Rel 2 Version:
SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3450
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus, Inc. Date Issued: 06/26/92

Reference File #: NCR3061

Product Supplier: NCR Corporation
Product Tested: NCR UNIX System V Release 4 MP-RAS, Rel 2
Version: SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3555
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 10/08/93

Reference File #: NCR3331

Product Supplier: NCR Corporation
Product Tested: NCR System V Release 4 MP-RAS, Rel 2 Version:
SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3345
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus, Inc. Date Issued: 06/26/92

Reference File #: NCR4518

Product Supplier: NCR Corporation
Product Tested: NCR System V Release 4 MP-RAS, Rel 2 Version:
SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3550
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus, Inc. Date Issued: 06/26/92

Reference File #: NCR5533

Product Supplier: NCR Corporation
Product Tested: NCR UNIX System V Release 4 MP-RAS, Rel 2
Version: SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3520
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 10/08/93

Reference File #: NCR7380

Product Supplier: NCR Corporation
Product Tested: UNIX[®] System V Release 4.0 Version 3.1
Version: 3.1 Release: 4.0
System Supplier: NCR Corporation
System Hardware: StarServer E Model: Release 3
C Compiler: Optimized C Compiler Version: 5.0
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 03/10/93

Reference File #: NCR7549

Product Supplier: NCR Corporation
Product Tested: NCR UNIX System V Release 4 MP-RAS, Rel 2
Version: SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3525
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 10/08/93

Reference File #: NXT0623

Product Supplier: NeXT Computer, Inc.
Product Tested: NEXTSTEP Version: 3.2 Release: November 5,
1993 (with POSIX for NEXTSTEP version 1.0)
System Supplier: NeXT Computer, Inc.
System Hardware: NeXTstation Model: Color Turbo
C Compiler: NEXTSTEP DEVELOPER Version: 3.2 Release:
November 5, 1993
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/93

Reference File #: PYR1271

Product Supplier: Pyramid Technology Corporation
Product Tested: OSx Version: 5.1a-92a023 Release: 0422s
System Supplier: Pyramid Technology Corporation
System Hardware: MIServer Model: MIS-2T
C Compiler: att_cc Version: 5.1
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

Reference File #: PYR3067

Product Supplier: Pyramid Technology Corporation
Product Tested: DataCenter/OSx Version: dcosx Release: 1.1-
92c027
System Supplier: Pyramid Technology Corporation
System Hardware: MIServer Model: 2S
C Compiler: DataCenter/OSx C Compiler Release: 1.1-92c027
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 09/09/92

Reference File #: PYR3233

Product Supplier: Pyramid Technology Corporation
Product Tested: DataCenter/OSx Version: dcosx Release: 1.1-
92c027
System Supplier: Pyramid Technology Corporation
System Hardware: MIServer Model: 12S
C Compiler: DataCenter/OSx C Compiler Release: 1.1-92c027
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 10/05/92

NIST POSIX VALIDATED PRODUCTS, *Continued*

Reference File #: PYR4970

Product Supplier: Pyramid Technology Corporation
Product Tested: DataCenter/OSx Version: dcosx Rel: 1.1-92c027
System Supplier: Pyramid Technology Corporation
System Hardware: MIServer Model: 4S
C Compiler: DataCenter/OSx C Compiler Release: 1.1-92c027
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 09/09/92

Reference File #: PYR9863

Product Supplier: Pyramid Technology Corporation
Product Tested: OSx Version: 5.1a Release: 0318t
System Supplier: Pyramid Technology Corporation
System Hardware: MIServer Model: MIS-4T
C Compiler: att_cc Version: 5.1
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

Reference File #: SCO3664

Product Supplier: Santa Cruz Operation Inc.
Product Tested: SCO Open Desktop Version: 2.0
System Supplier: Diamond Flower Incorporated
System Hardware: DFI Model: 486SX/25
C Compiler: Microsoft C Version: 5.1
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 11/02/92

Reference File #: SCO3832

Product Supplier: Santa Cruz Operation Inc.
Product Tested: SCO UNIX System V/386 Version: Release 3.2
System Supplier: Zenith Data Systems
System Hardware: Z Station Model: 433DEh
C Compiler: Microsoft C Version: 5.1
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 09/28/92

Reference File #: SCO4102

Product Supplier: Santa Cruz Operation, Inc.
Product Tested: SCO UNIX System V/386 Version: Release 3.2
System Supplier: AST Research, Inc.
System Hardware: Premium Series Model: 486/33
C Compiler: Microsoft C Version: 5.1
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 07/01/92

Reference File #: SCO5199

Product Supplier: Santa Cruz Operation Inc.
Product Tested: SCO UNIX System V/386 Version: 3.2
System Supplier: Zenith Data Systems
System Hardware: Zenith Data Systems Supersport Laptop Model: Supersport SX
C Compiler: Microsoft C Version: 5.1
PCTS: 151-1 Version: 1.1 - 07/01/91
APTL: 0343 DataFocus Incorporated Date Issued: 09/17/91

Reference File #: SCO6748

Product Supplier: Santa Cruz Operation Inc.
Product Tested: SCO UNIX System V/386 Version: 3.2 Release: 2
System Supplier: Data General Corporation
System Hardware: Walkabout/SX Model: G2763
C Compiler: Microsoft C Optimizing Compiler Version: 5.1
PCTS: 151-1 Version: 1.1 - 07/01/91
APTL: 0342 Mindcraft, Inc. Date Issued: 09/10/91

Reference File #: SCO8054

Product Supplier: Santa Cruz Operation Inc.
Product Tested: SCO Open Desktop Version: 2.0
System Supplier: Diamond Flower Incorporated
System Hardware: DFI Model: 486/33
C Compiler: Microsoft C Version: 5.1
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 11/02/92

Reference File #: SCO9875

Product Supplier: Santa Cruz Operation Inc.
Product Tested: SCO UNIX System V/386 Version: 3.2
System Supplier: UNISYS Corporation
System Hardware: PW² Advantage 3000 Series Model: 3256
C Compiler: Microsoft C Version: 5.1
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0343 DataFocus Incorporated Date Issued: 11/01/91

Reference File #: SEC8754

Product Supplier: Sequent Computer Systems Inc.
Product Tested: DYNIX/ptx Operating System Version: 1.3.0
System Supplier: Sequent Computer Systems Inc.
System Hardware: Symmetry Series II Model: S27
C Compiler: C Tools Version: 1.12p
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0345 UniSoft Corporation Date Issued: 12/09/91

Reference File #: SGI5507

Product Supplier: Silicon Graphics, Inc.
Product Tested: IRIX Version: 4.0.5
System Supplier: Silicon Graphics, Inc.
System Hardware: IRIS Model: Crimson
C Compiler: IRIS Development Option Version: 2.20
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 06/15/92

Reference File #: SGI9297

Product Supplier: Silicon Graphics, Inc.
Product Tested: IRIX Version: 4.0.5
System Supplier: Silicon Graphics, Inc.
System Hardware: IRIS Model: Indigo
C Compiler: IRIS Development Option Version: 2.20
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 06/15/92

Reference File #: SUN0617

Product Supplier: SunSoft, Inc.
Product Tested: Solaris Version: 1.0.1 Release: PC
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation IPC Model: GX
C Compiler: Solaris C Compiler Version: 1.0.1 Release: Dec 4, 1991
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 08/27/92

Reference File #: SUN1065

Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris 2.1 for x86 Version: 2.1 Release: May 1993
System Supplier: Dell Computer Corporation
System Hardware: 450 Model: DE
C Compiler: ProCompiler C Version: 2.0.1 for x86 Rel: May 1993
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/20/93

NIST POSIX VALIDATED PRODUCTS, *Continued*

Reference File #: SUN1442

Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.2 Release: May 28, 1993
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation LX Model: 4/30
C Compiler: Sun C Compiler Version: 2.0.1 Release: Oct. 3, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/28/93

Reference File #: SUN2031

Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.1 Release: August 4, 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SunWorkstation 4/30 Model: 4/30
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/92

Reference File #: SUN2241

Product Supplier: SunSoft, Inc.
Product Tested: Solaris Version: 2.0 Release: June 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation 2 Model: 4/75
C Compiler: Sun C Compiler Version: 2.0 Release: 20 May 1992
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 07/02/92

Reference File #: SUN2727

Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.1 Release: December 7, 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCserver 10 Model: 42
C Compiler: Sun C Compiler Version: 2.0.1 Release: Oct. 3, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 1/07/93

Reference File #: SUN2930

Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.2 Release: May 28, 1993
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation 2 Model: 4/75
C Compiler: Sun C Compiler Version: 2.0.1 Release: Oct. 3, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/28/93

Reference File #: SUN3129

Product Supplier: SunSoft, Inc.
Product Tested: Interactive Unix Operating System V/386 Version: 3.0.1 Release: 3.2
System Supplier: Compaq Computer Corporation
System Hardware: Desk Pro Model: 386/20E
C Compiler: Interactive Unix Software Development System Version: 3.0 Release: December 4, 1991
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0345 UniSoft Corporation Date Issued: 9/18/92

Reference File #: SUN3272

Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.2 Release: May 28, 1993
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCcenter 10 Model: 54
C Compiler: Sun C Compiler Version: 2.0.1 Release: Oct. 3, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/28/93

Reference File #: SUN3402

Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.1 Release: August 4, 1992
System Supplier: RDI
System Hardware: BriteLite Model: IPX Color Laptop Workstation
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/16/92

Reference File #: SUN3403

Product Supplier: SunSoft, Inc.
Product Tested: Interactive Unix Operating System V/386 Version: 3.0.1 Release: 3.2
System Supplier: Alpha Systems Lab
System Hardware: ASL486/33 Model: ASL433
C Compiler: Interactive Unix Software Development System Version: 3.0
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0345 UniSoft Corporation Date Issued: 10/05/92

Reference File #: SUN4529

Product Supplier: SunSoft, Inc.
Product Tested: Solaris Version: 1.1 Version C Release: August 13, 1993
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCclassic Model: 4/15
C Compiler: Solaris C Compiler Version: 1.1 Release: August 13, 1993
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/14/93

Reference File #: SUN5382

Product Supplier: SunSoft, Inc.
Product Tested: Solaris Version: 1.0.1 Release: PC
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation IPX Model: GX
C Compiler: Solaris C Compiler Version: 1.0.1 Release: December 4, 1991
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 09/02/92

Reference File #: SUN5684

Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.1 Release: December 7, 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCclassic Model: 4/15
C Compiler: Sun C Compiler Version: 2.0.1 Release: October 3, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 1/07/93

Reference File #: SUN5782

Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.1 Release: August 4, 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCserver 10 Model: 30
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/92

Reference File #: SUN5970

Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.1 Release: August 4, 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCserver 10 Model: 41
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/92

NIST POSIX VALIDATED PRODUCTS, *Continued*

Reference File #: SUN6602

Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.2 Release: May 28, 1993
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCcenter 2000 Model: 01
C Compiler: Sun C Compiler Version: 2.0.1 Release: October 3, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/28/93

Reference File #: SUN6635

Product Supplier: SunSoft, Inc.
Product Tested: Solaris Version: 1.0.1 Release: PC
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCserver 690 Model: 140
C Compiler: Solaris C Compiler Version: 1.0.1 Release: December 4, 1991
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 02/19/92

Reference File #: SUN6859

Product Supplier: SunSoft, Inc.
Product Tested: INTERACTIVE UNIX Operating System V/386
Version: 4.0 Release: 3.2
System Supplier: Compaq Computer Corporation
System Hardware: DeskPro Model: 66M
C Compiler: INTERACTIVE Software Development System Version: 4.0
Release: May 1993
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 07/15/93

Reference File #: SUN7188

Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 1.1 Release: August 24, 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation 10 Model: GX-30
C Compiler: Solaris C Compiler Version: 1.1 Release: August 24, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 08/27/92

Reference File #: SUN7793

Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.1 Release: August 4, 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCserver 10 Model: 42
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/92

Reference File #: SUN8720

Product Supplier: SunSoft, Inc.
Product Tested: Solaris Version: 1.1 Version C Release: August 13, 1993
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation Model: 4/30
C Compiler: Solaris C Compiler Version: 1.1 Release: Aug 13, 1993
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/14/93

Reference File #: SUN9763

Product Supplier: SunSoft, Inc.
Product Tested: Solaris Version: 1.0.1 Release: PC
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation 2 Model: GX
C Compiler: Solaris C Compiler Version: 1.0.1 Release: Dec 4, 1991
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 02/19/92

Reference File #: UNI0505

Product Supplier: Unisys Corporation
Product Tested: UNIX System V Release 4 Version: Revision 1.0.2
System Supplier: Unisys Corporation
System Hardware: Unisys U 6000 Series Model: U 6000/15

C Compiler: UNIX System V Release 4 Standard C Development
Environment Version: 1.0.2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 04/30/92

Reference File #: UNI1798

Product Supplier: Unisys Corporation
Product Tested: UNIX System V Release 4 Version: Revision 1.0.2
System Supplier: Unisys Corporation
System Hardware: Unisys U 6000 Series Model: U 6000/65

C Compiler: UNIX System V Release 4 Standard C Development
Environment Version: 1.0.2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/12/92

Reference File #: UNI3690

Product Supplier: Unisys Corporation
Product Tested: UNIX System V Release 4 Version: 1.1 Release:
October 30, 1992
System Supplier: Unisys Corporation
System Hardware: Unisys U 6000 Series Model: U6000/65
C Compiler: UNIX System V Release 4 Standard C Development
Environment Version: 1.1
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 09/28/92

Reference File #: UNI5711

Product Supplier: Unisys Corporation
Product Tested: UNIX System V Release 4 Version: Revision 1.0.2
System Supplier: Unisys Corporation
System Hardware: Unisys U 6000 Series Model: U 6000/60

C Compiler: UNIX System V Release 4 Standard C Development
Environment Version: 1.0.2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/12/92

Reference File #: UNI9063

Product Supplier: Unisys Corporation
Product Tested: UNIX System V Release 4 Version: Revision 1.0.2
System Supplier: Unisys Corporation
System Hardware: Unisys U 6000 Series Model: U 6000/35
C Compiler: UNIX System V Release 4 Standard C Development
Environment Version: 1.0.2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/12/92

Reference File #: UNI9080

Product Supplier: Unisys Corporation
Product Tested: CTOS II Version: 3 Release: 3
System Supplier: Unisys Corporation
System Hardware: Unisys B-Series Model: NGEN
C Compiler: Microsoft C Version: 6.0
PCTS: 151-1 Version: 1.1 - 07/01/91
APTL: 0343 DataFocus Incorporated Date Issued: 09/17/91

NIST POSIX VALIDATED PRODUCTS, *Continued*

Reference File #: UNV0528

Product Supplier: Univel
Product Tested: UnixWare Version: 1.0 Release: June 1993
System Supplier: Unisys Corporation
System Hardware: Unisys U 6000/DT Series/PW² Advantage Plus
Series Model: U6000/DT1 (MPE 4332)
C Compiler: Optimizing C Compilation Sys Ver: 2.0 Rel: Nov 2, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/18/93

Reference File #: UNV2014

Product Supplier: Univel
Product Tested: UnixWare Version: 1.0 Release: June 1993
System Supplier: Unisys Corporation
System Hardware: Unisys U 6000/DT Series/PW² Advantage Plus
Series Model: U6000/DT2 (MPE 4663)
C Compiler: Optimizing C Compilation System Version: 2.0 Release:
Nov. 2, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/18/93

Reference File #: UNV3055

Product Supplier: Univel
Product Tested: UnixWare Application Server Version: 1.0
Release: October 1992
System Supplier: AST Research, Inc.
System Hardware: Premium 486/33 Model: 3V
C Compiler: UnixWare Software Development Kit Version: 1.0
Release: October 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/93

Reference File #: UNV3978

Product Supplier: Univel
Product Tested: UnixWare Version: 1.0 Release: June 1993
System Supplier: Unisys Corporation
System Hardware: Unisys PW² Advantage Series
Model: MPI 4336)
C Compiler: Optimizing C Compilation System Version: 2.0 Release:
Nov. 2, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/18/93

Reference File #: UNV9180

Product Supplier: Univel
Product Tested: UnixWare Personal Edition Version: 1.0 Release:
October 1992
System Supplier: AST Research, Inc.
System Hardware: Premium 486/33 Model: 3V
C Compiler: UnixWare Software Development Kit Version: 1.0
Release: October 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/93

Reference File #: USL2115

Product Supplier: UNIX System Laboratories, Inc.
Product Tested: UNIX System V Release 4 Version: 4 Release: 4.0
System Supplier: AST Research, Inc.
System Hardware: Premium Series Model: 486/33
C Compiler: Standard C Development Environment Version: 5.0
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 07/01/92

Reference File #: USL3610

Product Supplier: UNIX System Laboratories, Inc.
Product Tested: UNIX[®] System V Release 4 for the Intel386[™]
Architecture Version: 4
Release: July 1991
System Supplier: AT&T
System Hardware: AT&T 6386/25 WGS Model: CPU 311 PC3B
C Compiler: Standard C Development Environment Version: Issue 5
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0342 Mindcraft, Inc. Date Issued: 12/12/91

Reference File #: USL6259

Product Supplier: UNIX System Laboratories, Inc.
Product Tested: UNIX[®] System V/386 Release 4 Version: 4.0T
Release: August 1992, with PATCH #1 (Package Date: 11/20/92)
System Supplier: AST Research, Inc.
System Hardware: Premium 486/33 Model: 3V
C Compiler: UNIX System Laboratories Standard C Development
Environment Version: Issue 5
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 2/12/93

6.7 TESTING LABORATORIES AND VALIDATED PRODUCTS for NIST POSIX (FIPS 151-2)

ACCREDITED NIST POSIX TESTING LABORATORIES

The National Voluntary Laboratory Accreditation Program (NVLAP) has accredited the following laboratories to test computer operating system interfaces for conformance with the Federal Information Processing Standard 151-2 (FIPS 151-2) using the NIST POSIX Conformance Test Suite (NIST-PCTS:151-2). Only accredited laboratories may submit test reports to NIST/CSL for validation.

DataFocus Incorporated
12450 Fair Lakes Circle, Suite 400
Fairfax, VA 22033-3831

Contact: Mr. Glen McPherson
Phone: 703-631-6770

Mindcraft, Inc.
410 Cambridge Avenue
Palo Alto, CA 94306

Contact: Mr. Bruce Weiner
Phone: 415-323-9000

NIST POSIX VALIDATED PRODUCTS

The following products have been tested by an Accredited POSIX Testing Laboratory (APTL) using the official National Institute of Standards and Technology POSIX Conformance Test Suite (NIST-PCTS:151-2) for the Federal Information Processing Standards 151-2 (FIPS PUB 151-2). A Certificate of Validation has been issued by NIST/CSL. Additional information is available from NIST/CSL on conditional features supported, configuration details, and resolved test codes (if appropriate).

Information in this listing includes product information on the implementation and system tested and information on the type of implementation. FIPS 151-2 supports three types of implementations, native, hosted, and cooperating. A native implementation "refers to an implementation of POSIX.1 that interfaces directly to an operating system kernel." A cooperating implementation "refers to an implementation of POSIX.1 that interfaces directly to an operating system kernel but the load modules are not producible on this implementation." A hosted implementation "refers to an implementation of POSIX.1 that is accomplished through interfaces from the POSIX.1 services to some alternate form of operating system kernel services."

Information is also provided on the following primary conditional features:

- General Terminal Interface devices (GT),
- Mountable File System (MFS),
- Modem Control (MC), and
- Appropriate Privileges (AP).

PRODUCT SUPPLIERS

Digital Equipment Corporation
Unisys Corporation

REFERENCE FILE

151-2DEC001
151-2UNI001, 151-2UNI002

SYSTEM SUPPLIERS

Digital Equipment Corporation
Unisys Corporation

REFERENCE FILE

151-2DEC001
151-2UNI001, 151-2UNI002

PRODUCTS

151-2DEC001 Issued: 08/12/93 Type: Hosted

Product Supplier: Digital Equipment Corporation

Product: POSIX for Open VMS AXP Version X1.0-041

PCD: POSIX 1003.1-1990 Conformance Document for Open VMS AXP (July 1993)

GTI - NOT Provided by Product MC - NOT Provided by Product

MFS - Supported by Product AP - Supported by Product

Computer Hardware Supplier: Digital Equipment Corporation

Computer Hardware Product: DECsystem, Model 4000/610

Host Operating System Supplier: Digital Equipment Corporation

Host Operating System: OpenVMS AXP Version 1.5

C Compiler: DEC C Version 1, Release 3

APTL: 0343 DataFocus Incorporated

151-2UNI001 Issued: 12/02/93 Type: Native

Product Supplier: Unisys Corporation

Product: Unix System V Release 4 Revision 1.2

PCD: UNIX System V Release 4.0 POSIX Conformance Programmer's Guide

GTI - Supported by Product MC - Supported by Product

MFS - Supported by Product AP - Supported by Product

Computer Hardware Supplier: Unisys Corporation

Computer Hardware Product: Unisys U6000 Series U6000/65

C Compiler: Unix System V Release 4 Standard C Development Environment Rev. 1.2

APTL: 0342 Mindcraft, Inc.

151-2UNI002 Issued: 12/02/93 Type: Native

Product Supplier: Unisys Corporation

Product: Unix System V Release 4 Revision 1.2

PCD: UNIX System V Release 4.0 POSIX Conformance Programmer's Guide

GTI - Supported by Product MC - Supported by Product

MFS - Supported by Product AP - Supported by Product

Computer Hardware Supplier: Unisys Corporation

Computer Hardware Product: Unisys U6000 Series U6000/300

C Compiler: Unix System V Release 4 Standard C Development Environment Rev. 1.2

APTL: 0342 Mindcraft, Inc.

For further information on the NIST/CSL POSIX validation program contact Martha M. Gray, Computer Systems Laboratory, B266 Technology Bldg., NIST, Gaithersburg, MD 20899. Telephone: 301-975-3276, fax: 301-590-0932, e-mail: gray@swe.ncsl.nist.gov.

This register is also available on an electronic mail (email) file server system. To use the service, you must be able to send and receive email via the Internet. For most email systems, send an email message (*mail posix@nist.gov*) with the first line of the message containing a command to *send 151-1reg* and a carriage return. The next line should simply end your email message (on some systems a period and a carriage return). This register will be returned via email to your email address. There is also a register for FIPS 151-2 accredited laboratories and validated products. For this register use the command *send 151-2reg*.

7. COMPUTER SECURITY TESTING

7.1 Cryptographic Standards

The lists in Sections 8.6, 8.7 and 8.8 provide technical information about products that have been validated as conforming to the following computer security FIPS:

- a. Data Encryption Standard (DES), FIPS PUB 46-1,
- b. Message Authentication Code (MAC), FIPS PUB 113, and
- c. Key Management Using ANSI X9.17, FIPS PUB 171.

7.2 Data Encryption Validation Tests

FIPS PUB 46-1 specifies a cryptographic algorithm that converts plaintext to ciphertext using a 56-bit key. Testing procedures for the validation of devices as conforming to FIPS PUB 46-1 are described in the NBS Special Publication 500-20, Validating the Correctness of Hardware Implementations of the NBS Data Encryption Standard. The validation of a device is performed by running the Monte Carlo test described in the publication. The Monte-Carlo test consists of eight million encryptions and four million decryptions, with two encryptions and one decryption making up a single test. The test is designed to use the Electronic Codebook Mode (ECB) of DES. Although the actual test described in NBS Special Publication 500-20 is the same test used to validate devices today, the procedures for administering the test have changed. Currently, the test is performed by the vendor using initial values supplied by NIST. The vendor uses the supplied information to run the Monte-Carlo test and sends the results to NIST.

7.3 Message Authentication Code (MAC) Validation System

FIPS PUB 113, Computer Data Authentication, specifies a Data Encryption Algorithm which may be used to detect unauthorized intentional and accidental modifications to data. This process is known as data authentication. The algorithm is based on DES and is used to authenticate an entire binary message. FIPS PUB 113 is compatible with ANSI X9.9 which provides methods for authenticating an entire binary message as well as all or parts of a message which are in a coded character format. Procedures for the validation of products which implement FIPS PUB 113 and ANSI X9.9 are described in NBS Special Publication 500-156, Message Authentication Code (MAC) Validation System: Requirements and Procedures.

7.4 Key Management Validation System (KMVS)

FIPS PUB 171 adopts ANSI X9.17 for Federal Government use. ANSI X9.17, Financial Institution Key Management (Wholesale), provides procedures and protocols for the secure generation, distribution, storage, entry, use and destruction of symmetric cryptographic keying material (e.g., DES). It provides key management solutions for a variety of operational environments, and as such, ANSI X9.17 contains a number of options. FIPS PUB 171 specifies a particular set of options whenever keying material is distributed using the protocols of ANSI X9.17. Procedures for the validation of products which conform to a subset of the options selected in FIPS PUB 171 are described in the Key Management Validation System: Point-to-Point Validation System document which is available from the Manager of the Security Group (see Section 8.5).

7.5 General

7.5.1 Request for Validation

To validate a product, a vendor should send a formal request for validation which includes a clear indication of the product to be tested. The request must also include the name, address, and telephone number of the person within the vendor's organization who will be responsible for the validation testing. The request should be sent to:

Manager, Security Technology Group
Computer Security Division
Computer Systems Laboratory
Building 225, Room A216
National Institute of Standards and Technology
Gaithersburg, MD 20899
Telephone (301) 975-2920

7.5.2 Information about Validated Products

It should be noted that the purpose of the following lists (see Sections 7.6, 7.7 and 7.8) is to provide technical information about products that have been validated as conforming to the FIPS Standards listed in Section 7.1. NIST has made every attempt to provide complete and accurate information about the products described in the following lists. However, due to the possibility of changes made within individual companies, NIST cannot guarantee that this document reflects the current status of each product.

7.5.3 Validation Documentation

Copies of the above FIPS and Special Publications are for sale by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161. The KMVS validation requirements document discussed in Section 7.4 can be obtained by contacting the Manager of the Security Technology Group at the above address.

7.6 DES Validated Devices

NOTE: The purpose of this document is to provide technical information about devices that have been validated as conforming to Federal Information Processing Standard Publication 46-1, Data Encryption Standard. The National Institute of Standards and Technology (NIST) has made every attempt to provide complete and accurate information about the devices described in this document. However, due to the possibility of changes made within individual companies, NIST cannot guarantee that this document reflects the current status of each product.

MANUFACTURER ADDRESS	DEVICE ID	PRODUCT	VALIDATION DATE	DESCRIPTION
ADT Security Systems 2560 Huntington Avenue Fourth Floor Alexandria, VA 22303 Hal Marriott (703) 960-8548	ADT Universal Communicator	7187-099 Universal Subsystem and 2995 Universal Subsystem	10/17/90	Chip is an on board component for Communicator products in the High Security Intrusion Detection System. System has integrated key management capabilities.
Advanced Micro Devices, Inc. 4115 Freiderich Lane Mail Stop 135 Austin, TX 78744 Patrick Soheili (408) 749-2161	AmZ8068	8068DC; 8068DCB; 8068JC; 8068PC;	1/28/81	One 40-pin DIP package; n-channel Si-gate technology; ECB, CBC and 8-bit CFB modes; separate ports for key input, clear data and enciphered data; concurrent input, output and ciphering activities; external DMA control; interfaces with AmZ8000 CPU bus directly, and with the 2900, 8080, 8085 and 8048 families with minimum throughput greater than 1 Mbytes per second; greater than 1 Mbytes per second.
	AM 9568	9568DC; 9568DCB; 9568J; 9568DMB; 9568JC; 9568PC;	2/28/84	N-channel silicon gate LSI product containing the circuitry necessary to encrypt and decrypt data; can be used in terminals dedicated controllers, communication concentrators, and peripheral task processors in general processor systems; can be used in CF, ECB, or CBC operating modes; separate ports for key input, clear data, and enciphered data enhanced security; interface directly to the IAPX86, 88 bus; interfaces with 2900 and 8051 families with minimal external logic.
American Telephone and Telegraph Company (AT&T) 6612 E. 75th Street P.O. Box 1008 Indianapolis, IN 46206 Ken Zempol (908) 658-6870	AT&T Smart Card Version 2.11/DES	Computer Security System	5/3/91	Card is part of a smart card based Computer Security System (CSS). The card is carried by an authorized user and permits the user to gain access to host computer systems that are protected by the CSS.
	AT&T Smart Card Version 3.0/DES (5E1)	Computer Security System	7/19/91	This version of the AT&T Smart Card is designed to closely follow developments in the international standards arena in areas of card communication protocols, commands and file structures. It is a general purpose smart card that supports multiple applications and uses the DES as a basic part of its operating system.
Arkansas Systems Inc. 8901 Kanis Road Little Rock, AR 72205-6498 David H. Bishop (501) 227-8471	DES-MATE	Device Only	7/6/89	Provides data encryption for messages sent and received on-line between an ATM/EFT Network switch processor and an IBM host participant in that network. DES key management is automatic and under system control.
AT&T Whippany Road Whippany, N.J. 07981 William Oeschger (201) 898-1198	AT&T T7000A Digital Encryption Processor	Chip Only	4/22/86	Manufactured using CMOS technology; 40-pin DIP; encryption modes include ECB, CBC, CFB, and OFB; throughput 1.882 Mbytes/second on-chip RAM and ROM program memory.

DES Validated Devices, Continued

MANUFACTURER ADDRESS	DEVICE ID	PRODUCT	VALIDATION DATE	DESCRIPTION
AT&T Bell Laboratories 25 Lindsley Drive Room 2B-309 Morristown, N.J. 07960 William Oeschger (201) 898-1198	DEP229ER (WE229ER)	Not Commercially Available	9/6/83	3.5 micron NMOS technology; 40-pin DIP; encryption modes - ECB, CBC, OFB, CFB1, CFB8, CFB64; Throughput rate of 117K ciphering operation/second.
American Telephone and Telegraph Company AT&T Guilford Center I-85 and Mt Hope Church Road McLeansville, NC 27420 Mr. B. F. Bailey (919) 279-3779	AT&T Mark E DES Key Generator, PN ON493049-1X	Not Available	6/3/92	Not available
American Telephone and Telegraph Company AT&T Guilford Center I-85 and Mt Hope Church Road McLeansville, NC 27420 Mr. M. Zugay (919) 279-3779	AT&T Mark ET DES Key Generator, Part No. AN10014-1	Not Available	6/3/92	Not available
Chase Manhattan Bank, N.A. 199 Water Street 12th Floor New York, NY 10081 Robert Stevenson (212) 797-4153	Chase Encryption Device 1	Not Available	7/24/84	Not Available
Collins Telecommunications Collins Defense Communications 350 Collins Road, NE Mail Stop 120-105 Cedar Rapids, Iowa 52498 Jim Perkins (319) 395-5773	765-5914-001 Voice Privacy Device VP430	CR-200 Device Only	10/15/77 10/6/81	pMOS chip with 40 usec algorithm execution time; chip has approximately a 50 nsec state change; can perform I/O functions while the chip is in operation; part of network stand-alone encryptor. Imbedded encryption device for commercial hand held communications devices.
Computer Elektronik Infosys of America, Inc. 512-A Herndon Parkway Herndon, VA 22070 A. Mark Brown (703) 435-3800	SuperCrypt CryptCard	Chip and Design Kit CryptCard	7/24/91 1/12/93	Chip designed for high speed (12 Megabytes/sec data rates) encryption and decryption. ECB, CBC, CFB and OFB modes of DES supported as well as MAC generation. Available as a 120 Pin Flat Pack. CryptCard is an access control and DES encryption adapter for notebook PCs that have a PCMCIA slot.
Cylink Corporation 110 South Wolfe Road Sunnyvale, CA 94086 Les Nightingill (408) 735-5800	CY1045 Cylink Faxdes 12035-001, DES52M 12422-001, DES2M1CFB	Chip Only Device Only Device Only	1/28/87 7/1/87 6/3/92 8/27/92	Not Available Not Available Not Available Not Available
Datakey Inc. 407 West Travelers Trail Burnsville, MN 55337-9990 Michael Careno (612) 890-6850	H8-310 ASACS Smart Card	H8-310 ASACS Smart Card	7/2/92	The ASACS hardware consists of a credit-card sized smart card with an embedded Hitachi H8/310 microprocessor and a reader/writer interface which provides an RS-232 serial connection to a host computer. The smart card functions are implemented in firmware which is stored in the memory of the card's microprocessor.

DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	DEVICE ID	PRODUCT	VALIDATION DATE	DESCRIPTION
Docutel/Olivetti Corporation 106 Decker Court Suite 300 Irving, TX 75062 Division International Marketing (214) 550-5400	Docutel Nordisk Spardata Cash Dispensing Terminal	Total Teller 2380;ETS 5100;	6/20/82	Firmware implementation of DES in ROM for PIN/communications security.
The Exchange 15395 SE 30th Place Bellevue, WA 98007 Patricia Lenti-Crane (206)644-7000	EXCRYPT DEB-64-KM (originally EXCLUDE DEB-64- KM)	Device Only	1/26/89	Encrypts and decrypts data; generates random keys; supports up to six security processor boards that can be run in parallel to enhance throughput; has storage capacity for up to 4000 DES keys; developed for secure financial transactions.
Front Line Software P.O. Box 217 Lowell, MA 01853 William Graham (617) 452-3352	726-8064 PROM Device	Chip Only	12/1/86	4 K EPROM to be used with Intel IPAX family of microprocessors including all models of the IBM PC family; all modes of DES supported.
GEMPLUS CARD INTERNATIONAL 6290 Montrose Road Rockville, MD 20852 Gilles Lisimaque (301) 770-1558	MCOS16K EEPROM/DES	Card Only	3/18/91	A multi-application smart card which complies with the ISO standard 7816 (parts 1, 2, and 3) for Integrated Circuit cards with contacts.
General Electric Company Mountain View Road Lynchburg, VA 24502 Jim Elder (804) 948-6187	Part Number 19B801375	Not Available	6/28/85	The GE DES IC is a microprocessor controlled, low speed asynchronous CMOS IC using DES. Intended to provide secure voice in commercial grade mobile radio applications.
Glenco Engineering, Inc. 270 Lexington Drive Buffalo Grove, IL 60089-6930 D. Wade Clark (708) 808-0300	Glen-DES PN GL306051	Glen-DES PN GL306051	5/8/92	The Glen-DES is a compact 20 pin design, using low power CMOS technology, operating at 3us using a 16 MHz clock. The DES chip features nonvolatile internal memory, an external key and a combined key. It is available with a simple CPU interface and it supports a DOS printer port implementation.
IBM Corporation Federal Systems Division P.O. Box 100 Kingston, NY 12401 Robert Elander (914) 385-6692	4402182 WK4/988	Chip Only	11/1/77	This card used in terminal equipment; the chip uses technology with PLA control to implement CBC;
	P/N 8270094 using DES Chip P/N 5898057 (originally 8269206)	Not Available	8/25/78	This card is used in 3845 and 3846 equipment for 8-bit CFB.
	Two TTL cards - 8632242 and 8679176	3846-Link Encryption;3848- Cryptographic Unit;	9/21/79	Will operate at least at the 1.5 Mbytes 360 channel rate; card set is used in the 3848 cryptographic unit; uses "Emerald-5" technology.
IBM Corporation 1001 W.T. Harris Blvd. West Charlotte, NC 28257 William Rohland (704) 594-8250	4745 Security Interface Unit and the Personal Security Card	IBM 4753 Network Security Processor	10/10/90	Devices are used in a transaction security system to protect the privacy and integrity of data using a common cryptographic interface. The security interface unit communicates with the Personal Security Card and the cryptographic adaptor, if present. The Personal Security Card is an integrated-circuit chip card that contains a single chip security processor.

DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	DEVICE ID	PRODUCT	VALIDATION DATE	DESCRIPTION
Intel 1900 Prairie City Road Folsom, CA 95630 Joe Dragony (916) 351-5250	8294	Not Available	1/3/78	Algorithm is microcode which is burned into a 1 Kbyte ROM on a 5 volt, 40-pin chip driven by a 8042 microprocessor.
	8294A	8294 chip; 8294A chip;	6/20/82	Same as the 8294 except for a maximum data transfer rate of 400 bytes per second.
John E. Holt & Associates 2714 Key Boulevard Arlington, VA 22201 John Holt (703) 524-2923	Krypton Firmware	Expansion board available in two models;	2/12/86	ROM chips for the standard IBM PC family include eight 3722 chips, four 2764 chips and one 27256 chip; 1024-bit CBC chaining; encryption speed dependent on clock of PC; ROM can plug directly into ROM slot.
Lexicon ICOT Corporation 3801 Zanker Road P.O. Box 5143 San Jose, CA 95150-5143 Bob Lynch (408) 433-3300	LEX-POS (Model 600)	Device Only	11/28/84	A Personal Identification Number (PIN) entry device; used in conjunction with financial transaction devices, 16 key keyboard, 20 character display, RS-232 compatible, Lexicon sold LEX-POS to ICOT Corporation.
LSI Logic/Dataco AS Smedeholm 12-14 DK-2730 Herlev Denmark Jens Kjelsbak 45 44 53 01 00	Dataco L5A4043 2030025402	ScaNET PC TCP/IP package; Gateway; IBM 3270 Gateway; Terminal Server; IBM S/3X Terminal Server; Buffered Repeater;	1/12/90	Custom DES IC was manufacturer by LSI Logic for Dataco. The DES chip is designed for optional use in ScaNet local area network products.
Matsushita Electronic Components High Frequency Products Division One Panasonic Way Secaucus, NJ 07094 Dursun Sakarya (201) 348-7767	EBC 1642 IC Card	Card Only	3/13/91	Card is designed to be a high security external storage media housing an 8 bit CPU and 64 Kbit EEPROM.
Micro Card Technologies, Inc. 14070 Proton Road Dallas, TX 75244 Jeff Lang (214) 788-4055	Micro Card TB100 Integrated Circuit Card	TB100 Integrated Circuit Card Family	9/19/90	A multi-application integrated circuit card which can simultaneously support several application data files. Cipherring and deciphering functions may be used to encrypt or decrypt external messages using DES.
Morse Security Group, Inc. 12960 Bradley Avenue Sylmar, CA 91342-0128 Nalin Chheda (800) 423-5669 (818) 367-5951	TRAP 5200 System	Touch Response Alarm; Touch Response Transponder;	4/17/90	Touch response alarm processor system, including a receiver processor located in a data gathering center and a series of transponders located at remote locations, contains DES to produce encrypted data that flows along a communication path.
Motorola Microprocessor Products Division 6501 William Cannon Drive West Austin, TX 78735-8598 Don Ponder (512) 440-2956	MC6859 (originally MGD68NE)	MC6859 Chip	2/11/80	Si-gate depletion mode, nMOS 24-pin DIP using single 5 volt power supply; implements ECB and CFB.
Newbridge Microsystems 603 March Road Kanata, Ontario Canada K2K 2M5 Tony Rosati (613) 592-0714	CA20C03A	Chip Only	4/10/91	A high performance WD20C03A compatible DES Data encryption processor with data transfer rates up to 4 Mbytes per second. Supports ECB and CBC; PLCC and PDIP packaging available.

DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	DEVICE ID	PRODUCT	VALIDATION DATE	DESCRIPTION
Newnet S.A. Alsina 430 Buenos Aires 1087 Argentina Daniel Ramos 54 1 334 9732	Data Security Device (DSD 9612)	Chip Only	7/2/91	This device is based on an eight bit INTEL microprocessor with 8 Kbytes of EPROM. Transfer data at speeds of 1200 to 9600 bps and communicates with other devices via EIA RS-232-C ports.
Nixdorf Computer Corporation 168 Middlesex Turnpike Burlington, MA 01803 Kevin Madden (617) 890-3600	VEM Module	Not Available	1/7/80	The plug-in module is used with the Nixdorf 8864 CPU for encrypting data transmission blocks and file protection; may be used in terminal applications in the financial community; uses TTL.
Racal-Milgo P.O. Box 407044 Ft. Lauderdale, FL 33340-7044 Richard Abbruscato (305) 476-6800	Datacryptor	Datacryptor II; Datacryptor III; Dial- up Datacryptor II; Datacryptor II Model 1027 Standard 1027	1/7/80	Stand alone equipment with public key management remote distribution of master keys.
Rothenbuhler Engineering P.O. Box 708 2191 Rhodes Road Sedro Wolley, WA 98284-0708 Andrew Benson (206) 856-0836	CLS Series 5200 Encryption Module	CLS Series 5200 Polling System	3/19/91	The CLS Series 5200 Encryption Module is used in a system which communicates 8 channels of electronic security information between a client and a central monitoring facility.
Secur-Data Systems, Inc. Omega Center 7340 Executive Way, Suite R Frederick, MD 21701 Ronald Baum (301) 698-9955	DESPLEX	TM5; MP5	2/2/89	Used in a CF configuration as part of a firmware operating system for processing and transmission of alarm sensor data as well as receiving and annunciating data at an alarm monitoring facility.
Texas Instruments, Inc. P.O. Box 1443, M/S 736 Houston, TX 77001 Mike Polen (713) 274-3635	TMS 99541	TMS 7500 Chip; New name for the TMS 99521 Chip;	2/28/82	Preprogrammed TMS7020 8-bit single chip microprocessor; 40-pin DIP plastic package I/O pins are TTL compatible; master and active key registers.
UNIVAC P.O. Box 3942 St. Paul, MN 55165 Jim Nelson (612) 631-6728	End-End/Mass Storage Encryptor	Not Available	1/29/80	Prototype device for testing purposes only
VLSI Technology, Inc. 8375 S. River Parkway Tempe, AZ 85284 R. Slusarczyk (602) 752-8574	VM007 - Data Encryption Processor	VM007 Chip	1/6/92	The VM007 Data Encryption Processor is a programmable integrated circuit that provides a complete cryptographic system on a single chip. It contains a hardware implementation of the DES, RISC-based sequencer, data storage registers, and ROM-based microprogram. It is designed to provide very high data and key processing rates (up to 190 Megabits per second), flexible I/O interfacing, advanced security features and supports all DES modes of operation.
Wells Fargo Security Products A Unit of Baker Protective Services 1010 North Glebe Road, Suite 680 Arlington, VA 22201 William Martin (703) 247-4250	WP PN 5286/WP PN 5287	MP40/AS- 40; MP44/AS- 44;	5/26/89	The monitor panels are intended for use in a monitoring station of a proprietary intrusion detection alarm system.

DES Validated Devices, Continued

MANUFACTURER ADDRESS	DEVICE ID	PRODUCT	VALIDATION DATE	DESCRIPTION
Western Digital Corporation 2445 McCabe Way Irvine, CA 92714 Product Marketing Manager for Security Devices (714) 474-2033 X7853	WD-2001/WD2002	WD-2001 Chip; WD-2002 Chip;	8/9/79	Uses si-gate nMOS, TTL compatible; ECB speeds of up to 40 Kbytes/second, 161 Kbytes/second and 242 Kbytes/second.
	WD20C03 DES Device	WD-20C03 Chip	2/19/87	Uses si-gate CMOS, TTL compatible; ECB and CBC, speeds of up to 403 Kbytes/second, 645 Kbytes/second and 807 Kbytes/second in ECB.

FIPS 113, Computer Data Authentication

7.7 Message Authentication Code (MAC) Implementations

Vendor/Contact	Implementation	Validated Options	Vendor/Contact	Implementation	Validated Options
1. ACS Communications Systems Inc. 480 Spring Park Place Suite 800 Herndon, VA 22070 Don Cole, (703) 471-0882	Personal Computer Security Module, PCSM-T May 18, 1988	BINARY OPTION (FIPS 113)	9. Digitech Telecommunications, Inc. 342 Madison Avenue Suite 2010 New York, NY 10017 James J. McKeef, (212) 557-7230	Softnet Software, Version 1 June 29, 1987	BINARY OPTION (FIPS 113)
2. Federal Reserve Bank of Cleveland P.O.B. 6387 Cleveland, Ohio 44101 Dave Rich, (216) 579-2221	Jones Futorex PC Encryption Board FRS PC MAC Processor October 28, 1988	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING	10. Sytek, Inc. Rights transferred to AeT Research, Inc. on January 29, 1988 - see entry 17	MACbox June 30, 1987	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
3. Shannon Systems, Inc. Mountain View, CA Out of Business	Remote Crypto Facility Software Version 3.0 January 18, 1987	BINARY OPTION (FIPS 113)	AeT Research 875 North First Street Suite 800 San Jose, CA 95112		CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
4. Codercard, Inc. Rights transferred to LITRONICS Information Systems on Sept. 12, 1980 - see entry 23. LITRONICS Information Systems 2950 Redhill Avenue Costa Mesa, CA 92626 Bob Gray, (714) 557-3444	Personal Computer Security Adaptor, CPS-300 Argus, Version 1 Software February 26, 1987	BINARY OPTION (FIPS 113) CODED CHARACTERS, ENTIRE MESSAGE, NO EDITING CODED CHARACTERS, ENTIRE MESSAGE, EDITING CODED CHARACTERS, EXTRACTED MESSAGE ELEMENTS, NO EDITING CODED CHARACTERS, EXTRACTED MESSAGE ELEMENTS, EDITING	Uden Feldman, (408) 275-0820		
5. Jones Futorex, Inc. 10833 Trade Center Drive Rancho Cordova, CA 95670 Don Thompson, (916) 635-3972	MAC-310 Message Authenticator February 27, 1987	BINARY OPTION (FIPS 113)	11. Inter-Quest, Inc. 18508 East Laser Drive Fountain Hills, AZ 85268 Charles Redding, (602) 948-2560	PORT-OF-ENTRY Computer Security System Vers 1.2 (Software) August 17, 1987	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
6. Infomax Securities 6974 Sandpiper Place Carlsbad, CA 92009 David Howard, (619) 931-8787	Protecom Crypto Processor Protecom Device Driver & Utilities, Version 0.5 March 27, 1987	BINARY OPTION (FIPS 113)	12. Recal-Guardata Limited Richmond Court 309 Fleet Road Fleet, Hampshire GU13 8BU England Paul Halliden, (252) 622144, England	PC Security Module, RGL 600 RGL 600 Host PC C Driver Software, Version: V1.01 November 20, 1987	BINARY OPTION (FIPS 113)
7. Inter-Quest, Inc. 18508 E. Laser Drive Fountain Hills, AZ 85268 Charles Redding, (602) 948-2560	PORT-OF-ENTRY Computer Security System Vers. 1.1 (Software) May 8, 1987	BINARY OPTION (FIPS 113)	13. The Chase Manhattan Bank, N.A. 1 Seaport Plaza 11th Floor New York, New York 10038 Bob Martian, (212) 797-4038	C-FIMAS 18 Software, Version 1.0 December 8, 1987	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
8. Infomax Securities 6974 Sandpiper Place Carlsbad, CA 92009 David Howard, (619) 931-8787	Protecom Crypto Processor Protecom Device Driver & Utilities, Version 0.8 May 11, 1987	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING	14. Atalla Corporation 2304 Zanker Road San Jose, CA 95131 Dale Hopkins, (408) 435-8850	Personal Computer Module, CPCM CPCM.HEX Software, Version OA 13-2043-01 January 11, 1988	BINARY OPTION (FIPS 113)

Message Authentication Code (MAC) Implementations, *Continued*

Vendor/Contact	Implementation	Validated Options	Vendor/Contact	Implementation	Validated Options
16. GN Telematic, Inc. 48 Manning Road Billerica, MA 01821 Poul Hebegaard, (617) 667-8644	safeMatic 2000, KB76-17527 Coded Character Set Processing Software, Model KB77-17012, Version A February 3, 1988	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDIT- ING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING	22. Racal-Guardata, Inc 480 Spring Park Place Suite 900 Herndon, VA 22070 Brian Bucholz, (703) 471-0882	X9 Crypto Server June 1, 1980	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MES- SAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MES- SAGE ELEMENTS; EDITING
17. AeT Research 675 North First Street Suite 800 San Jose, CA 95112 Originally validated on June 30, 1987 as a Stytek, Inc. device - see entry 10. Linden Feldman, (408) 275-0820	MACbox August 8, 1988	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDIT- ING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING	23. LITRONIC Information Systems 2950 Redhill Avenue Costa Mesa, CA 92626 Rights transferred on September 12, 1990 Bob Gray, (714) 545-8849 James Prohaska, (703) 990-8068	Personal Computer Security Adapter Argus, Version 1 Software** Originally validated by Codercard, Inc. on February 26, 1987 - see entry 4.	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MES- SAGE ELEMENTS; EDITING
18. Atalla Corporation 2304 Zanker Road San Jose, CA 95131 Dale Hopkins, (408) 435-8850	Personal Computer Module, MN-40-249 CPCM.HEX Software, Version OE 13-2043-00 September 26, 1988	BINARY OPTION (FIPS 113)	24. IBM Corporation Dept. 65K/B204-3 1001 W.T. Harris Blvd. Charlotte, NC 28257 Roger Evans, (704) 594-7060	4755 Cryptographic Adapter October 15, 1990	BINARY OPTION (FIPS 113)
19. Cypher Communica- tions Technology, Inc. 4520 East-West High- way Suite 550 Bethesda, MD 20814 Angel Bailey, (301) 652-6790	CYCOM SCI AX3 5.01, Version 10084002 February 2, 1989	BINARY OPTION (FIPS 113)	25. IBM Corporation Dept. 65K/B204-3 1001 W.T. Harris Blvd. Charlotte, NC 28257 Roger Evans, (704) 594-7060	4754 Security Interface Unit October 15, 1990	BINARY OPTION (FIPS 113)
20. Dial-Guard 55 Koch Road/PO Box 7045 Corte Madera, CA 94925 Shun-Hwa Chang or Trone Miller, (415) 927-2232	Dial-Guard Remote Authenti- cator 01-103, Version 2.0 Rev. 0 March 8, 1989	BINARY OPTION (FIPS 113)	26. IBM Corporation Dept. 65K/B204-3 1001 W.T. Harris Blvd. Charlotte, NC 28257 Roger Evans, (704) 594-7060	IBM Personal Security Card October 15, 1990	BINARY OPTION (FIPS 113)
21. Okiook Data 3945 St. Martin Laval, Quebec, Canada H7T 1B7 Claude Vigeant, (514) 681-1681	RAC/M FAS-PACK, Version 1.0 April 24, 1989	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDIT- ING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING	27. Cypher Communica- tions Technology, Inc. 15200 Shady Grove Rd. Suite 350 Rockville, MD 20850 Angel Bailey, (301) 590-8314	CYCOM SCI/SL 96 AX5 5.03, Version 10084012 December 18, 1990	BINARY OPTION (FIPS 113)
			28. Cypher Communica- tions Technology, Inc. 15200 Shady Grove Rd. Suite 350 Rockville, MD 20850 Angel Bailey, (301) 590-8314	CYCOM SCI 182 AX7 5.05, Version 10084020 January 10, 1991	BINARY OPTION (FIPS 113)

Message Authentication Code (MAC) Implementations, *Continued*

Vendor/Contact	Implementation	Validated Options
29. Digital Equipment Corporation Digital Drive - MK01-2/B08 Merrimack, NH 03054 Steve Lawrence, (603) 884-3445	PIN Pad 201 SMD Model: P003-120-XX March 25, 1991	BINARY OPTION (FIPS 113)
30. Information Security Corporation 1141 Lake Cook Road Suite D Deerfield, IL 60015 Michael Markowitz, (708) 405-0500	DES Module used in SpyProof July 10, 1991	BINARY OPTION (FIPS 113)
31. Digital Signature Validated by Information Security Corporation 1115 N. East Avenue Oak Park, IL 60302 Michael Markowitz, (708) 405-0500	DES Module used in CryptMaster (3.20) and SecretAgent (1.00) July 15, 1991	BINARY OPTION (FIPS 113)
32. The Exchange Systems 15395 SE 30th Place Bellevue, WA 98007-6594 Robert Adamson, (206) 844-7000 X255	PCE-3000 (IBM PS/2 Microchannel) January 8, 1992	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
33. The Exchange Systems 15395 SE 30th Place Bellevue, WA 98007-6594 Robert Adamson, (206) 844-7000 X255	PCE-1000 ISA Adaptor January 9, 1992	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING

FIPS 171, Key Management Using
7.8 Validations for Key Management ANSI X9.17

Vendor/Contact	Implementation	Validated Options	Vendor/Contact	Implementation	Validated Options
<p>1. LITRONICS Information Systems 2950 Redhill Avenue Costa Mesa, CA 92626</p> <p>(Originally validated by Codercard; rights transferred on September 11, 1990)</p> <p>Bob Gray, (714) 545-8649 James Prohaska, (703) 980-8068</p>	<p>Hardware: <u>Argus-PC</u> Model: <u>CMS-100</u> Software: <u>Argus/MACE</u> Software, Version: <u>1.0</u></p> <p>September 23, 1988</p>	<p>No. of communicating pairs: <u>2</u> No. of manual (*)KKs per comm. pair: <u>2</u> Length of manual and auto. (*)KKs: <u>PAIR</u> Key generation capability: <u>YES</u> Number of auto. distr. (*)KKs shared: <u>UP TO 4</u> Number of KDs shared: <u>UP TO 8</u> 2 KDs in KSMS: <u>SOMETIMES</u> Send RSI messages: <u>NOT</u> <u>TESTED</u> Receive RSI messages: <u>NOT</u> <u>TESTED</u> Notarization of keys in KSMS: <u>ALWAYS</u> Send odd parity on keys in KSMS: <u>ALWAYS</u> Send IVs in KSMS: <u>SOMETIMES</u> Send encrypted IVs in KSMS: <u>ALWAYS</u> Send EDCs in RSIs and ESMs: <u>ALWAYS</u> Action if EDC received in RSIs and ESMs: <u>NOT APPLICABLE</u> Send EDKs in KSMS: <u>SOMETIMES</u> Action on count error: <u>ADJUST COUNT</u> Send DSMs: <u>YES</u> Receive DSMs: <u>YES</u> IDA in DSM if only one KD can be shared: <u>YES</u> Role assumed: <u>EITHER A OR B</u> Automatic error recovery: <u>NOT</u> <u>TESTED</u> Space & CRLF as field delimiter: <u>NOT TESTED</u></p>	<p>3. TECHNICAL COMMUNICATIONS CORPORATION 100 Domino Drive CONCORD, Massachusetts 01742</p> <p>John Gill, (617) 862-8035</p>	<p>Hardware: <u>CX5000</u> Software: <u>Version: 2.0</u></p> <p>May 15, 1991</p>	<p>No. of communicating pairs: <u>1</u> No. of manual (*)KKs per comm. pair: <u>2</u> Length of manual and auto. (*)KKs: <u>PAIR</u> Key generation capability: <u>YES</u> Number of auto. distr. (*)KKs shared: <u>4</u> Number of KDs shared: <u>1</u> 2 KDs in KSMS: <u>NEVER</u> Send RSI messages: <u>NOT</u> <u>TESTED</u> Receive RSI messages: <u>NOT</u> <u>TESTED</u> Notarization of keys in KSMS: <u>ALWAYS</u> Send odd parity on keys in KSMS: <u>ALWAYS</u> Send IVs in KSMS: <u>SOMETIMES</u> Send encrypted IVs in KSMS: <u>ALWAYS</u> Send EDCs in RSIs and ESMs: <u>ALWAYS</u> Action if EDC received in RSIs and ESMs: <u>NOT</u> <u>APPLICABLE</u> Send EDKs in KSMS: <u>NEVER</u> Action on count error: <u>ADJUST COUNT</u> Send DSMs: <u>YES</u> Receive DSMs: <u>YES</u> IDA in DSM if only one KD can be shared: <u>YES</u> Role assumed: <u>EITHER A OR B</u> Automatic error recovery: <u>NOT</u> <u>TESTED</u> Space & CRLF as field delimiter: <u>NOT TESTED</u></p>
<p>2. TECHNICAL COMMUNICATIONS CORPORATION 100 Domino Drive CONCORD, Massachusetts 01742</p> <p>John Gill, (617) 862- 8035</p>	<p>Hardware: <u>CX5000A</u> Software: <u>Version: 1.0</u></p> <p>May 8, 1991</p>	<p>No. of communicating pairs: <u>1</u> No. of manual (*)KKs per comm. pair: <u>2</u> Length of manual and auto. (*)KKs: <u>PAIR</u> Key generation capability: <u>YES</u> Number of auto. distr. (*)KKs shared: <u>0</u> Number of KDs shared: <u>1</u> 2 KDs in KSMS: <u>NEVER</u> Send RSI messages: <u>NOT</u> <u>TESTED</u> Receive RSI messages: <u>NOT</u> <u>TESTED</u> Notarization of keys in KSMS: <u>ALWAYS</u> Send odd parity on keys in KSMS: <u>ALWAYS</u> Send IVs in KSMS: <u>SOMETIMES</u> Send encrypted IVs in KSMS: <u>ALWAYS</u> Send EDCs in RSIs and ESMs: <u>ALWAYS</u> Action if EDC received in RSIs and ESMs: <u>NOT</u> <u>APPLICABLE</u> Send EDKs in KSMS: <u>NEVER</u> Action on count error: <u>ADJUST COUNT</u> Send DSMs: <u>YES</u> Receive DSMs: <u>YES</u> IDA in DSM if only one KD can be shared: <u>YES</u> Role assumed: <u>EITHER A OR B</u> Automatic error recovery: <u>NOT</u> <u>TESTED</u> Space & CRLF as field delimiter: <u>NOT TESTED</u></p>	<p>4. COMMUNICATION DEVICES, INC. 1 Forstmann Court Clifton, NJ 07011</p> <p>Gene Hartzell, (201) 772-8997</p>	<p>Hardware: <u>RSD/E</u> Software: <u>Version 7.2</u></p>	<p>No. of communicating pairs: <u>1</u> No. of manual (*)KKs per comm. pair: <u>1</u> Length of manual and auto. (*)KKs: <u>PAIR</u> Key generation capability: <u>NO</u> Number of auto. distr. (*)KKs shared: <u>0</u> Number of KDs shared: <u>1</u> 2 KDs in KSMS: <u>NEVER</u> Send RSI messages: <u>NOT</u> <u>TESTED</u> Receive RSI messages: <u>NOT</u> <u>TESTED</u> Notarization of keys in KSMS: <u>ALWAYS</u> Send odd parity on keys in KSMS: <u>ALWAYS</u> Send IVs in KSMS: <u>SOMETIMES</u> Send encrypted IVs in KSMS: <u>ALWAYS</u> Send EDCs in RSIs and ESMs: <u>ALWAYS</u> Action if EDC received in RSIs and ESMs: <u>NOT APPLICABLE</u> Send EDKs in KSMS: <u>NEVER</u> Action on count error: <u>ADJUST COUNT</u> Send DSMs: <u>YES</u> Receive DSMs: <u>YES</u> IDA in DSM if only one KD can be shared: <u>YES</u> Role assumed: <u>EITHER A OR B</u> Automatic error recovery: <u>NOT</u> <u>TESTED</u> Space & CRLF as field delimiter: <u>NOT TESTED</u> Number of communicating pairs: <u>1</u> Number of manual (*)KKs per comm. pair: <u>2</u> Length of manual and</p>

APPENDIX A

FIPS CONFORMANCE TESTING PRODUCTS AND SERVICES

APPENDIX A

FIPS CONFORMANCE TESTING PRODUCTS AND SERVICES

The purpose of this appendix is to provide information about products and services that are available to Federal Agencies for assessing products for conformance to FIPS.

The entries in this list identify the topic, the standard tested, the NIST contact, and the product or service offered. The letters T, S, or C in the Product/Service column indicate a test method, testing service, or certificate/registered report respectively.

<u>TOPIC</u>	<u>STANDARD</u>	<u>CONTACT</u>	<u>PRODUCT/SERVICE</u>
COBOL	FIPS PUB 21-3	Judy Kailey NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3259	T, S, C
Fortran	FIPS PUB 69-1	Judy Kailey NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3259	T, S, C
Pascal	FIPS PUB 109	Carmelo Montanez NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-2398	T, S, C
C	FIPS PUB 160	Carmelo Montanez NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-2398	T, S, C
Ada	FIPS PUB 119	William Dashiell NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-2490	T, S, C
MUMPS	FIPS PUB 125	William Dashiell NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-2490	T, S, C
SQL	FIPS PUB 127-1	Joan Sullivan NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3258	T, S, C

<u>TOPIC</u>	<u>STANDARD</u>	<u>CONTACT</u>	<u>PRODUCT/SERVICE</u>
GKS	FIPS PUB 120	Susan (Quinn) Sherrick NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3268	T, S, C
CGM	FIPS PUB 128 MIL-D-28003	Lynne Rosenthal NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3353	T, S, C
PHIGS	FIPS PUB 153 ANSI/ISO 9592.1-1989	Kevin Brady NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3644	T, S, C
Raster	FIPS PUB 150 MIL-R-28002	Frank Spielman NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3257	T
IRDS	FIPS PUB 156	Alan Goldfine NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3252	T, S, C
POSIX	FIPS PUB 151-1	Martha Gray NIST, Bldg. 225, Rm. B266 Gaithersburg, MD 20899 (301) 975-3276	T, S, C
Message Authentication	FIPS PUB 113	Miles Smid NIST, Bldg. 225, Rm. A216 Gaithersburg, MD 20899 (301) 975-2938	T, S, C
Key Management Validation	FIPS PUB 171 ANSI X9.17	Miles Smid NIST, Bldg. 225, Rm. A216 Gaithersburg, MD 20899 (301) 975-2938	T, S, C
Data Encryption Standard	FIPS PUB 46-1	Miles Smid NIST, Bldg. 225, Rm. A216 Gaithersburg, MD 20899 (301) 975-2938	T, S, C
GOSIP	FIPS PUB 146	Stephen Nightingale NIST, Bldg. 225, Rm 141 Gaithersburg, MD 20899 (301) 975-3616	T, S

<u>TOPIC</u>	<u>STANDARD</u>	<u>CONTACT</u>	<u>PRODUCT/SERVICE</u>
1984 X25	CCITT X.25-1984 ISO 7776, ISO 8208 ISO 8882, ISO 9646 FIPS PUB 100-1	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T
ISDN Data Link Layer	Q921.LAPD ANSI T1.602	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T
ISDN Physical Layer	S/T Interface ANSI T1.605 (S/T Interface) ANSI T1.601 (U Interface)	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T (abstract)
ISDN Network Layer	Q931 ANSI T1.607 ANSI T1.608 FIPS PUB (planned)	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T
FDDI	ANSI X3T9	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T

**U.S. DEPARTMENT OF COMMERCE
NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY
BLDG 225 ROOM A/266
GAITHERSBURG, MD 20899**

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300**

**DO NOT FORWARD
ADDRESS CORRECTION REQUESTED
RETURN POSTAGE GUARANTEED**

**SPECIAL FOURTH CLASS
BOOK RATE
POSTAGE & FEES PAID
NIST
PERMIT No. G195**